

Submit 3 Copies to Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

Form C-103

June 19, 2008

RECEIVED

MAY 21 2009

HOBBSOCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-025-04991 |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. LG-6801 |
| 7. Lease Name or Unit Agreement Name Morse |
| 8. Well Number #1 |
| 9. OGRID Number 3474 |
| 10. Pool name or Wildcat N. Echols <i>Devonian</i> |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator
State of New Mexico/ formerly C W Trainer

3. Address of Operator
1625 N. French Drive Hobbs, NM 88240

4. Well Location
Unit Letter E: 1980 feet from the North line and 660 feet from the West line
Section 27 Township 10S Range 37E NMPM Lea County

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

13-3/8" csg set at 340'—cmt circ. *****This well has been re-entered.*****

8-5/8" csg set at 4270'—TOC at 2444' by TS.

5-1/2" csg set at 11930. Top of csg at 3850'.

Top of Fish 5396'. CIBP set at 5395' +/- BOS 2937' TOS 2290'.

Run tbg in open-ended and tag CIBP. Spot 25 sxs Class C cmt. WOC and Tag.

Circ hole w/9.5 ppg brine mixed w/12.5 lbs of salt gel per bbl.

Perf at 4330', sqz w/25 sxs Class C cmt. WOC and Tag. (Shoe plug).

Spot 30 sxs Class C cmt 3900'. WOC and Tag. (Stub plug).

Perf at 2937', sqz w/30 Class C cmt. WOC and Tag. (BOS plug).

Perf at 2240', sqz w/ 30 Class C cmt. WOC and Tag. (TOS plug).

Perf at 390', sqz w/30 sxs Class C cmt. WOC and Tag. (Shoe plug). Perf at 60', circ cmt to surface.

Cut off wellhead and anchors. Install dry hole marker.

Spud Date:

Rig Release Date:

The Oil Conservation Division **Must be notified 24 hours prior** to the beginning of plugging operations

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Maley Brown

TITLE

Compliance Officer

DATE

5/20/2009

Type or print name

E-mail address:

PHONE:

For State Use Only

APPROVED BY:

Cary W. Hill

TITLE

DISTRICT 1 SUPERVISOR

DATE

MAY 22 2009

Conditions of Approval (if any):

PLUGGING & ABANDONMENT WORKSHEET (2 STRING CSGNG)

30-025-04991

OPERATOR C.W. TrainerLEASENAME MorseWELL # 1SECT 27 TWN 10S RNG 37EFROM 1980 N# L 660 #WLTD: 1930 FORMATION @ TD Devonian

PBDT: FORMATION @ PBDT

13 3/8
@ 340
TOC circ

8 5/8
@ 4270
TOC 2444

CIRP - XXX
@ 5390

Re-entered
1984

Plugged 473

Amerade Hess
cut @ ?
4642

Lock set
Pkr @
5500
w on-off
tool

3850' to
17#20#
@ 11930
TOC 11100

TD 11930

| | SIZE | SET @ | TOC | TOC DETERMINED BY |
|----------|--------------|-------|--------------|-------------------|
| SURFACE | 13 3/8 | 340 | Surf | Visual |
| INTMED 1 | 8 5/8 | 4270 | 2444 | Temp |
| INTMED 2 | | | | |
| PROD | 5 1/2 | 11930 | 11100 | Temp |
| | SIZE | TOP | BOT | TOC DETERMINED BY |
| LINER 1 | | | | |
| LINER 2 | | | | |
| | CUT & PULL @ | | TOP - BOTTOM | |
| INTMED 1 | 0 | | PERFS | - |
| INTMED 2 | | | OPENHOLE | - |
| PROD | 0 | | | |

*REQUIRED PLUGS DISTRICT I

| | |
|-----------------|--|
| KENTLER (ANGUS) | |
| TATES | |
| QUEEN | |
| GRAYBIRD | |
| SAN ANDREW | |
| CAPTAIN REEF | |
| DELAWARE | |
| BELL CANYON | |
| CHERRY CANYON | |
| BERRY CANYON | |
| ROSE SPRING | |
| FLORIDA | |
| ELDERBERRY | |
| TUBS | |
| DRINKARD | |
| AGO | |
| WC | |
| TECH | |
| STRAWN | |
| ATOKA | |
| MORROW | |
| MOE | |
| DEVONIAN | |

| PLUG | TYPE | SACKS | DEPTH |
|----------|-----------|---------|-------------|
| PLUG | FLUG | CMNT | |
| EXAMPLES | | | |
| PLUG #1 | OH | 35 SXS | 6400' |
| PLUG #2 | SHOE | 50 SXS | 3350'-5450' |
| PLUG #3 | CIRP/35' | | 4800' |
| PLUG #4 | CIRP | 25 SXS | 4800' |
| PLUG #5 | STUB | 50 SXS | 3600'-3700' |
| PLUG #6 | RETRN SQZ | 200 SXS | 400' |
| PLUG #7 | SURF | 10 SXS | 0-10' |
| PLUG #8 | | | |
| PLUG #9 | | | |
| PLUG #10 | | | |
| PLUG #11 | | | |
| PLUG #12 | | | |
| PLUG #13 | | | |
| PLUG #14 | | | |
| PLUG #15 | | | |
| PLUG #16 | | | |
| PLUG #17 | | | |
| PLUG #18 | | | |
| PLUG #19 | | | |
| PLUG #20 | | | |
| PLUG #21 | | | |
| PLUG #22 | | | |
| PLUG #23 | | | |
| PLUG #24 | | | |
| PLUG #25 | | | |
| PLUG #26 | | | |
| PLUG #27 | | | |
| PLUG #28 | | | |
| PLUG #29 | | | |
| PLUG #30 | | | |