Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103	
District I 1625 N. French Dr. Hobbs. NM8 2246			June 19, 2008 WELL API NO.	
1625 N. French Dr., Hobbs, No.			30-05-29035	
District III MAY 26 2009 1220 South St. Francis Dr.			5. Indicate Type of Lease	
1000 Rio Brazos Rd. Aztec. NM 87410			STATE FEE X 6. State Oil & Gas Lease No.	
District IV 1220 S. St. Francis Dr., Santa F., LOBBSOCD Santa Fe, NM 87505			0. 5	Cas Boase 110.
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			Manus Elliatt	
PROPOSALS.)			Manry Elliott 8. Well Number	
1. Type of Well: Oil Well Gas Well X Other			3	
2. Name of Operator Read & Stevens, Inc.			9. OGRID Number 18917 ✓	
3. Address of Operator			10. Pool name or Wildcat	
P. O. Box 1518, Roswell, NM 88202-1518			TV; Penn (Gas)	
4. Well Location				
Unit Letter: P 990 feet from the South line and 660 feet from the East line				
Section: 22 Township: 11S Range: 31E NMF				County: Chaves
4,460' GR				
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK X ALTERING CASING				
TEMPORARILY ABANDON				
PULL OR ALTER CASING MULTIPLE COMPL CASING/CEMENT JOB DOWNHOLE COMMINGLE				
_	_			
OTHER: 13 Describe proposed or comple	eted operations (Clearly state a		nstallation	nt dates including estimated date
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion				
or recompletion.				
05/18/09 - 05/19/09				
MIRUSU RUWL RIH w/3 5/8" OI) gauge ring to 10 900' POH w	v/gauge ring RIH w/2	2.3/8" x 4 ½"	10k nkr w/1 875 X profile nipple
MIRUSU. RUWL. RIH w/3 5/8" OD gauge ring to 10,900'. POH w/gauge ring. RIH w/2 3/8" x 4 ½" 10k pkr w/1.875 X profile nipple and glass disk. Set pkr at 10,860'. POH & RDWL. NDWH. NUBOP. RIH w/retrieving head, 2 3/8" x 2' x 3' perforated tbg subs, 2				
3/8" OD seating nipple, 200 jnts tbg, 342 jnts 2 3/8" tbg, 2 3/8" x 8' x 8' tbg subs. Catch pkr. NDBOP. NUWH. RIH w/2" tbg swab.				
Made 2 runs rec 1 BO to surface. RD swab. RDMOSU. RU slickline. RIH w/1 3/8" OD chisel, slickline. RD slickline. Turn well to sales.				
Sı	oud Date: 04/14/2008	Rig Release Date:	05/24/2008	
I hereby certify that the information a	bove is true and complete to the	best of my knowledge	e and belief.	
/()	.,	, 3		
SIGNATURE JON	TITLE: Pet	roleum Engineer		DATE: 05/22/2009
		-		
Type or print name: David Luna E-mail address: <u>dluna@read-stevens.com</u> For State Use Only				PHONE: 575-622-3770 ext. 219
	/ PI	ETROLDUM BWAIN		MAY 27 2009
APPROVED BY: Conditions of Approval (if any):	TITLE			_DATE / LUU