

SUR: J - 6-25s-34e, 1880/S & 2200/E
 BHL: N - 1-25s-33e, 381/S & 3324/E
 API # 30-025-35900

Computalog Drilling Services

Client : EOG Resources
 Well : Red Hills North Unit #604
 Location : Lea County, NM
 License :
 Comment : Grid North


Page: 1
 Date : 12/20/2002
 File : 50586

UWI #:

Vertical Section Calculated Along Azimuth 286.92°

KB Elevation = 0.09ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
0	11800.00	1.00	311.85	11798.31	-33.24	86.00	-76.25	0.00	0.00	0.00
1	11895.00	1.10	352.50	11893.30	-31.78	85.26	-75.86	0.77	0.11	42.79
2	11927.00	1.60	291.80	11925.29	-31.31	84.81	-75.52	4.47	1.58	-189.69
3	11960.00	5.60	263.90	11958.22	-31.31	82.78	-73.54	12.89	12.12	-84.55
4	11992.00	10.50	263.80	11989.89	-31.79	78.32	-69.10	15.31	15.31	-0.31
5	12024.00	15.10	263.90	12021.09	-32.55	71.28	-62.06	14.38	14.37	0.31
6	12056.00	20.00	260.40	12051.59	-33.91	61.73	-52.46	15.66	15.31	-10.94
7	12088.00	25.10	257.10	12081.14	-36.34	49.71	-40.20	16.41	15.94	-10.31
8	12120.00	30.30	256.70	12109.46	-39.71	35.23	-25.33	16.26	16.25	-1.25
9	12152.00	35.90	256.80	12136.26	-43.71	18.23	-7.86	17.50	17.50	0.31
10	12184.00	41.70	257.70	12161.18	-48.13	-1.32	12.18	18.21	18.12	2.81
11	12216.00	47.20	257.70	12184.02	-52.90	-23.21	34.58	17.19	17.19	0.00
12	12249.00	52.10	257.20	12205.38	-58.37	-47.75	59.72	14.89	14.85	-1.52
13	12281.00	57.00	256.50	12223.93	-64.30	-73.13	85.78	15.42	15.31	-2.19
14	12313.00	62.90	255.80	12239.95	-70.93	-100.01	113.46	18.53	18.44	-2.19
15	12345.00	68.40	256.20	12253.14	-77.98	-128.28	142.60	17.23	17.19	1.25
16	12377.00	74.10	256.60	12263.42	-85.10	-157.72	172.89	17.85	17.81	1.25
17	12409.00	80.10	257.20	12270.56	-92.17	-188.09	204.07	18.84	18.75	1.87
18	12433.00	85.20	257.30	12273.63	-97.42	-211.30	227.86	21.25	21.25	0.42
19	12465.00	88.80	257.10	12275.30	-104.50	-242.46	259.81	11.27	11.25	-0.62
20	12497.00	89.10	257.20	12275.89	-111.61	-273.65	291.81	0.99	0.94	0.31
21	12528.00	89.40	257.20	12276.30	-118.48	-303.88	322.80	0.97	0.97	0.00
22	12561.00	88.90	256.90	12276.79	-125.87	-336.03	355.80	1.77	-1.52	-0.91
23	12593.00	89.30	257.00	12277.29	-133.10	-367.20	387.80	1.29	1.25	0.31
24	12625.00	89.70	257.00	12277.57	-140.30	-398.38	419.80	1.25	1.25	0.00
25	12657.00	90.00	256.80	12277.65	-147.55	-429.55	451.80	1.13	0.94	-0.62
26	12689.00	89.60	256.90	12277.76	-154.83	-460.71	483.80	1.29	-1.25	0.31
27	12722.00	89.40	256.60	12278.05	-162.39	-492.83	516.79	1.09	-0.61	-0.91
28	12734.00	88.90	256.50	12278.23	-165.18	-504.50	528.79	4.25	-4.17	-0.83
29	12836.00	88.30	256.70	12280.77	-189.28	-605.64	632.76	0.61	-0.58	0.19
30	12870.00	88.50	255.70	12281.66	-196.91	-638.70	664.74	3.19	0.63	-3.12
31	12901.00	88.30	255.60	12282.53	-204.59	-666.72	695.72	0.72	-0.65	-0.32
32	12933.00	88.30	255.50	12283.48	-212.57	-697.70	727.70	0.31	0.00	-0.31
33	12965.00	89.20	255.60	12284.18	-220.55	-728.68	759.68	2.83	2.81	0.31



Computalog Drilling Services

Client : EOG Resources
Well : Red Hills North Unit #504
Location : Lea County, NM
License :
Comment : Grid North

Page: 2
Date : 12/20/2002
File : 50588

UWI #:

Vertical Section Calculated Along Azimuth 255.92°

KB Elevation = 0.00ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
34	12997.00	89.10	255.90	12284.65	-228.43	-759.69	791.67	0.99	-0.31	0.94
35	13029.00	89.80	256.50	12284.96	-236.06	-790.76	823.67	2.88	2.19	1.87
36	13060.00	89.10	256.40	12285.26	-243.32	-820.90	854.67	2.28	-2.26	-0.32
37	13092.00	88.80	256.10	12285.84	-250.93	-851.97	886.86	1.33	-0.94	-0.94
38	13124.00	88.50	255.90	12286.60	-258.67	-883.02	918.65	1.13	-0.94	-0.63
39	13156.00	89.90	256.40	12287.04	-266.33	-914.08	950.64	4.65	4.38	1.56
40	13187.00	90.20	256.20	12287.02	-273.67	-944.20	981.64	1.16	0.97	-0.65
41	13219.00	90.20	256.00	12286.91	-281.36	-975.26	1013.63	0.62	0.00	-0.62
42	13250.00	90.10	255.60	12286.82	-288.96	-1005.31	1044.63	1.33	-0.32	-1.29
43	13282.00	89.50	255.30	12286.94	-297.00	-1036.29	1076.62	2.10	-1.87	-0.94
44	13314.00	89.50	254.80	12287.22	-305.26	-1067.20	1108.60	1.56	0.00	-1.66
45	13346.00	91.00	254.30	12287.08	-313.78	-1098.05	1140.57	4.94	4.69	-1.66
46	13377.00	90.90	254.00	12286.56	-322.25	-1127.86	1171.53	1.02	-0.32	-0.97
47	13409.00	90.60	253.60	12286.14	-331.12	-1158.61	1203.48	1.13	-0.94	-0.62
48	13441.00	90.60	254.90	12285.81	-339.75	-1189.42	1235.45	3.44	0.00	3.44
49	13473.00	92.00	255.80	12285.08	-347.84	-1220.37	1267.43	5.20	4.37	2.81
50	13504.00	92.30	256.60	12283.92	-355.23	-1250.45	1298.40	2.75	0.97	2.58
51	13536.00	91.50	255.90	12282.86	-362.83	-1281.52	1330.38	3.32	-2.50	-2.19
52	13568.00	90.10	255.90	12282.41	-370.63	-1312.55	1362.37	4.38	-4.38	0.00
53	13599.00	90.40	256.00	12282.28	-378.15	-1342.62	1393.37	1.02	0.97	0.32
54	13630.00	89.90	256.80	12282.19	-385.44	-1372.75	1424.37	3.04	-1.61	2.58
55	13662.00	89.20	257.20	12282.45	-392.64	-1403.93	1456.36	2.52	-2.19	1.25
56	13694.00	88.80	257.10	12283.00	-399.76	-1435.12	1488.36	1.29	-1.25	-0.31
57	13726.00	88.40	256.90	12283.79	-406.95	-1466.29	1520.35	1.40	-1.25	-0.63
58	13758.00	88.80	257.00	12284.57	-414.18	-1497.46	1552.34	1.29	1.25	0.31
59	13789.00	90.20	257.00	12284.84	-421.15	-1527.66	1583.34	4.52	4.52	0.00
60	13821.00	89.80	256.80	12284.84	-428.40	-1558.83	1615.34	1.40	-1.25	-0.62
61	13852.00	90.20	257.30	12284.84	-435.35	-1589.04	1646.34	2.07	1.29	1.61
62	13883.00	89.40	257.50	12284.95	-442.11	-1619.29	1677.34	2.66	-2.58	0.65
63	13914.00	89.00	258.10	12285.38	-448.66	-1649.59	1708.33	2.33	-1.29	1.94
64	13945.00	89.00	257.80	12285.92	-455.13	-1679.90	1739.32	0.97	0.00	-0.97
65	13977.00	89.10	258.30	12286.45	-461.76	-1711.20	1771.31	1.59	0.31	1.66
66	14009.00	89.10	258.10	12286.95	-468.30	-1742.52	1803.30	0.62	0.00	-0.62

Computalog Drilling Services

Client : EOG Resources
 Well : Red Hills North Unit #604
 Location : Lea County, NM
 License :
 Comment : Grid North


Page: 3
 Date : 12/20/2002
 File : 50586

UWI #:

Vertical Section Calculated Along Azimuth 258.92°

KB Elevation = 0.00ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
67	14041.00	89.70	258.80	12287.29	-474.71	-1773.87	1835.28	2.88	1.88	2.19
68	14073.00	88.30	257.20	12287.85	-481.36	-1805.17	1867.27	6.64	-4.38	-5.00
69	14104.00	88.30	257.00	12288.77	-488.28	-1835.37	1898.26	0.64	0.00	-0.65
70	14136.00	89.40	257.20	12289.41	-495.42	-1866.56	1930.25	3.49	3.44	0.62
71	14168.00	89.90	258.10	12289.60	-502.26	-1897.82	1962.25	3.22	1.56	2.81
72	14200.00	89.70	257.90	12289.72	-508.92	-1929.12	1994.24	0.88	-0.63	-0.63
73	14231.00	89.40	257.60	12289.96	-515.49	-1959.41	2025.24	1.37	-0.97	-0.97
74	14262.00	90.30	257.30	12290.04	-522.23	-1989.67	2056.23	3.06	2.90	-0.97
75	14293.00	90.50	257.80	12289.82	-528.91	-2019.94	2087.23	1.74	0.65	1.61
76	14324.00	91.10	258.60	12289.39	-535.25	-2050.28	2118.22	3.23	1.94	2.58
77	14356.00	90.80	258.00	12288.86	-541.74	-2081.81	2150.21	2.10	-0.94	-1.88
78	14387.00	90.10	258.60	12288.62	-548.55	-2111.85	2181.20	5.05	-2.26	-4.52
79	14419.00	91.60	258.00	12288.14	-555.59	-2143.06	2213.20	6.41	4.69	4.38
80	14451.00	92.10	257.80	12287.11	-562.29	-2174.34	2245.16	1.68	1.56	-0.63
81	14482.00	91.90	258.40	12286.03	-568.68	-2204.65	2276.15	2.04	-0.65	1.94
82	14514.00	91.10	257.90	12285.19	-575.25	-2235.96	2308.13	2.95	-2.50	-1.56
83	14546.00	90.80	258.00	12284.66	-581.93	-2267.25	2340.12	0.99	-0.94	0.31
84	14578.00	90.70	259.20	12284.24	-588.25	-2298.61	2372.11	3.76	-0.31	3.75
85	14609.00	90.00	257.90	12284.05	-594.41	-2329.00	2403.09	4.76	-2.26	-4.19
86	14641.00	90.60	258.20	12283.88	-601.03	-2360.30	2435.08	2.10	1.88	0.94
87	14673.00	90.50	259.40	12283.58	-607.25	-2391.69	2467.06	3.76	-0.31	3.75
88	14704.00	90.30	258.60	12283.36	-613.16	-2422.12	2498.04	2.66	-0.65	-2.58
89	14736.00	90.20	259.40	12283.22	-619.27	-2453.53	2530.02	2.52	-0.31	2.50
90	14768.00	90.40	260.00	12283.05	-624.99	-2485.01	2561.98	1.98	0.62	1.88
91	14799.00	89.90	258.80	12282.97	-630.69	-2515.49	2592.95	4.19	-1.61	-3.87
92	14830.00	89.70	258.70	12283.08	-636.74	-2545.89	2623.94	0.72	-0.65	-0.32
93	14862.00	89.80	259.70	12283.22	-642.74	-2577.32	2655.91	3.14	0.31	3.13
94	14894.00	89.50	259.10	12283.42	-648.62	-2608.77	2687.88	2.10	-0.94	-1.88
95	14925.00	89.50	259.30	12283.69	-654.43	-2639.22	2718.86	0.65	0.00	0.65
96	14957.00	89.70	258.80	12283.91	-660.51	-2670.64	2750.83	1.68	0.63	-1.56
97	15020.00	89.50	260.20	12284.35	-671.99	-2732.58	2813.77	2.24	-0.32	2.22
98	15052.00	89.30	259.10	12284.68	-677.74	-2764.06	2845.73	3.49	-0.62	-3.44
99	15084.00	90.90	259.80	12284.63	-683.60	-2795.52	2877.69	5.46	5.00	2.19



Computalog Drilling Services

Client : EOG Resources
Well : Red Hills North Unit #604
Location : Lea County, NM
License :
Comment : Grid North

Page: 4
Date : 12/20/2002
File : 50586

UWI #:

Vertical Section Calculated Along Azimuth 256.92°

KB Elevation = 0.00ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
100	15115.00	90.60	260.00	12284.22	-689.03	-2826.04	2908.65	1.16	-0.97	0.65
101	15147.00	89.70	258.60	12284.14	-694.97	-2857.48	2940.62	5.20	-2.81	-4.37
102	15179.00	89.50	259.00	12284.36	-701.19	-2888.87	2972.60	1.40	-0.63	1.25
103	15211.00	89.70	260.10	12284.59	-706.99	-2920.34	3004.57	3.49	0.63	3.44
104	15242.00	89.30	258.90	12284.86	-712.64	-2950.81	3035.53	4.08	-1.29	-3.87
105	15274.00	89.30	259.40	12285.25	-718.67	-2982.24	3067.51	1.56	0.00	1.56
106	15306.00	90.10	259.10	12285.41	-724.63	-3013.68	3099.48	2.67	2.50	-0.94
107	15337.00	90.70	258.80	12285.20	-730.58	-3044.10	3130.46	2.16	1.94	-0.97
108	15369.00	90.30	258.40	12284.92	-736.90	-3075.47	3162.45	1.77	-1.25	-1.25
109	15401.00	91.30	259.90	12284.47	-742.92	-3106.89	3194.42	5.63	3.13	4.69
110	15432.00	92.10	258.00	12283.55	-748.86	-3137.30	3225.38	6.65	2.58	-6.13
111	15464.00	92.00	257.70	12282.41	-755.59	-3168.57	3257.36	0.99	-0.31	-0.94
112	15496.00	91.90	257.50	12281.32	-762.46	-3199.80	3289.34	0.70	-0.31	-0.62
113	15528.00	91.50	257.40	12280.37	-769.41	-3231.02	3321.32	1.29	-1.25	-0.31
114	15545.00	92.10	258.10	12279.84	-773.02	-3247.63	3338.31	5.42	3.53	4.12
115	15576.00	91.50	258.70	12278.86	-779.25	-3277.98	3369.28	2.74	-1.94	1.94
116	15608.00	90.20	258.90	12278.39	-785.46	-3309.37	3401.26	4.11	-4.06	0.62
117	15639.00	90.20	258.70	12278.28	-791.48	-3339.78	3432.25	0.65	0.00	-0.65
118	15671.00	89.80	258.10	12278.28	-797.92	-3371.12	3464.24	2.25	-1.25	-1.87
119	15702.00	88.80	258.20	12278.66	-804.28	-3401.46	3495.23	3.24	-3.23	0.32
120	15734.00	88.60	257.60	12279.38	-810.99	-3432.74	3527.21	1.98	-0.63	-1.88
121	15766.00	88.60	257.30	12280.17	-817.94	-3463.98	3559.20	0.94	0.00	-0.94
122	15798.00	88.70	256.90	12280.92	-825.08	-3495.15	3591.19	1.29	0.31	-1.25
123	15829.00	88.50	256.30	12281.68	-832.26	-3525.30	3622.18	2.04	-0.65	-1.94
124	15861.00	88.80	256.10	12282.43	-839.89	-3556.36	3654.17	1.13	0.94	-0.62
125	15893.00	89.00	255.60	12283.04	-847.71	-3587.39	3686.16	1.68	0.63	-1.56
126	15924.00	88.80	255.80	12283.64	-855.37	-3617.42	3717.15	0.91	-0.65	0.65
127	15956.00	89.90	255.90	12284.00	-863.19	-3648.45	3749.14	3.45	3.44	0.31
128	15988.00	91.30	255.60	12283.67	-871.07	-3679.46	3781.13	4.47	4.37	-0.94
129	16019.00	91.40	255.10	12282.94	-878.91	-3709.44	3812.11	1.64	0.32	-1.61
130	16051.00	91.30	255.10	12282.18	-887.13	-3740.36	3844.08	0.31	-0.31	0.00
131	16083.00	90.40	255.10	12281.71	-895.38	-3771.28	3876.06	2.81	-2.81	0.00
132	16115.00	89.60	256.20	12281.71	-903.29	-3802.28	3908.05	4.25	-2.50	3.44
133	16146.00	89.20	255.90	12282.03	-910.76	-3832.36	3939.05	1.61	-1.29	-0.97

A
Hobbs
OCD

Computalog Drilling Services

Client : EOG Resources
Well : Red Hills North Unit #604
Location : Lea County, NM
License :
Comment : Grid North

Page: 5
Date : 12/20/2002
File : 50586

UWI #:

Vertical Section Calculated Along Azimuth 256.92°

KB Elevation = 0.00ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
134	16178.00	89.10	256.40	12282.51	-918.42	-3863.43	3971.04	1.59	-0.31	1.56
135	16209.00	88.90	255.70	12283.05	-925.90	-3893.51	4002.03	2.35	-0.65	-2.26
136	16241.00	88.70	256.50	12283.72	-933.58	-3924.57	4034.02	2.58	-0.63	2.50
137	16272.00	88.30	258.90	12284.53	-940.71	-3954.72	4065.01	1.82	-1.29	1.29
138	16304.00	86.70	256.90	12285.93	-947.96	-3985.86	4096.86	5.00	-5.00	0.00
139	16334.00	86.60	256.60	12287.68	-954.82	-4015.01	4126.93	1.05	-0.33	-1.00
140	16367.00	86.80	258.90	12289.58	-962.37	-4047.08	4159.88	1.09	0.61	0.91
141	16399.00	87.20	256.90	12291.25	-969.61	-4078.21	4191.83	1.25	1.25	0.00
142	16430.00	88.40	257.60	12292.44	-976.45	-4108.42	4222.81	4.48	3.87	2.26
143	16462.00	89.40	258.00	12293.06	-983.21	-4139.69	4254.80	3.37	3.12	1.25
144	16493.00	89.10	257.40	12293.46	-989.81	-4169.97	4285.79	2.16	-0.97	-1.94
145	16525.00	88.70	257.70	12294.08	-996.71	-4201.22	4317.78	1.56	-1.25	0.94
146	16557.00	88.90	258.20	12294.75	-1003.39	-4232.50	4349.77	1.68	0.63	1.56
147	16589.00	88.70	257.30	12295.42	-1010.18	-4263.77	4381.76	2.88	-0.63	-2.81
148	16620.00	88.50	257.20	12296.18	-1017.02	-4294.00	4412.75	0.72	-0.65	-0.32
149	16651.00	88.70	257.80	12296.93	-1023.73	-4324.25	4443.74	2.04	0.65	1.94
150	16683.00	88.70	257.60	12297.66	-1030.54	-4355.51	4475.73	0.62	0.00	-0.63
151	16715.00	88.30	257.70	12298.50	-1037.38	-4386.76	4507.71	1.29	-1.25	0.31
152	16747.00	88.40	257.60	12299.42	-1044.22	-4418.00	4539.70	0.44	0.31	-0.31
153	16778.00	88.20	257.20	12300.34	-1050.98	-4448.24	4570.68	1.44	-0.65	-1.29
154	16810.00	87.80	257.40	12301.46	-1058.02	-4479.44	4602.66	1.40	-1.25	0.63
155	16842.00	87.60	257.30	12302.74	-1065.02	-4510.64	4634.64	0.70	-0.63	-0.31
156	16874.00	87.30	257.00	12304.16	-1072.13	-4541.81	4666.60	1.33	-0.94	-0.94
157	16905.00	88.50	257.60	12305.30	-1078.94	-4572.03	4697.56	4.33	3.87	1.94
158	16937.00	88.80	256.90	12306.05	-1086.00	-4603.23	4729.57	2.38	0.94	-2.19
159	16969.00	88.80	257.40	12306.72	-1093.11	-4634.42	4761.57	1.56	0.00	1.56
160	17001.00	88.70	257.10	12307.42	-1100.17	-4665.63	4793.56	0.99	-0.31	-0.94
161	17032.00	88.80	257.00	12308.10	-1107.12	-4696.83	4824.55	0.46	0.32	-0.32
162	17064.00	88.30	257.20	12308.91	-1114.26	-4727.01	4856.54	1.68	-1.56	0.62
163	17095.00	89.40	257.70	12309.53	-1121.00	-4757.26	4887.53	3.90	3.55	1.61
164	17127.00	89.50	257.90	12309.84	-1127.76	-4788.54	4919.53	0.70	0.31	0.62
165	17158.00	89.20	257.80	12310.19	-1134.28	-4818.84	4950.52	1.02	-0.97	-0.32
166	17190.00	90.30	257.70	12310.33	-1141.07	-4850.11	4982.52	3.45	3.44	-0.31

RECEIVED
Hobbs
OCO

Computalog Drilling Services

Client : EOG Resources
Well : Red Hills North Unit #604
Location : Lea County, NM
License :
Comment : Grid North

Page: 6
Date: 12/20/2002
File : 50588

UWI #:

Vertical Section Calculated Along Azimuth 256.92°

KB Elevation = 0.00ft

	MD ft	Inc deg	Azi deg	TVD ft	North ft	East ft	V'Sect ft	D'Leg °/100	Build °/100	Turn °/100
167	17221.00	90.40	257.80	12310.14	-1147.65	-4880.41	5013.51	0.46	0.32	0.32
168	17253.00	89.60	257.30	12310.14	-1154.55	-4911.66	5045.51	2.95	-2.50	-1.56
169	17284.00	89.70	257.60	12310.33	-1161.28	-4941.91	5076.51	1.02	0.32	0.97
170	17315.00	90.80	257.80	12310.19	-1167.89	-4972.20	5107.50	3.61	3.55	0.65
171	17347.00	90.60	258.00	12309.80	-1174.59	-5003.49	5139.50	0.88	-0.63	0.63
172	17379.00	90.30	257.50	12309.55	-1181.38	-5034.76	5171.49	1.82	-0.94	-1.56
173	17411.00	90.30	257.00	12309.38	-1188.45	-5065.97	5203.49	1.56	0.00	-1.56
174	17442.00	90.00	256.80	12309.30	-1195.47	-5096.16	5234.49	1.16	-0.97	-0.65
175	17474.00	89.70	256.80	12309.39	-1202.78	-5127.32	5266.49	0.94	-0.94	0.00
176	17506.00	89.60	256.80	12309.58	-1210.09	-5158.47	5298.49	0.31	-0.31	0.00
177	17537.00	89.80	257.10	12309.74	-1217.09	-5188.67	5329.49	1.16	0.65	0.97
178	17569.00	89.70	257.00	12309.88	-1224.26	-5219.86	5361.49	0.44	-0.31	-0.31
179	17601.00	89.90	256.80	12309.99	-1231.56	-5251.01	5393.49	1.40	0.63	-1.25
180	17633.00	90.40	256.60	12309.91	-1238.98	-5282.14	5425.49	1.56	1.56	0.00
181	17665.00	90.70	256.30	12309.60	-1246.48	-5313.25	5457.49	1.33	0.94	-0.94
182	17728.00	91.10	257.00	12308.61	-1261.02	-5374.54	5520.48	1.28	0.63	1.11
183	17791.00	91.00	257.10	12307.48	-1275.14	-5435.92	5583.47	0.22	-0.16	0.16
184	17853.00	90.70	257.20	12308.54	-1288.93	-5496.36	5645.46	0.51	-0.48	0.16
185	17917.00	90.10	257.10	12306.09	-1303.16	-5558.76	5709.46	0.95	-0.94	-0.16
186	17980.00	89.40	256.90	12306.37	-1317.33	-5620.14	5772.46	1.16	-1.11	-0.32
187	18043.00	89.10	256.20	12307.19	-1331.98	-5681.41	5835.45	1.21	-0.48	-1.11
188	18106.00	89.60	256.40	12307.91	-1346.90	-5742.61	5898.44	0.85	0.79	0.32
189	18169.00	89.40	255.30	12308.46	-1362.30	-5803.70	5961.43	1.77	-0.32	-1.75
190	18200.00	90.30	255.50	12308.54	-1370.12	-5833.70	5992.41	2.97	2.90	0.65
191	18264.00	90.40	254.90	12308.15	-1386.46	-5895.57	6056.38	0.95	0.16	-0.94
192	18328.00	90.10	255.50	12307.87	-1402.81	-5957.45	6120.35	1.05	-0.47	0.94
193	18391.00	89.00	254.50	12308.36	-1419.12	-6018.30	6183.32	2.36	-1.75	-1.59
194	18454.00	88.40	254.50	12309.79	-1435.95	-6078.99	6246.24	0.95	-0.95	0.00
195	18517.00	87.90	253.90	12311.83	-1453.09	-6139.58	6309.14	1.24	-0.79	-0.95
196	18581.00	88.60	254.40	12313.78	-1470.56	-6201.12	6373.03	1.34	1.09	0.78
197	18644.00	88.80	254.60	12315.21	-1487.40	-6261.81	6435.96	0.45	0.32	0.32

Bottom Hole Closure 6436.04ft Along Azimuth 256.64°

RECEIVED
Hobbs
000