Submit 3 Copies To Appropriate District Office District I  State of New Mexico Energy, Minerals and Natural Resource	Form C-103 June 19, 2008
1625 N. French Dr. Hobbs NM 88240	WELL API NO.
District II 1301 W Grand Ave , Artesia, NMS 221 CEIVED ONSERVATION DIVISION	30-025-38067
District III	7. Indicate Type of Bease
1000 Rio Brazos Rd Aztec, NM 874UN U 5 2009 Santa Fe, NM 87505	STATE S FEE 7. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa FORBSOCD 87505	7. State Office Gas Bease 140.
SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	Rhoid State
PROPOSALS)  1. Type of Well: Oil Well  Gas Well  Other	8. Well Number
2. Name of Operator	9. OGRID Number
Marbob Energy Corporation	14049
3. Address of Operator PO Box 227, Artesia, NM 88211-0227	10. Pool name or Wildcat E-K; Delaware & E-K; San Andres, South
4. Well Location	211, 2011, 1011, 5011, 5011,
Unit Letter D : 330 feet from the North line and	d 330 feet from the West line
Section 24 Township 18S Range 33E	NMPM Lea County
11. Elevation (Show whether DR, RKB, RT, GR 3903' GR	, etc.)
Check Appropriate Box to Indicate Nature of Not	tice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING	
The state of the s	E DRILLING OPNS. P AND A
PULL OR ALTER CASING	MENT JOB
DOWNHOLE COMMINGLE	Acdz & Frac San Andres
OTHER: OTHER.	Plug Back Delaware
13. Describe proposed of completed operations. (Clearly state all pertinent detail	ls, and give pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions or recompletion.	s: Attach wellbore diagram of proposed completion
Acidized & Fraced the San Andres zone & plugged back (removed pay) in th	e Delaware zone as follows:
5/15/09 – MIRU. POOH w/ rods & tbg.	
5/18/09 - Set CIBP's @ 5600' & 5400'. Re-acidized the San Andres @ 5334' - 5350' w/ 1000 gal NE Fe 15% HCl acid.	
5/20/09 - Frac w/ 39120 gal fluid & 50640# sand. AIR 16.39 BPM. AIP 1678#. 5/21/09 - Tag @ 5330'. Clean out sand. Drill out CIBP @ 5400'. Tag CIBP @ 5600'. Circ hole clean. RIH w/ 172 jts	
2 7/8" J55 tbg. Set @ 5507'.	
5/22/09 – RIH w/ pump & rods. Hang well on pump. RDMO.	
Producing intervals are: Delaware Sand 2 @ 5406' – 5424' San Andres Dolomite @ 5334' – 5350'	
(See Administrative Order DHC-4115)	
	Adapted to the state of the sta
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my know	vledge and belief.
SIGNATURE TITLE Production Manage	DATE6/3/09
Type or print nameDiana J. Briggs E-mail address:production@	marbob.com PHONE: _(575) 748-3303
For State Use Only	ACIDITED TO THE STATE OF THE ST
APPROVED BY: TITLE PETROLFUM EN	DATE JUN 08 2009