

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

RECEIVED
OIL CONSERVATION DIVISION
JUN 16 2009
1220 South St. Francis Dr.
Santa Fe, NM 87505
HOBBSDO

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-34624
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Chesapeake Operating, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 18496 Oklahoma City, OK 73154-0496		7. Lease Name or Unit Agreement Name Kala 12
4. Well Location Unit Letter C : 501' feet from the North line and 2503' feet from the West line Section 12 Township 16S Range 35E NMPM County Lea		8. Well Number 1
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3968' GR		9. OGRID Number 147179
		10. Pool name or Wildcat Big Dog; Strawn, South

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Dear Sirs/Madams:

Please find the following information in the plug and abandonment this well from 6/5/2009 through 6/13/2009:

MIRU PU & surface equipment. NDWH, NUBOP. Release TAC.

SITP & SICP 450. Kill well w/50 bbls of brine. TOOH w/ 356 jts of 2 7/8" tbg.

100# SICP as per NMOCD did not have to pull 3 1/2" slotted liner. RU wireline, PU 7" CIBP TIH to 11,300' & set CIBP, TOH PU 4" dump bailer, dump 6 sxs cmt on CIBP in 2 runs (40') RD wireline & TIH w/open ended tbg to 6100'.

TIH w/tbg. Displace hole w/430 bbls plug mud. TOH w/130 stands & laydown 96 jts.

RU wireline truck. PU 7" CIBP & TIH to 8515'. Set CIBP TOH & RD wireline. TIH w/open ended tbg to 8514'. Test csg to 500# (OK). Spot 25 sxs plug on CIBP. PUH to 8158' & spot 25 sxs. Plug did not tag per O.C.D. PUH to 5071' spot 25 sxs. Plug did not tag. PUH TO 4315' spot 25 sxs. Plug TOH w/tbg.

(Continued next page)

Approved for plugging of well bore only.
Liability under bond is retained pending receipt
of C-103 (Subsequent Report of Well Plugging)
which may be found at OGD Web Page under
Forms, www.emnrd.state.nm.us/ogd.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bryan Arrant TITLE Senior Regulatory Compl. Sp. DATE 06/15/2009

Type or print name Bryan Arrant E-mail address: bryan.arrant@chk.com PHONE: (405)935-3782

For State Use Only

APPROVED BY: Lucy W. Hill TITLE DISTRICT 1 SUPERVISOR DATE JUN 19 2009

Conditions of Approval (if any):

Kala 12 #1
API # 30-025-34624
Plug and abandonment sundry continued

RU wireline TIH & tag plug @ 3976' PUH to 3133' & perf 4 squeeze holes TOH. PU pkr. TIH w/tbg to 2835' Set pkr. Unable to pump thru holes @ 2000# TOH w/tbg & pkr. TIH w/open ended to 3181' spot 25 sx plug. TOH w/tbg WOC 4 hours. RU wireline. TIH to 3081' Tag cmt. TOH PU string, TIH perf 4 squeeze holes @ 2020' TOH. PU pkr, TIH to 1701' set pkr. .Unable to pump thru holes @ 2000# TOH w/tbg & pk. TIH w/open ended tbg to 2079' Spot 25 sx plug TOH w/30 jts.

RU wireline TIH & tag cmt. @ 1965' TOH. PU perf gun TIH & perf 4 squeeze holes @ 532' TOH. PU pkr. RIH to 31' Set pkr. Pump into perfs w/circ out 9 5/8" csg. Circ cmt to surface w/150 sxs. Release pkr. TOH. NDBOP RIH 30'fill to surface w/cmt. Clean loc. R.D.M.O.
Well P&A'd on 6/13/2009.