| Submit 3 Copies To Appropriate District Office | State of New Mexico | Form C-103 |
|--|--|---|
| District I | Energy, Minerals and Natural Resources | May 27, 2004 |
| 1625 N French Dr , Hobbs, NM 88240 | EVED CONSERVATION DIVISION | WELL API NO. 30-005-20979 |
| 1301 W. Grand Ave., Artesia, NM 88210 | Of CONSERVATION DIVISION | 5. Indicate Type of Lease |
| District III 1000 Rio Brazos Rd Aztec NM 87410 JUN | 1 2 200 220 South St. Francis Dr. Santa Fe, NM 87505 | STATE FEE X |
| District IV | BSOCD Santa Fe, NM 87505 | 6. State Oil & Gas Lease No. |
| 1220 S. St. Francis Dr., Santa Fe, NM | BOODE | |
| SUNDRY NOTICE | ES AND REPORTS ON WELLS | 7. Lease Name or Unit Agreement Name |
| | LS TO DRILL OR TO DEEPEN OR PLUG BACK TO A | |
| PROPOSALS.) | TION FOR PERMIT" (FORM C-101) FOR SUCH | Doyal |
| 1. Type of Well: Oil Well X Ga | s Well Other | 8. Well Number |
| 2. Name of Operator | | 9. OGRID Number |
| 2. Name of Operator Yates Drilling Company | | 9. OGRID Number 025513 |
| 3. Address of Operator | | 10. Pool name or Wildcat |
| 105 S. 4 th Street, Artesia, NM 88210 | | SE Chaves Qn Gas Area Assoc |
| 4. Well Location | | |
| Unit Letter P : 50 | 0 feet from the South line and | 760 feet from the East Jine |
| Section 27 | Township 12S Range 31E | NMPM Chaves County |
| | 11. Elevation (Show whether DR, RKB, RT, GR, etc. | |
| | 4426' GR | |
| Pit or Below-grade Tank Application 🔲 or C | losure 🔲 | |
| Pit type Depth to Groundwater | Distance from nearest fresh water well Di | stance from nearest surface water |
| Pit Liner Thickness: mil | Below-Grade Tank: Volumebbls; C | onstruction Material |
| 12 Check An | propriate Box to Indicate Nature of Notice, | Report or Other Data |
| · | • | • |
| NOTICE OF INTI | | SEQUENT REPORT OF: |
| | PLUG AND ABANDON REMEDIAL WOR | |
| - | <u> </u> | ILLING OPNS. PLUG AND ABANDON X |
| PULL OR ALTER CASING I | MULTIPLE COMPL CASING/CEMEN | T JOB |
| OTHER: | ☐ OTHER: | |
| | ed operations. (Clearly state all pertinent details, an | d give pertinent dates, including estimated date |
| |). SEE RULE 1103. For Multiple Completions: A | |
| or recompletion. | | |
| See Attachment | | |
| | | |
| | | |
| | Approved for plugging of well bore only. | - |
| | Liability under bond is retained pending re | ceipt |
| | of C-103 (Subsequent Report of Well Plugg | . • (|
| | which may be found at OCD Web Page und Forms, www.cmnrd.state.nm.us/ocd. | ier |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| I homely consider that the information of | | 11. 12. 6 |
| grade tank has been/will be constructed or close | ove is true and complete to the best of my knowledged according to NMOCD guidelines \square , a general permit \square | ge and belief. I further certify that any pit or below- |
| | l 1 | or an (accaence) aree native Oeb-approved plan |
| SIGNATURE Agen & Z | eshuan TITLE Operations Tech | DATE <u>Date 06/05/2009</u> |
| | | |
| Type or print name Karen Leishn | E-mail address: <u>karenl@ypo</u> | <u>cnm.com</u> Telephone No. <u>505-748-8663</u> |
| For State Use Only Oly Oly Oly Oly Oly Oly Oly Oly Oly O | | |
| APPROVED BY: | TITLE | DATEUN 1 2009 |
| | | |
| Conditions of Approval (if any): | | OB SO SE L |

Yates Drilling Company
Doyal #2
Unit P, Section 27-12S-31E
Chaves County, NM
30-005-20979
Sundry attachment
June 5, 2009

| 4/30/2009 | RU plugging unit. Notified Maxey Brown, NMOCD, of plugging operations (he was on location). POH with rods and pump. |
|-----------|---|
| 5/1/2009 | Set CIBP at 2,950'. Tagged plug and circulated hole with 35 bbls 10# mud. Pumped 25 sxs cement on top of CIBP. Pumped 25 sxs cement at 2,200'. |
| 5/5/2009 | Perforated at 1,400'. Attempted to circulate hole with 25 sxs 10# mud, could not circulate. Maxey Brown instructed us to spot 60 sxs cement plug and tag plug. Pumped 60 sxs cement and displaced with 9.8 bbls 10# mud at 985'. WOC. Tagged plug at 1,107'. Perforated at 470'. Pumped 120 sxs cement and circulated thru 5 ½" casing out 5 ½" annulus. Cement circulated. |
| 5/6/2009 | Tagged cement at 38'. Pumped 5 sxs cement to surface. Cleaned location and erected dry hole marker. |