Submit To Appropriate District Office State of New Mexico Form C-105 Two Copies Energy, Minerals and Natural Resources July 17, 2008 District ? 1625 N French Dr , Hobbs, NM 88240 1. WELL API NO. RECEIVED District II 30-025-39360 1301 W Grand Avenue, Artesia, NM 88210 Oil Conservation Division District III 2. Type of Lease JUN2206Scould St. Francis Dr. 1000 Rio Brazos Rd, Aztec, NM 87410 ☐ FED/INDIAN X STATE ☐ FEE District IV HOBBSOCE NM 87505 3. State Oil & Gas Lease No 1220 S St Francis Dr , Santa Fe, NM 87505 WELL COMPLETION OR RECOMPLETION REPORT AND LOG 4. Reason for filing: 5. Lease Name or Unit Agreement Name State F-1 X COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) 6. Well Number: 27 ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33, attach this and the plat to the C-144 closure report in accordance with 19.15.17.13 K NMAC) 7. Type of Completion X NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER 8. Name of Operator 9. OGRID ConocoPhillips Company 217817 10 Address of Operator 11. Pool name or Wildcat PO. Box 51810 Hardy:Blinebry Midland, Texas 79710-18410 Hardy: Tubb/Drinkard 12.Location Unit Ltr Section Township Range Lot Feet from the N/S Line Feet from the E/W Line County Surface: 218 36E 1 6 2165 N 2233 W Lea BH: 21S 36E 6 2165 N 2233 W Lea 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF and RKB, 04/04/2009 04/06/2009 03/22/2009 04/27/2009 RT, GR, etc.) 3499' GR 18. Total Measured Depth of Well 19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other Logs Run Caliper, Borehole Sonic/SGR, Compensated No Neutron MCFL/GR 22. Producing Interval(s), of this completion - Top, Bottom, Name Hardy:Blinebry 5707-6307, Hardy:Tubb/Drinkard 6392-6650 CASING RECORD (Report all strings set in well) CASING SIZE WEIGHT LB./FT DEPTH SET HOLE SIZE CEMENTING RECORD AMOUNT PULLED 8.625 24# 1335 12.25" 684 sxs Cl C 5.5" 23# 71643 7.875" 1000 sxs Cl C 24. LINER RECORD TUBING RECORD 25 SIZE TOP SACKS CEMENT | SCREEN BOTTOM SIZE DEPTH SET PACKER SET 2.875" 6745 Perforation record (interval, size, and number) 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED Hardy: Blinebry 5707-6307 (2spf) 32 Holes 1505gal 15% HCl w/55 Bio Balls, 661 bbls YF125ST, 6392-6650 Hardy: Tubb/Drinkard 6392-6650 (2spf) 18 Holes 60,000 lbs 20/40 Jordan, 1095 bbls Water 5707-6307 5600 gal 15% HCl w/115bio balls, 2995 bbls YF125ST, 280,000 lbs 20/40 Jordan, 4055 bbls Water **PRODUCTION** Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) 04/272009 Pumping Producing Date of Test Hours Tested Choke Size Prod'n For Oil - Bbl Gas - MCF Water - Bbl. Gas - Oil Ratio Test Period 382 747 04/24/2009 Flow Tubing Casing Pressure Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr) Press Hour Rate 65 87 382 300 29. Disposition of Gas (Sold, used for fuel, vented, etc.) 30 Test Witnessed By 31. List Attachments C-103, C104, C105, (Logs) (Deviation Report) 32 If a temporary pit was used at the well, attach a plat with the location of the temporary pit. 33. If an on-site burial was used at the well, report the exact location of the on-site burial: Latitude NAD 1927 1983 Longitude I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed

Name

Justin Firkins

Title Regulatory Specialist

Date 06/11/2009

Signature

E-mail Address justin.c.firkins@conocophillips.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southea	stern New Mexico	Northy	Northwestern New Mexico			
T. Anhy 1292	T. Canyon	T. Ojo Alamo	T. Penn A"			
T. Salt 1383	T. Strawn	T. Kirtland	T. Penn. "B"			
B. Salt_	T. Atoka	T. Fruitland	T. Penn. "C"			
T. Yates 2703	T. Miss_	T. Pictured Cliffs	T. Penn. "D"			
T. 7 Rivers 2963	T. Devonian	T. Cliff House	T. Leadville			
T. Queen 3488	T. Silurian	T. Menefee	T. Madison			
T. Grayburg 3724	T. Montoya	T. Point Lookout	T. Elbert			
T. San Andres 3979	T. Simpson	T. Mancos_	T. McCracken			
T. Glorieta 5211	T. McKee	T. Gallup	T. Ignacio Otzte			
T. Paddock 5328	T. Ellenburger	Base Greenhorn	T.Granite			
T. Blinebry 5629	T. Gr. Wash	T. Dakota				
T.Tubb 6364	T. Delaware Sand	T. Morrison				
T. Drinkard6699	T. Bone Springs	T.Todilto				
T. Abo7004	T.	T. Entrada				
T. Wolfcamp	T	T. Wingate				
T. Penn	T.	T. Chinle				
T. Cisco (Bough C)	T.	T. Permian				
			OIL OR GAS			

			SANDS	OR ZONES
No. 1, from	toto		to	
		No. 4, from		
•		RTANT WATER SANDS		
Include data on rate of	water inflow and elevation to v	which water rose in hole.		
No. 1, from	to	feet		
No. 2, from	to	feet		
		feet		
•	LITHOLOGY REC	CORD (Attach additional sheet if	necessary)	

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology