

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr, Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources
RECEIVED
JUN 26 2009
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
HOBBS

Form C-103

June 19, 2008

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-23696
1. Type of Well: Oil Well ☐ Gas Well ☐ Other <u>Injection</u>		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator XTO Energy, Inc.		6. State Oil & Gas Lease No.
3. Address of Operator 200 N. Loraine, Ste. 800 Midland, TX 79701		7. Lease Name or Unit Agreement Name: <u>North Vacuum Abo Unit</u>
4. Well Location Unit Letter <u>J</u> : <u>1893'</u> feet from the <u>South</u> line and <u>1800'</u> feet from the <u>East</u> line Section <u>23</u> Township <u>17S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number 156
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number 005380
		10. Pool name or Wildcat <u>Vacuum; Abo, North</u>

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: Repair Csg Leak & RTWI ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3/31/09 MIRU PU. ND WH & NU BOP. POOH w/16 jts of 2-7/8" N80 bare prod tbg.

4/1/09 RU. Continue POOH w/ttl of 266 jts of 2-7/8" L80 bare prod tbg & LD Guiderson G6 pkr. RIH w/5-1/2 RTTS pkr & 265 jts pf 2-7/8" tbg. Set RBP @ 8,248'. Rel from RBP, PUH & set pkr @ 8,263'. RU pmp trk. PUH & set RBP @ 8,213'. PUH & set pkr @ 8,164'. Continue PUH w/pkr tstg. Set pkr @ 9'. Rel, RIH & set pkr @ 12'. POOH w/2-7/8" tbg & LD pkr. Pour 4 sks of sd on top RBP. RD.

Procedure Cont'd. on next page.

Spud Date:

3/31/09

Rig Release Date:

4/15/09

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kristy Ward TITLE Regulatory Analyst DATE 06/10/09

Type or print name Kristy Ward E-mail address: kristy_ward@xtoenergy.com PHONE 432-620-6740

For State Use Only

APPROVED BY [Signature] TITLE PETROLEUM ENGINEER DATE JUN 29 2009

Conditions of Approval (if any):

North Vacuum Abo Unit #156
Repair Casing Lk & RWTI


- 4/2/2009** RIH w/218 jts of 2-7/8" tbg. POOH LD w/218 jts of 2-7/8" tbg. RIH w/5-1/2" RBP & 48 jts of 2-7/8" tbg. Set RBP @ 1,500'. Rel from RBP & POOH LD w/48 jts of 2-7/8" tbg. RU pmp trk, L & T RBP w/16 bbls of FW to 500 psig. RD. Pour 6 sack of sd on top RBP. ND BOP & NU WH.
- 4/3/2009** RDMO PU.
- 4/7/2009** Dig WH & csg dwn 18' deep. Cut 13-5/8", 8-5/8" #23 & 5-1/2" 15.5# csg off @ 14'. Remove WH & csg. Welded in 5-1/2" 15.5# extention & 8-5/8" #23 extention w/new Vetco Gray WH. Set C-21 slips & made cut on 5-1/2" csg. Installed T spool & NU WH.
- 4/8/2009** RU pmp trk. L & T TCA w/.5 bbl of pkr fluid. RD.
- 4/9/2009** MIRU PU. NDWH & NU BOP. PU RIH w/RBP retrieve tool & 48 jts of 2-7/8" N80 bare tbg. RU pmp trk. Circ sd off of RBP w/39 bbls of FW. Latched onto 5-1/2" RBP & POOH w/2-7/8" tbg. LD RBP. RIH w/RBP retrieve tool & 48 jts of 2-7/8" tbg. RD.
- 4/10/2009** Continue RIH w/RBP retrieve tool & PU ttl of 70 jts of 2-7/8" N80 tbg.
- 4/14/2009** Continue RIH w/RBP retrieve tool & PU ttl of 264 jts of 2-7/8" N80 tbg. RU pmp trk & circ sd off of RBP w/60 bbls of FW. Latched onto RBP & rel. POOH w/2-7/8" N80 tbg & LD RBP. RIH w/Guiderson 5-1/2" G6 pkr & 265 jts of 2-7/8" N80 prod tbg. Set pkr @ 8,260.19'. L & T TCA w/1 bbl of FW RD.
- 4/15/2009** RU pmp trk & pmpd 48 bbls of FW dwn tbg. Rel on/off tool. Circ w/185 bbls of pkr fluid. Latched back onto on/off tool. L & T TCA w/1 bbl of pkr fluid. ND BOP & NU WH. RU chart recorder for MIT. RD. RDMO PU. RWTI.

Vacuum ABO Unit #156


N. Vacuum ABO Field

Lea County, NM

Elevation
KB- 4037.5'
GL- 4025'



6-29-07



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK

04-14-09

R. J. Green

MAK 1564

60 min. clock

Bob Richman
NES SERVICES
NES BR 2221