

Submit 3 Copies To Appropriate District Office  
District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W Grand Ave, Artesia, NM 88210  
District III  
1000 Rio Brazos Rd, Aztec, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

**RECEIVED**  
State of New Mexico  
Energy, Minerals and Natural Resources  
JUN 29 2009  
OIL CONSERVATION DIVISION  
HOBBS  
2009 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-103  
May 27, 2004

WELL API NO	30-025-05162
5. Indicate Type of Lease	STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No	
7. Lease Name or Unit Agreement Name	Denton North Wolfcamp Unit
8 Well number	Tract 13 Well #6
9 OGRID Number	019958
10. Pool name or Wildcat	Denton Wolfcamp
11 Elevation (Show whether DR, RKB, RT, GR, etc )	3818 GR

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Injection ☒

2 Name of Operator  
Johnson  
Stephens & Johnson Operating

3 Address of Operator  
P.O. Box 2249 Wichita Falls, TX 76307-2249

4 Well Location  
Unit Letter H: 2210 feet from the North line and 330 feet from the East line  
Section 27 Township 14-S Range 37-E NMPM County Lea

11 Elevation (Show whether DR, RKB, RT, GR, etc )  
3818 GR

Pit or Below-grade Tank Application ☒ or Closure ☐

Pit type STEEL Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water N/A

Pit Liner Thickness: STEEL mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material STEEL

## 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

### NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
OTHER: ☐

### SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS ☐ P AND A ☒  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion

- 6/3/09 TIH w/ sinker bar & Tag existing CIBP @ 9,131'.
- 6/3/09 TIH w/ 288 jts 2 3/4" tbg to 9,000'. Circ hole w/ 104bbls of MLF.
- 6/4/09 Spot 35sx plug @ 6,200'. Est TOC @ 5,846'.
- 6/4/09 Spot 45sx plug @ 4,775'. WOC-Tag @ 4,421'.
- 6/4/09 Spot 35sx plug @ 3,150'. Est TOC @ 2,978'.
- 6/4/09 Spot 45sx plug @ 2,110'. WOC.
- 6/5/09 Tag plug @ 1,998'.
- 6/5/09 Perf @ 530'. 7 7/8" PKR @ 200'. Could not pump into perfs. Pressure test.
- 6/5/09 Spot 45sx plug @ 580'.
- 6/5/09 7 7/8" csg was circulated w/ 200bbls of MLF
- 6/5/09 Tag plug @ 357'.
- 6/5/09 Perf 4 holes @ 60' **CIRC 40 SKS CMT TO SURFACE.**

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Gary Eggleston TITLE P&A SUPERVISOR DATE \_\_\_\_\_

Type or print name GARY EGGLESTON

For State Use Only  
APPROVED BY: Mary S Brown TITLE Compliance Officer DATE 6/30/2009

Conditions of Approval (if any):

CONDITIONS OF PA APPROVAL: Approved as to plugging of the Well Bore. Liability under bond is retained until surface restoration is completed. OCD Hobbs office needs C-103 "Check Off List for Surface Inspection".

Submit 3 Copies To Appropriate District  
Office,  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Minerals and Natural Resources  
**RECEIVED**  
APR 16 2009  
CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505  
**HOBBSOCD**

Form C-103  
June 19, 2008

WELL API NO. 30-025-05162
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Denton North Wolfcamp Agree #8910087370
8. Well Number Tract 13, Well #6
9. OGRID Number 019958
10. Pool name or Wildcat Denton Wolfcamp

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other injection <input checked="" type="checkbox"/>
2. Name of Operator Stephens & Johnson Operating Co.
3. Address of Operator P.O. Box 2249, Wichita Falls, TX 76307-2249
4. Well Location Unit Letter <u>H</u> : <u>330</u> feet from the <u>East</u> line and <u>2210</u> feet from the <u>North</u> line Section <u>27</u> Township <u>14S</u> Range <u>37E</u> NMPM County <u>Lea</u>
11 Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐

OTHER: ☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐

OTHER: ☐

**NO WELLBORE DIAGRAM**

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

3-1-07 Set Arrow pkr. w/plug @ 9230'. } **NO C-103 IN FILES**  
11-21-08 Set CIBP @ 9158' with 20' cmt. } **ADD PLUG-3000' Cased Hole**  
**BOS** 1. Set 50 sx. cmt. plug @ ~~4660-4470~~ to protect base of salt. **4775-4470 SHOE & LINER TOP**  
2. Set 35 sx cmt plug @ 2210-2110' to protect top of salt **3100' - 3000' BOS**  
3. Set 35 sx cmt. plug @ 530-430. **PERF & SQZ**  
4. Set 5 sx. cmt plug @ 100'. **WOC & TAG**  
**PERF**

The Oil Conservation Division **Must be notified**  
24 hours prior to the beginning of plugging operations.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bob Gilmore TITLE Petroleum Engineer DATE Apr 13, 2009  
Type or print name Bob Gilmore, P.E. E-mail address: bgilmore@sjoc.net PHONE 940-723-2166

For State Use Only

APPROVED BY MSB TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any):

**DENIED**

Office

District I

1625 N. French Dr., Hobbs, NM

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S St Francis Dr., Santa Fe, NM

87505

RECEIVED

OIL CONSERVATION DIVISION

APR 21 2009

1220 South St. Francis Dr.  
Santa Fe, NM 87505

HOBBSOCD

WELL API NO.

30-025-05162

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil &amp; Gas Lease No.

7. Lease Name or Unit Agreement Name:

Denton North Wolfcamp

Agree #8910087370

8. Well Number

Tract 13, Well #6

9. OGRID Number

019958

10. Pool name or Wildcat

Denton Wolfcamp

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well:

Oil Well ☐ Gas Well ☐ Other injection ☐

2. Name of Operator

Stephens &amp; Johnson Operating Co.

3. Address of Operator

P.O. Box 2249, Wichita Falls, TX 76307-2249

4. Well Location

Unit Letter H : 2210 feet from the North line and 330 feet from the East lineSection 27 Township 14S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3818 GR

## 12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

## NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
 DOWNHOLE COMMINGLE ☐

OTHER: ☐

## SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
 COMMENCE DRILLING OPNS. ☐ P AND A ☐  
 CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Set Arrow pkr w/plug @ 9230' on 3-1-07.
2. Set CIBP @ 9158' w/20' cmt on 11-21-08.
3. Set 35 sx.cmt plug @ 6200-5900'.
4. Set 45 sx cmt plug 4775-4470.
5. Set 35 sx cmt plug 3150-3000' base of salt.
6. Set 35 sx cmt plug 2210-2110' top of salt.
7. Perf 530'. Squeeze 35 sx cmt plug from 530-430'. WOC and tag.
8. Perg 60'. Set 15 sx cmt plug. 9. Cut off below ground - install marker.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE

Petroleum Engineer

DATE

Apr 21 2009

Type or print name Bob Gilmore, P.E.

E-mail address:

bgilmore@sjoc.net

PHONE 940-723-2166

For State Use Only

APPROVED BY

TITLE

Compliance Officer

DATE

04/28/2009

Conditions of Approval (if any)

STEPHENS & JOHNSON OPERATING CO.

WELL NAME: DENTON N. WOLCAMP UNIT NO 13-6  
 LOCATION: 2210' FNL & 330' FEL  
 LAT/LONG:  
 SEC/TWP/RGE: SEC 27 T14S R37E  
 COUNTY, ST: LEA COUNTY, NM  
 WELL TYPE: INJECTION  
 S & J et al WI

SPUD DATE:  
 RIG REL:  
 COMP DATE:  
 FIELD: DENTON  
 FORMATION: WOLFCAMP  
 STATUS:  
 API NO: 30-025-05162

IP

SURF CASING DESIGN 12 1/4" Hole  
 10 3/4" 35 75#  
 SET @ 470  
 CEMENT W/ 465 SX  
 TAILED W/ SX


PROD CASING DESIGN 9" Hole  
 7 5/8" 24# & 26.4#  
 SET @ 4725  
 CEMENT W/ 2035 SX  
 TAIL IN W/ SX  
 DV TOOL @  
 CMT TOP @  
 DETER BY

LINER  
 5 1/2" 17#  
 TOP @ 4524  
 BTM @ 9450  
 CEMENT W/ 500 SX

ROD STRING	COUNT	FEET	TYPE
1"			
7/8"			
3/4"			
5/8"			
K-Bars			
TOTAL			

PUMP DESC:

#	TOP PERF	BTM PERF	SPF	FORM.	DATE	COMP #



STIMULATIONS:

COMMENTS:

ARROW PKR SET @ 9230' WITH PLUG IN PKR SET @ 3/1/07  
 CIBP SET @ 9158' WITH 20' CEMENT SET 11/21/08

TUBING DESIGN

SET @  
 PKR TYPE  
 SN ID, DEPTH  
 TBG ANCH. @

PUMPING UNIT / PRIME MOVER INFO.

UNIT  
 SL, SPM  
 PM  
 OTHER

Prepared by: BOB GILMORE

Date: 4/22/2009

DST Data																
#	Date	Top Depth	Btm Depth	Hydrostatic (psig)		First Flow (psig)			Second Flow (psig)			Recovery (ft)				
				Initial	Final	Initial	Final	Shut-In	Initial	Final	Shut-In	Oil	Gas	Wtr	Mud	OCM

Core Data			
#	Date	Top Depth	Btm Depth

BHP Data			
#	Date	Depth	Pressure

RFT Data			
#	Date	Depth	Pressure

Inj Profile		
Date	Depth	%