

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
June 19, 2008

WELL API NO. 30-025-07962
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 300385
7. Lease Name or Unit Agreement Name East Hobbs San Andres Unit <input checked="" type="checkbox"/>
8. Well Number 903 <input checked="" type="checkbox"/>
9. OGRID Number 220420 <input checked="" type="checkbox"/>
10. Pool name or Wildcat Hobbs San Andres East <input checked="" type="checkbox"/>

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/>	
2. Name of Operator Arena Resources Inc <input checked="" type="checkbox"/>	
3. Address of Operator 2130 W. Bender Hobbs, NM 88240	
4. Well Location Unit Letter C : 330 feet from the North line and 1980 feet from the West line Section 31 Township 18S Range 39E NMPM County Lea <input checked="" type="checkbox"/>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) RKB 3605	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

MIRUPU NDWH NUBOP
RIH w/tbg & retrieve RBP @ 4410'
RIH w/CIBP & set @ ± 4400'. Spot 25 sxs on top of CIBP
Tag TOC. Displace hole w/9# salt gel mud. Pull up hole & spot 100' plug 3030' to 2930' **BOB**
Tag TOC. Spot 100' plug 1900' to 1800' **TDS**
Tag TOC. Perf 5 1/2" @ 300'. Spot plug inside & outside 5 1/2" from 300' to 250'
Tag TOC. Spot 60' surface plug. Cut off wellhead and install marker.

RECEIVED

JUL 02 2009

HOBBSOCD

ALL CMT PLUGS
25 SXS OR
GREATER

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Colleen Robinson TITLE Compliance Analyst DATE 7-1-2009

Type or print name Colleen Robinson E-mail address: crobenson@arenaresourcesinc.com PHONE: 738-1739

For State Use Only

APPROVED BY: Maley Brown TITLE Compliance Officer DATE 7/2/2009
Conditions of Approval (if any):

Elevation: GL 3594' Kelly

KB 3605'

ARENA RESOURCES, INC.

ORIGINAL OPERATOR: VELMA PETR. CORP.

SPUDDED: 9-20-53

IP: BOPD, MCFD, BWPD

EHSAL # 903

LEA COUNTY, NM

330' FNL 1980' FNL Sec 31, TWP 18S

RGE 39E API NO.: 30-025-07962

Casing 9 5/8", 36 #, @ 309'
W/200 SX
12 1/4" HOLE

DV TOOL
@ 1850'

* CALIPER LOG 9-10-08 INDICATES
CSG. PARTED @ 1848'

EXISTING

TOC 2980' (CALC)

RBP @ 4410' (2 SX SAND)

Perforations

4459-65'

5 1/2", 15.5 #, J-55 @ 4502' W/200 SX
DV TOOL @ 1850' W/200 SX
7 7/8" HOLE

PBTD: 4482'

TD 4502'

PREPARED BY:

Elevation: GL 3594' Kelly

KB 3605'

ARENA RESOURCES, INC.

ORIGINAL OPERATOR: VELMA PETR. CORP.

SPUDDED: 9-20-53

IP: BOPD, MCFD, BWPD

EHSALU # 903

LEA COUNTY, NM

330' FNL 1980' FNL Sec 31, TWP 18S

RGE 39E API NO.: 30-025-07962

Casing 9 5/8", 36#, @ 309'
w/ 200 SX
12 1/4" HOLE

CMT PLUG
250'-300'

← TOC 327' (CALC)

DV TOOL
@ 1850'

* CALIPER LOG 9-10-08 INDICATES
CSG. PARTED @ 1848'

← CMT PLUG 1800'-1900'

CMT PLUG
2930'-3030'

TOC 2980' (CALC)

PROPOSED

CIBP @ 4400' w/ 25 SX

Perforations

4459-65'

5 1/2", 15.5#, J-55 @ 4502' w/ 200 SX
DV TOOL @ 1850' w/ 200 SX
7 7/8" HOLE

PBTD: 4482'

TD 4502'

PREPARED BY: