RECEIVED State of New Mexico AUG 06 Energy Minerals and Natural Resources

<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 1301 W Grand Avenue, Artesia, NM 88211 District III 1000 Rio Brazos Road, Aztec, NM 87410 Department

District IV 1220 S St Francis Dr , Santa Fe, NM 87505

10BBSQCDOil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Form C-144 July 21, 2008

Pit, Closed-Loop System, Below-Grade Tank, or

Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Eagle Rock Operating Company, LLC OGRID #: 259978
Address: PO Box 1311 Midland, TX 79702
Facility or well name: Berry Hobbs unit 17 #1
API Number: 30-025-36657 OCD Permit Number: 71-81266
U/L or Qtr/Qtr J Section 17 Township 16S Range 36E County: Lea
Center of Proposed Design: Latitude <u>32.921688857 °</u> Longitude <u>-103.92168886°</u> NAD: ☐1927 ☒ 1983
Surface Owner: ☑ Federal ☐ State ☐ Private ☐ Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC
Volume:bbl Type of fluid:
Tank Construction material:
Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thickness mil
5.
Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

5.	
Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)	
Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)	hospital,
Four foot height, four strands of barbed wire evenly spaced between one and four feet	
Alternate. Please specify	
7.	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
☐ Screen ☐ Netting ☐ Other ☐ ☐ Monthly inspections (If netting or screening is not physically feasible)	
8. Signs: Subsection C of 19.15.17.11 NMAC	
⊠ Signed in compliance with 19.15.3.103 NMAC	
9.	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.	
Please check a box if one or more of the following is requested, if not leave blank:	
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval.	office for
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	
10.	
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptance.	table source
material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appro- office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a	priate district
Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dryi	
above-grade tanks associated with a closed-loop system.	
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No
lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No ☐ NA
(Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	LI NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.	☐ Yes ☐ No ☐ NA
 (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock	☐ Yes ☐ No
watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance	☐ Yes ☐ No
adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	
Within 500 feet of a wetland.	☐ Yes ☐ No
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	
Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area. Engineering measures incorporated into the design; NM Pureou of Goolean, & Minaral Resources, USGS, NM Contained.	☐ Yes ☐ No
 Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC ☐ Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC ☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC ☐ Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
☐ Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
☐ Climatological Factors Assessment ☐ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC
☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
Quality Control/Quality Assurance Construction and Installation Plan
☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC
☐ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC ☐ Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan
☐ Emergency Response Plan
Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System
☐ Alternative Proposed Closure Method: ☑ Waste Excavation and Removal
☐ Waste Removal (Closed-loop systems only)
☐ On-site Closure Method (Only for temporary pits and closed-loop systems) ☐ In-place Burial ☐ On-site Trench Burial
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC
LJ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17 Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment facilities are required.	13.D NMAC) tif more than two		
Disposal Facility Name: Disposal Facility Permit Number:			
Disposal Facility Name: Disposal Facility Permit Number:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future Yes (If yes, please provide the information below) \(\subseteq \) No	service and operations?		
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 N Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	ЛАС		
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.			
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or play lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	a Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	n. Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No		
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No		
Within a 100-year floodplain FEMA map	☐ Yes ☐ No		
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC			

Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the	ne best of my knowledge and belief.		
Name (Print): Elizabeth Eighorg Title: Pern	nian Production Manager		
Signature: Date:	8/5/09		
e-mail address: 1. CIAMON & eaglerackenergy . com Telephone:	439 688 4999		
20. OCD Approval: ☐ Permit Application (including closure plan) ☑ Closure Plan (only) ☐ OCD	Conditions (see attachment)		
OCD Representative Signature: Sterffrey Loking	Approval Date:		
Title: Environmental Engineer OCD Permit Num	ber: P1-012blo		
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
⊠ Closure Com	pletion Date: 10/31/08		
22. Closure Method:	☐ Waste Removal (Closed-loop systems only)		
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill of two facilities were utilized.	cuttings were disposed. Use attachment if more than		
Disposal Facility Name: Disposal Facility Polymer Disposal Facility Polymer Disposal Facility Polymer Disposal Facility Name: Disposal Facility Polymer Disposal Facility Name: Disposal Facility Polymer Disposal Facility Disp			
Disposal Facility Name: Disposal Facility Power the closed-loop system operations and associated activities performed on or in areas that will not	ermit Number:		
Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)	•		
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique			
24.			
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached mark in the box, that the documents are attached. □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site closure) □ Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) □ On-site Closure Location: Latitude	to the closure report. Please indicate, by a check NAD: 1927 1983		
25. Operator Closure Certification:			
I hereby certify that the information and attachments submitted with this closure report is true, accurate belief. I also certify that the closure complies with all applicable closure requirements and conditions s	e and complete to the best of my knowledge and specified in the approved closure plan.		
Name (Print): Title:			
e-mail address:			

WASTE EXCAVATION AND REMOVAL CLOSURE PLAN

TEMPORARY MUD RESERVE PIT CLOSURE PLAN

Berry Hobbs Unit 17 #1 Lea County, New Mexico

Prepared for:

Eagle Rock Energy

API Well #30-025-36657

Prepared by:

South Environmental Services, Inc.

August 2009

TABLE OF CONTENTS

1.0	INTRODUCTION
2.0	PROTOCOLS AND PROCEDURES 1-2
3.0	CONFIRMATION SAMPLING PLAN
4.0	DISPOSAL FACILITY NAME AND PERMIT NUMBER
5.0	SOIL BACKFILL AND COVER DESIGN AND SPECIFICATIONS
6.0	RE-VEGETATION PLAN
7.0	SITE RECLAMATION PLAN
	FIGURES
FIGUR FIGUR FIGUR	E 2: Site Topographic Map

1.0 INTRODUCTION

On behalf of Eagle Rock Energy, South Environmental Services, Inc. has prepared this Closure Plan in compliance with the Oil Conservation Districts (OCD) regulations. The site is located approximately 2 miles Southeast of the intersection of SR 18 and US 62/180 in Lovington, New Mexico. Topographic and Aerial Maps have been provided as Figures 1 & 2.

2.0 PROTOCOLS AND PROCEDURES

As illustrated in the attached Figures, the Excavation and Backfill procedures shall follow all applicable protocols and rules outlined in 19.15.17.10 NMAC. All liquids will be removed prior to excavation process and the in place soil will be mixed at a 3 to 1 ratio. South will take special care to ensure all impacted soils are included in excavation and disposal. As outlined an approved state disposal facility will be utilized for waste disposal. Confirmation Sampling shall take place to ensure no impacted soil has been left in place. All backfill material will be appropriate soil, clean and compacted. Re-Vegetation and Site Reclamation procedures will be followed according to NMOCD Rules as outlined below.

3.0 CONFIRMATION SAMPLING PLAN

As illustrated in the attached figures, confirmation sampling shall take place after impacted MRL = 8/06/10 material has been disposed of side. The confirmation samples shall be taken for each sidewall (North, South, East and West) as well as a Bottom Hole. If confirmation sample results do not meet regulatory requirements, a supplemental plan will be established to address the results.

4.0 DISPOSAL FACILITY NAME AND PERMIT NUMBER

Controlled Recovery, Inc Disposal, Permit#: NMR-9766 WM-D1-D006

5.0 SOIL BACKFILL AND COVER DESIGN AND SPECIFICATIONS


Please see the attached figures for design and specifications. As illustrated, the soil cover shall be an adequate backfill material, compacted and non-waste containing, from top of cap (>4' below ground surface) to >1' below ground surface and topsoil to surface grade.


6.0 RE-VEGETATION PLAN

The attached Figure 7, & 8 show the proposed re-vegetation plan. As illustrated, the revegetation shall take place with a minimum of 70% native perennial vegetative cover consisting of at least 3 native plant species, including at least one grass and no noxious weeds. Cover shall be maintained through 2 successive growing seasons.


7.0 SITE RECLAMATION PLAN

Site reclamation will be accomplished through several steps. As illustrated in the attached figures, the original surface grade will be established with both the original reserve pits and the burial trench and re-vegetation will take place as described above. Additionally, site photo documentation will be submitted upon closure request to show that proper surface measures have been taken to ensure the site is brought back, as much as possible, to its condition before surface activity took place.










40 20 0 20 40 Distance in Feet

Berry Hobbs Unit 17#1	API Well # 30-025-36657
Lat 32 92168885734° N	Sec 17, T-16-S, R-36-E
Long -103 374445001° W	Lea County, NM
Drawn By JDJ	Rev A-2
August 3, 2009	Scale 1" = 40'

Figure 3 Previous Pit Design






40	20	ō	2,0	40
	D	istance in Fe	et	

Berry Hobbs Unit 17 #1	API Well # 30-025-36657	\top
Lat 32 92168885734° N	Sec 17, T-16-S, R-36-E	7
Long -103 374445001° W	Lea County, NM	- 6
Drawn By JDJ	Rev A-2	
August 3, 2009	Scale 1" = 40'	٦ľ

	Figure 4	
	Mixing and Drying Procedures	
<u> </u>		






40 20 0 20 40

Distance in Feet

Berry Hobbs Unit 17 #1	API Well # 30-025-36657	Т
Lat 32.92168885734° N	Sec 17, T-16-S, R-36-E	┪
Long -103 374445001° W	Lea County, NM	
Drawn By JDJ	Rev A-2	71
August 3, 2009	Scale 1" = 40'	7

Figure 5
Sample Locations and Material Removal



40 20 0 20 40

Distance in Feet

API Well # 30-025-36657	
Sec 17, T-16-S, R-36-E	1
Lea County, NM	1
Rev A-2	٦
Scale 1" = 40'	٦ ٔ
	Sec 17, T-16-S, R-36-E Lea County, NM Rev A-2

Figure 6 Cross Section
Backfill Procedures



Clean Topsoil Material Backfilled at Least to Surface Grade. Care Has Been Taken to Ensure Liquid Pooling Cannot Take Place

Soil Has Been Reseeded with Minimum 70% Local Seed Mixture. Topsoil is Minimum 1' Cover.

Clean Soil Backfill Compacted Finished to Appx 2' Below Grade


40 Lat

. Distance in Feet

Berry Hobbs Unit 17 #1	API Well # 30-025-36657
Lat 32 9216885734° N	Sec 17, T-16-S, R-36-E
Long -103 374445001° W	Lea County, NM
Drawn By JDJ	Rev. A-2
August 3, 2009	Scale 1" = 40'

Figure 7 Cross Section
Backfill and Re-Vegetation Procedures

If Necessary, the Re-Vegetation will be protected from traffic, using appropriate measures, which may included fencing.



40 20 0 20 40

Distance in Feet

	Berry Hobbs Unit 17 #1	API Well # 30-025-36657	T
	Lat 32 92168885734° N	Sec 17, T-16-S, R-36-E	7
	Long -103 374445001° W	Lea County, NM	٦,
	Drawn By JDJ	Rev A-2	□ ≨
	August 3, 2009	Scale 1" = 40']

Figure 8 Cross Section Site Re-Vegetation and Reclemation