

Office

Energy, Minerals and Natural Resources

June 19, 2008

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED

SEP 23 2009

HOBBSOCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.

30-025-03493 ✓

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

E-392

7. Lease Name or Unit Agreement Name

State KT ✓

8. Well Number 24-2 ✓

9. OGRID Number

264953 ✓

10. Pool name or Wildcat

Eumont Yates 7 Rivers Queen

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐

2. Name of Operator Herman L. Loeb LLC ✓

3. Address of Operator

P O Box 838 Lawrenceville, IL 62439

4. Well Location

Unit Letter 0 : 660 feet from the south line and 1650 feet from the east line
Section 24 Township 21S Range 35E NMPM County Lea ✓

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

3,633' DF 3,623' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐TEMPORARILY ABANDON ☐PULL OR ALTER CASING ☐DOWNHOLE COMMINGLE ☐PLUG AND ABANDON ☒CHANGE PLANS ☐MULTIPLE COMPL ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐COMMENCE DRILLING OPNS ☐CASING/CEMENT JOB ☐ALTERING CASING ☐P AND A ☐OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion

1. Set cast iron bridge plug @ 3490', RIH w/ tbg to 3,490', spot 25 sk of cement on plug, POH w/ 7 jts tbg, spot 33 bbl of mud-laden water, POH w/ tbg. 1850'2. Perforate 2 holes @ 1,940', RIH w/ tbg & packer, set pkr @ 1,400', attempt to squeeze w/ 100 sk cement to fill 1,940' to 1,630'. Displace cement to 1,600'. WOC release pkr, RIH w/ tbg & tag.

3. Perforate 2 holes @ 365', attempt to circulate cement to the surface. WOC.

4. Cut off well head 3' below ground level, top off casing & annulus as necessary. We plan to start this work as soon as the procedure is approved.

9 5/8" @ 310'5 1/2" @ 3940 w/ 250 sk (7 7/8" hole)T. SALT 1890'B. SALT 3230'

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Petroleum Engineer

DATE 9/10/09

Type or print name G. A. Payne

E-mail address: gapayne@sigecon.net

PHONE: 812.453.0385

For State Use Only

APPROVED BY:

TITLE

Compliance Officer

DATE

09/23/2009

Conditions of Approval (if any):

Lease: State KT
Well #: 24-2

Diagram: 09/10/2009
Elev KB: 3633
TD: 3940

Comp Date: 12/01/1955
Elev GL: 3623
PBD: 3940

Permit: 30-025-03493
Location: 660 FSL 1650 FEL 24-21S-35E
County: Lea
State: New Mexico
Field: Jalmat
Operator: Herman L Loeb LLC

