1625 N French Dr , Hobbs, NM 88240 District II

RECEMENT State of New Mexico
Minerals and Natural Resources . Department

Form C-144 CLEZ July 21, 2008

1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 874,10

SEP 16 2006 Conservation Division District IV 1220 S St Francis Dr. Santa Fe, NM 87505 HOBBSO 1220 S outh St. Francis Dr. Santa Fe, NM 87505 Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: ✓ Permit ☐ Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a

* *	ns and propose to implement waste removal for closure, please submit a Form C-144.		
environment. Nor does approval relieve the operator of its responsibility to c	of liability should operations result in pollution of surface water, ground water or the comply with any other applicable governmental authority's rules, regulations or ordinances		
Operator: ConocoPhillips Company Address: P.O. Box 51810, Midland, Texas 79710-1810 Hardy 36 State #28	OGRID #:217817		
Address: P.O. Box 51810, Midland, Texas 79710-1810			
Facility or well name: The dy of other med			
API Number: 30-025-36624	OCD Permit Number: PI-01361		
U/L or Qtr/Qtr H Section 36 Township 20	OCD Permit Number: PI-DI361 OS Range 37E County: Lea		
Center of Proposed Design: Latitude	Longitude NAD:		
Surface Owner: Federal State Private Tribal Trust or Indi	an Allotment		
Z. Subsection H of 19.15.17.11 NMAC			
Operation: Drilling a new well V Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) P&A Above Ground Steel Tanks or Haul-off Bins			
3. Signs: Subsection C of 19.15.17.11 NMAC			
☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers			
Signed in compliance with 19.15.3.103 NMAC			
 attached. ✓ Design Plan - based upon the appropriate requirements of 19.15. ✓ Operating and Maintenance Plan - based upon the appropriate re ✓ Closure Plan (Please complete Box 5) - based upon the appropriate re 	equirements of 19.15.17.12 NMAC attended attende		
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required. Disposal Facility Name: Controlled Recovery Disposal Facility Permit Number:			
Disposal Facility Name:			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No			
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC			
6. Operator Application Certification:			
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.			
Name (Print): Justin C. Firkins	Title: Regulatory Specialist		
Signature: Justi Cfull	Date: 09/14/2009		
e-mail address: Justin.c.firkins@conocophillips.com	Telephone: 432-688-6913		

ConocoPhillips Company Closed Loop System Design, Operating and Maintenance, and Closure Plan

Well: Britt B #9

Date: March 2, 2009

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

1. We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in haul-off bins or in frac tanks as needed. The intent is as follows:

- We propose to use the rigs' steel pits for containing and maintaining the drilling fluids.
- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in frac tanks.

The closed loop system components will be inspected daily by each tour and any needed repairs will be made immediately. Any leak in the system will be repaired immediately, and any spilled liquids and / or solids will be cleaned up immediately, and the area where any such spill occurred will be remediated immediately.

2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

Controlled Recovery Inc, 4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388 Hobbs, New Mexico 88241 Toll Free Phone: 877.505.4274, Local Phone Number: 432-638-4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for CRI is R9166

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at Controlled Recovery Inc at the facility described above.
- 4. Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
 - Nabors Well Services Company, 3221 NW County Rd, Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
 - Basic Energy Services, PO Box 1869 Eunice, NM 88231 Phone Number 575 394 2545, Facility located at Hwy 18, Mile Marker 19, Eunice, NM.
 - Key Energy Services, 2105 Avenue O, Eunice, NM 88231, Phone Number 505 394 2585 (Atha Well, Section 31 T21S R36E, BLM Permit # LC036441) (Christmas Well, Unit B, Section 28, T22S R37E, State Permit # SWD # 606)

SPECIFICATIONS

Heavy Duty Split Metal Rolling Lid

FLOOR: 3/16" PL one piece CROSS MEMBER: 3 x 4.1 channel 16" on center

WALLS: 3/16" PL solid welded with tubing

top, insi de liner hooks

DOOR: 3/16" PL with tubing frame FRONT= 3/16" PL slant formed

PICK UP: Standard cable with 2" x 6" x 1/4"

rails, gu sset at each crossmember WHEELS: 10 DIA x 9 long with rease fittings

DOOR LATCH: 3 Independent ratchet binders with chains, vertical second latch GASKETS: Extruded rubber seal with metal

retainers
WELDS: All walds continuous except sub-

WELDS: All welds continuous except substructure crossmembers

FINISH: Coated inside and out with direct to metal, rust inhibiting acrylic enamel color coat HYDROTESTING: Full capacity static test DIMEN SIONS: 22'-11" long (21'-8" inside), 99" wide (88" inside), see drawing for height OPTIONS: Steel grit blast and special paint, Ampliroll, Heil and Dino pickup

ROOF: 3/16" PL roof panels with tubing and channel support frame

LIDS: (2) 68" x 90" metal rolling lids spring loaded, self raising


ROLLERS: 4" V-groove rollers with delrin

bearings and grease fittings
OPENING: (2) 60" x 82" openings

with 8" divider centered on

container
LATCH:(2) independent
ratchet binders with chains

GASKETS: Extruded rubber seal with metal retainers



CONT.	, ≪∧A ⊘ ≥ ₃	$_{\sim}$ B $_{<<}$
20 YD	41	_{2,} 53
25 YD	-53	65
30 YD	65	7,7

