

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 88210

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

87505

RECEIVED
SEP 21 2009
HOBBSOCD

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO. 30-025-11684
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Lanehart
8. Well Number 3
9. OGRID Number 264953
10. Pool name or Wildcat Jalmar; Tan-Yates-7-Rurs

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Herman L. Loeb LLC	
3. Address of Operator P O Box 838 Lawrenceville, IL 62439	
4. Well Location Unit Letter L : 2310 feet from the south line and 990 feet from the west line Section 21 Township 25S Range 37E NMPM County Lea	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3054' GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐

OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- Set CIBP @ 2800', RIH w/ tbg, tag plug, spot 30 sk of 14.8 ppg cement on plug, POH w/ 11 jts of tbg, reverse circ clean, POH w/ tbg, SION. 8/1/09
- RIH w/ tbg & AD-1 pkr, tag cement @ 2553', set pkr @ 2538', pressure test down tbg to 500# ok. Pressure test annulus to 500# ok. POH w/ tbg & pkr.
Perforate 1295-96' 2 spf, RIH w/ AD-1 pkr & tbg, set pkr @ 788', est inj rate 1 bpm @ 750#, pump 100 sk 14.8 ppg cement, displace w/ 5 bbl water, SION 8/3/09
- Release pkr, RIH w/ 2 jts of tbg, tag cement @ 845'. Pump 15 bbl of 9.5 ppg salt gel spacer, POH w/ tbg. Perforate 375-76' 2 spf, dig out cellar 15' deep.
Pump 187 sk 14.8 ppg cement down 5 1/2" casing, circulate 7 bbl of cement to surface. 8/4/09
- Cut 5 1/2" casing off 4' below ground level, weld plate on 5 1/2" casing. Install dry hole marker. 8/5/09

Approved for plugging of well bore only.
 Liability under bond is retained pending receipt
 of C-103 (Subsequent Report of Well Plugging)
 which may be found at OCD Web Page under
 Forms, www.earth.state.nm.us/oed.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

TITLE Petroleum Engineer

DATE 9/17/09

Type or print name G. A. Payne

E-mail address: gapayne@sigecon.net

PHONE: 812.453.0385

For State Use Only

APPROVED BY:

TITLE

DISTRICT 1 SUPERVISOR

DATE

SEP 24 2009

Conditions of Approval (if any):