		OCD HORP	<b>o</b> 1.	· · · · · ·	ORM APPROVED	· · · .
	UNITED STATES	ERIOR		ON Ex	MB No 1004-0137 pires July 31, 2010	• · · · · · · · · · · · · · · · · · · ·
	EAU OF LAND MANAG	-		Serial No.		· · · ·
Do not use this f	OTICES AND REPORT orm for proposals to di Use Form 3160-3 (APD)	rill or to re-enter an		an, Allottee or	Tribe Name	· · · · · · · · · · · · · · · · · · ·
	TIN TRIPLICATE – Other instr			t of CA/Agree	ment, Name and/or No.	· · · · · · · · · · · · · · · · · · ·
Type of Well		/	8 Well	Name and No.	· · · · · · · · · · · · · · · · · · ·	
Oil Well Gas W	Vell Other		W.H. R	hodes B Fede	eral NCT 1 #16	• ´
2 Name of Operator B C Operating, Inc. 3h. Phone No. (include greg code)				9. API Well No 30-025-25424 10. Field and Pool or Exploratory Area		
3a. Address       3b       Phone No. (include area code)         > O Box 50820       (432) 684-9696 ext 218				Yates Sever		, , , , , , , , , , , , , , , , , , ,
Location of Well (Footage, Sec., T., J 860 FNL & 1980 FWL, UL F action 26, T25S-R37E	R.,M,, or Survey Description)			ntry or Parish, S unty, NM	State	
12. CHEC	K THE APPROPRIATE BOX(ES	S) TO INDICATE NATURE (	OF NOTICE, REPC	RT OR OTHE	R DATA	
TYPE OF SUBMISSION		ТҮРІ	E OF ACTION		· · · ·	-
Notice of Intent	Acidize	Deepen Fracture Treat	Production (Sta	art/Resume)	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair	New Construction	Recomplete	· ·	Other	^
Final Abandonment Notice	Change Plans	Plug and Abandon Plug Back	Temporarily A	. *		· ,
Attach the Bond under which the w following completion of the involv testing has been completed. Final determined that the site is ready for re request Temporary Abandon sta	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.)	sults in a multiple completion ed only after all requirements,	M/BIA. Required s or recompletion in a including reclamati	tical depths of ubsequent repo new interval, on, have been o	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involv testing has been completed. Final	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr	tical depths of ubsequent repo new interval, on, have been essured casir	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involv testing has been completed. Final <i>J</i> determined that the site is ready for /e request Temporary Abandon sta 610 psi in 30 mins. <b>Denied</b> : Failure to com Conditions of Approval at	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr	tical depths of ubsequent report new interval, on, have been of essured casir	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final 2 determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval attach previous sundry	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ver M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final $\lambda$ determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval attach previous sundry 10-8-09	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final 2 determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval attach previous sundry	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ver M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involv testing has been completed. Final J determined that the site is ready for /e request Temporary Abandon sta 610 psi in 30 mins. <b>Denied</b> : Failure to com Conditions of Approval at previous sundry lo-8-09 /s/ JD Whitlock Jr	vork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey apply with ttached to	the Bond No. on file with BL sults in a multiple completion ed only after all requirements,	easured and true ver M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state of 10 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval attach previous sundry lo-8-09 /s/ JD Whitlock Jr Last used as w	Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey upply with ttached to	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse	easured and true ver M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involv testing has been completed. Final J determined that the site is ready for /e request Temporary Abandon sta 610 psi in 30 mins. <b>Denied</b> : Failure to com Conditions of Approval at previous sundry lo-8-09 /s/ JD Whitlock Jr	Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey upply with ttached to	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse	easured and true ver M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI OCT 13 HOBBS	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involvite testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to com Conditions of Approval at previous sundry lo-8-09 ls/JD Whitlock Jr last used as w thereby certify that the foregoing is tr ami Parker	Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey upply with ttached to	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OCD Field Rep witnesse - <i>ittle</i> Regulatory	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI OCI 13 HOBBS	tical depths of ubsequent report new interval, on, have been of essured casir WED 2009	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval at previous sundry 10-8-09 /s/ JD Whitlock Jr 20-8-09 /s/ JD Whitlock Jr	For kill be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey apply with ttached to $\frac{2\omega 12/9}{7}$ ue and correct. Name ( <i>Printed/Type</i> <b>ParKer</b> )	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OCD Field Rep witnesse - Title Regulatory Date 09/30/2005	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI OCT 13 HOBBS	tical depths of ubsequent report new interval, on, have been of essured casir 2009 OCD	orts must be filed within 3 a Form 3160-4 must be fi completed and the operate	0 days led once or has
Attach the Bond under which the w following completion of the involvite testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state 610 psi in 30 mins. <b>Denied</b> : Failure to com Conditions of Approval at previous sundry lo-8-09 ls/JD Whitlock Jr last used as w thereby certify that the foregoing is tr ami Parker	For kill be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey apply with ttached to $\frac{2\omega 12/9}{7}$ ue and correct. Name ( <i>Printed/Type</i> <b>ParKer</b> )	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OC	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr QCT 13 HOBBS	tical depths of ubsequent report new interval, on, have been of essured casir 2009 OCD	orts must be filed within 3 a Form 3160-4 must be filed completed and the operator ing to 620 psi, pressure	0 days led once or has decreased
Attach the Bond under which the w following completion of the involve testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state of 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval at previous sundry lo-8-09 /s/ JD Whitlock Jr last used as w . Thereby certify that the foregoing is tr ami Parker Signature Parket proved by DEE nditions of approval, if any, are attached	rork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey upply with ttached to $2\omega \frac{12}{97}$ ue and correct. Name ( <i>Printed/Type</i> <b>ParKer</b> <b>THIS SPACE FOR</b> <b>NIED</b> Approval of this notice does not w	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OC	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECEI OCT 13 HOBBS	tical depths of ubsequent report new interval, on, have been of essured casir 2009 OCD	orts must be filed within 3 a Form 3160-4 must be filed completed and the operator ing to 620 psi, pressure	0 days led once or has
Attach the Bond under which the w following completion of the involve testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state of 610 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval at previous sundry Io-8-09 /s/ JD Whitlock Jr Iast used as w thereby certify that the foregoing is tr ami Parker Signature <b>Rame</b> proved by <b>DEE</b> nditions of approval, if any, are attached to the applicant holds legal or equitable thi itle the applicant to conduct operations of the site	rork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey oply with ttached to IU/97 we and correct. Name ( <i>Printed/Type</i> <b>ParKer</b> <b>THIS SPACE FOR</b> <b>NIED</b> Approval of this notice does not w the to those rights in the subject lease hereon.	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OC	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECE OCT 13 HOBBS Analyst TE OFFICE US	tical depths of ubsequent report new interval, on, have been of essured casir 2009 OCD OCD	orts must be filed within 3 a Form 3160-4 must be filed completed and the operator ing to 620 psi, pressure	0 days led once or has decreased
Attach the Bond under which the w following completion of the involve testing has been completed. Final $J$ determined that the site is ready for /e request Temporary Abandon state of 10 psi in 30 mins. <b>Denied</b> : Failure to come Conditions of Approval at previous sundry lo-8-09 /s/ JD Whitlock Jr last used as w . Thereby certify that the foregoing is tr ami Parker Signature <b>Definition</b> proved by <b>DEE</b> nditions of approval, if any, are attached to the applicant holds legal or equitable the	rork will be performed or provide ed operations. If the operation res Abandonment Notices must be file final inspection.) atus for this well. Sylvia Dickey pply with ttached to <u>July</u> 2/97 ue and correct. Name ( <i>Printed/Type</i> <b>Packey</b> <b>THIS SPACE FOR</b> <b>NEED</b> Approval of this notice does not w the to those rights in the subject lease hereon. J S C. Section 1212, make 11 a crime	the Bond No. on file with BL sults in a multiple completion ed only after all requirements, - OCD Field Rep witnesse - OC	easured and true ve M/BIA. Required s or recompletion in a including reclamati d test 7/15/09. Pr RECE OCT 13 HOBBS Analyst TE OFFICE US	tical depths of ubsequent report new interval, on, have been of essured casir 2009 OCD OCD	orts must be filed within 3 a Form 3160-4 must be filed completed and the operator ing to 620 psi, pressure	0 days led once or has decreased



## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.

a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.

b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.

c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.

d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.

e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.

3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status provided that the operator:

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Submit Subsequent Report and well bore diagram with all Perforations and CIBP with tops of cement. Well will be approved after successful MIT and subsequent report is submitted. Submit Plans to recomplete, produce or P&A by November 9 2009.