

RECEIVED

OCT 28 2009
HOBBS CO

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease- 4 Copies
Fee Lease- 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-39566	Pool Code 60610	Pool Name TALK ; wolfcamp, North
Property Code 37892	Property Name INCREDIBLE HULK "26" STATE COM	Well Number 3H
OGRID No. 7377	Operator Name EOG RESOURCES, INC.	Elevation 4283.8'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
K	26	14 SOUTH	32 EAST, N.M.P.M.		1850	SOUTH	2480	WEST	LEA

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
J	27	14 SOUTH	32 EAST, N.M.P.M.		1850	SOUTH	2310	EAST	LEA

Dedicated Acres 160	Joint or Infill	Consolidation Code	Order No.
-------------------------------	-----------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Don S. Muth 10/27/09
Signature Date

Donny G. Glanton
Printed Name

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was located from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Ferry J. Paul 10/22/2009
Date of Survey
Signature and Seal of Professional Surveyor
Certificate Number 15079

WO# 091012WL-b (KA)

Permit Information:

Well Name: Incredible Hulk 26 State Com No. 3H

Location:

SL: 1850' FSL & 2480' FWL, Section 26, T-14-S, R-32-E, Lea Co., N.M.

BHL: 1850' FSL & 2310' FEL, Section 27, T-14-S, R-32-E, Lea Co., N.M.

Casing Program:

Casing	Setting Depth	Hole Size	Casing Size	Casing Weight	Casing Grade	Desired TOC
Surface	500'	17-1/2"	13-3/8"	48#	H-40	Surface
Intermediate	4,100'	12-1/4"	9-5/8"	40#	J-55	Surface
Production	8,100'	8-3/4"	7"	26#	P110	3600'
Liner	13,489'	6-1/8"	4-1/2"	11.6#	HCP-110	Uncemented**

**Liner will use Peak isolation packers and ports

Cement Program:

Depth	No. Sacks	Wt. lb/gal	Yld Ft ³ /ft	Slurry Description
500'	500	14.8	1.35	Class C + 0.005 pps Static Free + 2% CaCl ₂ + 0.25 pps CelloFlake + 0.005 gps FP-6L
4,100'	950	12.7	2.01	Lead: Class 'C' + 2.00% SMS + 1.50% R-3 + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
	200	14.8	1.33	Tail: Class 'C' + 0.25 lb/sk Cello Flake + 0.005 lb/sk Static Free
8,100'	500	11.8	2.31	Lead: 50:50:10 Poz:C:Gel+ 0.005 pps Static Free + 0.25 pps CelloFlake + 0.90% FL-52A + 0.30% ASA-301 + 0.15% SMS
	300	14.2	1.30	Tail: 50:50:2 Poz: H: Gel + 0.005 pps Static Free + 5% NaCl + 0.2% CD-32 + 0.65% FL-52A

Mud Program:

Depth	Type	Weight (ppg)	Viscosity	Water Loss
0 – 500'	Fresh - Gel	8.6-8.8	28-34	N/c
500' – 4,100'	Brine	10.0-10.2	28-34	N/c
4,100' – 8,100'	Fresh Water	8.4-8.6	28-34	N/c
8,100' – 9,250'	Cut Brine - XCD	8.7-9.0	29-32	N/c
Pilot hole				
8,425' – 13,489'	Cut Brine - XCD	8.7-9.0	32-42	8-10
Lateral				

Incredible Hulk 26 State Com #3H
Lea County, New Mexico

Surface Location:

1850' FSL

2480' FWL

Section 26

T-14-S, R-32-E

Proposed Wellbore

API: 30-025-*****

KB: 4,302.8'

GL: 4,283.8'

