

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N. French Dr., Hobbs, NM 87240  
District II  
1301 W. Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
May 27, 2004

RECEIVED

OCT 30 2009

HOBBSOCD

CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

WELL API NO. 30-025-20064 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓
6. State Oil & Gas Lease No. B-1732
7. Lease Name or Unit Agreement Name: W.A. Ramsey NCT C ✓
8. Well Number 5 ✓
9. OGRID Number 16696 ✓
10. Pool name or Wildcat Justis Blinbry ✓

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3149' GR

Pit or Below-grade Tank Application ☐ or Closure ☐

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified**  
**24 hours prior** to the beginning of plugging operations

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 10/22/09

Type or print name David Stewart

E-mail address:

david\_stewart@oxy.com

Telephone No. 432-685-5717

For State Use Only

APPROVED BY Mark Whitaker TITLE Compliance Officer DATE 11-03-2009

Conditions of Approval, if any:

TD-5645' PBTD-5058' PERFS-5162-5631' CIBP-5098'

9-5/8" 36# csg @ 793' w/ 417sx, 12-1/4" hole, TOC-Surf-Circ  
4-1/2" 9.5# csg @ 5645' W/ 446sx, 7-7/8" hole, TOC-2920'-TS

1. RIH & tag cmt/CIBP @ 5058'
2. M&P 25sx cmt @ 4845-4745'
3. M&P 25sx cmt @ 3802-3702'
4. Perf @ 2770' sqz 50sx cmt to 2670' WOC-Tag
5. Perf @ 2510' sqz 100sx cmt to 2270' WOC-Tag
6. Perf @ ~~1455'~~ sqz 50sx cmt to ~~1355'~~ WOC-TAG Perf @ 1355' & SQZ WOC & TAG
7. Perf @ 843' sqz 55sx cmt to 743' WOC-Tag
8. Perf @ 150' sqz 70sx cmt to Surface

10# MLF between plugs

OXY USA Inc. - Proposed  
W.A. Ramsey NCT C #5  
API No. 30-025-20064

70sx @ 150'-Surface

55sx @ 843-743' WOC-Tag

50sx @ 1455-1355' WOC-Tag


100sx @ 2510-2270' WOC-Tag

50sx @ 2770-2670' WOC-Tag

25sx @ 3802-3702'

25sx @ 4845-4745'

10/08-CIBP @ 5098' w/ 40' cmt



Perf @ 150'

Perf @ 843'

Perf @ 1455'

Perf @ 2510'

Perf @ 2770'

Perfs @ 5162-5631'


12-1/4" hole @ 793'  
9-5/8" csg @ 793'  
w/ 417sx-TOC-Surf-Circ

7-7/8" hole @ 5645'  
4-1/2" csg @ 5645'  
w/ 446sx-TOC-2920'-TS

TD-5645'

OXY USA Inc. - Current  
W.A. Ramsey NCT C #5  
API No. 30-025-20064

12-1/4" hole @ 793'  
9-5/8" csg @ 793'  
w/ 417sx-TOC-Surf-Circ



10/08-CIBP @ 5098' w/ 40' cmt

7-7/8" hole @ 5645'  
4-1/2" csg @ 5645'  
w/ 446sx-TOC-2920'-TS

Perfs @ 5162-5631'

TD-5645'