

JAN 16 2004

REQUEST FOR EXCEPTION TO RULE 303-A
FOR WELLS LOCATED IN PRE-APPROVED POOLS OR AREAS

Operator

Chevron U.S.A., Inc.
P. O. Box 1150
Midland, TX 79702

Lease Name and Well Number

Hugh # 5
1980' FNL & 1980' FWL, Unit Letter F
Section 14, T22S, R37E
Lea County, New Mexico

Division Order

Pre-approved pools or area established by Division Order No. R-11363.

Pools To Be Commingled In Hugh # 5

(72480) Blinebry Oil & Gas Pool (Gas)
(62700) Wantz-Abo
(62730) Wantz-Granite Wash

Perforated Intervals

Blinebry (5388-5794') (Wellbore diagrams attached)
Wantz-Abo (6216-6370')
Wantz-Granite Wash (7174-7294')

Location Plat

Attached

Well Test Report & Production Plots

Attached.

Product Characteristics And Value

Previous commingling of these zones by Chevron and other operators in the area have shown that the produced fluids are compatible and commingling will not cause formation damage or producing problems. Also, the price received by Chevron for products from these zones is very similar, so value will not be adversely affected.

Production Allocation

<u>Pool</u>	<u>BOPD</u>	<u>BWPD</u>	<u>MCFPD</u>	<u>Estimation Method</u>
Blinebry Oil & Gas (Gas)	0	0	96	DSS production report 7/2001.
Wantz-Abo	6	1	96	DSS production report 7/2001.
Wantz-Granite Wash	1	1	0	Last test during zone testing 4/25/81.
Totals	7	2	192	

<u>Allocated %</u>	<u>Oil %</u>	<u>Water %</u>	<u>Gas %</u>	<u>Remarks</u>
Blinebry Oil & Gas (Gas)	0.00	0.00	50.00	Calculated using above production volumes.
Wantz-Abo	85.71 86	50.00	50.00	Calculated using above production volumes.
Wantz-Granite Wash	14.29 14	50.00	0.00	Calculated using above production volumes.
Totals	100.00	100.00	100.00	

Ownership

Ownership of all zones is identical so correlative rights will not be compromised.

State / Federal Land Notification

Well is on a fee lease.

Well: Hugh # 5

Wantz (DHC)


Granite Wash

Location:

1980' FNL & 1980' FWL
Section: 14
Township: 22S
Range: 37E
County: Lea State: NM

Elevations:

GL: 3352'
KB: 3366'
DF: 3365'

Proposed
Wellbore Diagram

Well ID Info:

Chavno: FB1257
API No: 30-025-10251
LS/LG: U462100 & U523000
Spud Date: 2/7/48
Compl. Date: 3/4/46

Surf. Csg: 13 3/8", 36# & 48#, National SS
Set: @ 315' w/ 300 sks
Hole Size: 17 1/4"
Circ: Yes TOC: Surface
TOC By: Circulated

Interm. Csg: 9 5/8", 35#, J-55
Set: @ 2875' w/ 1300 sks
Hole Size: 12 1/4"
Circ: No TOC: 1090'
TOC By: Temperature Survey

Tbg Detail:

BP @ 7335'
1 jt. 2 3/8" tbg
2 3/8" x 4' perf sub
SN @ 7300'
64 jts. 2 3/8" EUE 8R J-55 tbg
TAC @ 5300'
171 jts. 2 3/8" EUE 8R J-55 tbg

Block Sqz Perfs @ 6100'

Perfs:			Status
5388'	5508'	5618'	Blinebry - Open
5390'	5510'	5620'	Blinebry - Open
5396'	5512'	5624'	Blinebry - Open
5400'	5520'	5628'	Blinebry - Open
5404'	5522'	5638'	Blinebry - Open
5406'	5524'	5640'	Blinebry - Open
5410'	5526'	5662'	Blinebry - Open
5418'	5536'	5664'	Blinebry - Open
5420'	5540'	5670'	Blinebry - Open
5422'	5544'	5672'	Blinebry - Open
5424'	5548'	5692'	Blinebry - Open
5434'	5552'	5694'	Blinebry - Open
5436'	5556'	5710'	Blinebry - Open
5438'	5560'	5712'	Blinebry - Open
5450'	5574'	5762'	Blinebry - Open
5452'	5578'	5764'	Blinebry - Open
5454'	5582'	5772'	Blinebry - Open
5458'	5586'	5774'	Blinebry - Open
5486'	5602'	5782'	Blinebry - Open
5490'	5604'	5784'	Blinebry - Open
5494'	5608'	5792'	Blinebry - Open
5498'	5610'	5794'	Blinebry - Open

6216-18'	Drnkard - Cmtd Behind Liner
6254-56'	Drnkard - Cmtd Behind Liner
6292-94'	Drnkard - Cmtd Behind Liner
6328-30'	Drnkard - Cmtd Behind Liner
6369-70'	Drnkard - Cmtd Behind Liner

Prod. Csg: 7", 23#, J-55
Set: @ 6400' w/ 700 sks
Hole Size: 8 3/4"
Circ: No TOC: 2300'
TOC By: Temperature Survey

6602-06'	Abo - Open
6702-24'	Abo - Open
6780-82'	Abo - Open
6798-6800'	Abo - Open
6823-25'	Abo - Open
6840-42'	Abo - Open
6878-80'	Abo - Open
6920-24'	Abo - Open
6929-33'	Abo - Open
6997-7001'	Abo - Open
7012-16'	Abo - Open
7037-41'	Abo - Open

7174-77'	Granite Wash - Open
7189-92'	Granite Wash - Open
7202-05'	Granite Wash - Open
7219-22'	Granite Wash - Open
7256-58'	Granite Wash - Open
7291-94'	Granite Wash - Open

Liner: 4 1/2" OD 11.6# K-55
Set: @ 7420' w/ top @ surface
Hole Size: 5 1/4"
Circ: No TOC: 6200' (Cmtd to surface w/ 600 sks 6/98)
TOC By: Temperature Survey

COTD: 7388' 7355
PBTD: 7388'
TD: 7420'


Updated: 7/5/01

By: A. M. Howell

*Needs
C-103
Re J:led to
add Granite Wash*

*Blinbry Out & / to
72480*

62700 Wants Abo



*62730 Wants
Granite
Wash*

Well: Hug

Field: Blinebry &
Wantz (DHC)

Reservoir: Blinebry & Ab

Location:

1980' FNL & 1980' FWL
Section: 14
Township: 22S
Range: 37E
County: Lea State: NM

Current
Wellbore Diagram

Well ID Info:

Chevno: FB1257
API No: 30-025-10261
LS/L6: U462100 & U523000
Spud Date: 2/7/48
Compl. Date: 3/4/46

Elevations:

GL: 3352'
KB: 3366'
DF: 3365'

Surf. Csg: 13 3/8", 36# & 48#, National SS
Set: @ 315' w/ 300 sks
Hole Size: 17 1/4"
Circ: Yes TOC: Surface
TOC By: Circulated

Interm. Csg: 9 5/8", 36#, J-55
Set: @ 2875' w/ 1300 sks
Hole Size: 12 1/4"
Circ: No TOC: 1090'
TOC By: Temperature Survey

Tbg Detail:
BP @ 6900'
1 jt. 2 3/8" tbg
2 3/8" x 4' perf sub
SN @ 6865'
50 jts. 2 3/8" EUE 8R J-55 tbg
TAC @ 5300'
171 jts. 2 3/8" EUE 8R J-55 tbg

Block Sqz Perfs @ 6100'

	Perfs:	Status
5388'	5508'	5618'
5390'	5510'	5620'
5396'	5512'	5624'
5400'	5520'	5628'
5404'	5522'	5638'
5406'	5524'	5640'
5410'	5526'	5662'
5418'	5536'	5664'
5420'	5540'	5670'
5422'	5544'	5672'
5424'	5548'	5692'
5434'	5552'	5694'
5438'	5556'	5710'
5438'	5560'	5712'
5450'	5574'	5762'
5452'	5578'	5764'
5454'	5582'	5772'
5458'	5586'	5774'
5486'	5602'	5782'
5490'	5604'	5784'
5494'	5608'	5792'
5498'	5610'	5794'

6216-18' Drinkard - Cmt'd Behind Liner
6254-56' Drinkard - Cmt'd Behind Liner
6292-94' Drinkard - Cmt'd Behind Liner
6328-30' Drinkard - Cmt'd Behind Liner
6369-70' Drinkard - Cmt'd Behind Liner

Prod. Csg: 7", 23#, J-55
Set: @ 6400' w/ 700 sks
Hole Size: 8 3/4"
Circ: No TOC: 2300'
TOC By: Temperature Survey

6602-06' Abo - Open
6702-24' Abo - Open
6780-82' Abo - Open
6798-6800' Abo - Open
6823-25' Abo - Open
6840-42' Abo - Open
6878-80' Abo - Open
6920-24' Abo - Open
6929-33' Abo - Open
6997-7001' Abo - Open
7012-16' Abo - Open
7037-41' Abo - Open

7174-77' Granite Wash - Below RBP
7189-92' Granite Wash - Below RBP
7202-05' Granite Wash - Below RBP
7219-22' Granite Wash - Below RBP
7256-59' Granite Wash - Below RBP
7291-94' Granite Wash - Below RBP

Liner: 4 1/2" OD 11.6# K-55
Set: @ 7420' w/ top @ surface
Hole Size: 6 1/4"

Circ: No TOC: 6200' (Cmt'd to surface w/ 600 sks 6/98)
TOC By: Temperature Survey

RBP @ 7160'

COTD: 7160'
PBTD: 7160'
TD: 7420'

Updated: 9/22/01

By: A. M. Howell

Well: Hug.

Field: Blinebry &
Wantz (DHC)Reservoir: Blinebry, Abo
Granite Wash**Location:**

1980' FNL & 1980' FWL
Section: 14
Township: 22S
Range: 37E
County: Lea State: NM

**Proposed
Wellbore Diagram****Well ID Info:**

Chevron: FB1257
API No: 30-025-10261
LS/L6: U462100 & U523000
Spud Date: 2/7/48
Compl. Date: 3/4/46

Elevations:

GL: 3352'
KB: 3366'
DF: 3365'

Surf. Csg: 13 3/8", 36# & 48#, National SS
Set: @ 315' w/ 300 sks
Hole Size: 17 1/4"
Circ: Yes TOC: Surface
TOC By: Circulated

Interm. Csg: 9 5/8", 36#, J-55
Set: @ 2875' w/ 1300 sks
Hole Size: 12 1/4"
Circ: No TOC: 1090'
TOC By: Temperature Survey

Tbg Detail:

BP @ 7335'
1 jt. 2 3/8" tbg
2 3/8" x 4' perf sub
SN @ 7300'
64 jts. 2 3/8" EUE 8R J-55 tbg
TAC @ 5300'
171 jts. 2 3/8" EUE 8R J-55 tbg

Block Sqz Perfs @ 6100'

	Perfs:	Status
5388'	5508'	5618'
5390'	5510'	5620'
5396'	5512'	5624'
5400'	5520'	5628'
5404'	5522'	5638'
5406'	5524'	5640'
5410'	5526'	5662'
5418'	5536'	5664'
5420'	5540'	5670'
5422'	5544'	5672'
5424'	5548'	5692'
5434'	5552'	5694'
5436'	5556'	5710'
5438'	5560'	5712'
5450'	5574'	5762'
5452'	5578'	5764'
5454'	5582'	5772'
5458'	5586'	5774'
5486'	5602'	5782'
5490'	5604'	5784'
5494'	5608'	5792'
5498'	5610'	5794'

6216-18' Drinkard - Cmt'd Behind Liner
6254-56' Drinkard - Cmt'd Behind Liner
6292-94' Drinkard - Cmt'd Behind Liner
6328-30' Drinkard - Cmt'd Behind Liner
6369-70' Drinkard - Cmt'd Behind Liner

Prod. Csg: 7", 23#, J-55
Set: @ 5400' w/ 700 sks
Hole Size: 8 3/4"
Circ: No TOC: 2300'
TOC By: Temperature Survey

6602-06' Abo - Open
6702-24' Abo - Open
6780-82' Abo - Open
6798-8800' Abo - Open
6823-25' Abo - Open
6840-42' Abo - Open
6878-80' Abo - Open
6920-24' Abo - Open
6929-33' Abo - Open
6997-7001' Abo - Open
7012-16' Abo - Open
7037-41' Abo - Open

7174-77' Granite Wash - Open
7189-92' Granite Wash - Open
7202-05' Granite Wash - Open
7219-22' Granite Wash - Open
7256-59' Granite Wash - Open
7291-94' Granite Wash - Open


Liner: 4 1/2" OD 11.6# K-55
Set: @ 7420' w/ top @ surface
Hole Size: 6 1/4"

Circ: No TOC: 6200' (Cmt'd to surface w/ 600 sks 6/98)
TOC By: Temperature Survey

COTD: 7388'
PBSD: 7388'
TD: 7420'

Updated: 9/27/01

By: A. M. Howell



Scale: 1" = 2,000'

Chevron U.S.A. Inc.
Hugh # 5
1980' FNL & 1980' FWL
Unit F, Section 14, T22S, R37E
Lea County, New Mexico

- Hugh Lease

Hugh # 5 - Blinebry Oil & Gas Pool


DATE	DATE	CDOIL	CDWAT	CDGAS	OIL	WATER	GAS	OCUM	WCUM	GCUM
1/1/2000										
	1/1/2000	0	1	89	0	31	2772	18	708	69815
	2/1/2000	0	1	79	0	29	2287	18	737	72102
	3/1/2000	0	1	80	0	31	2486	18	768	74588
	4/1/2000	0	1	63	0	27	1884	18	795	76472
	5/1/2000	0	0	177	0	0	5495	18	795	81967
	6/1/2000	0	0	131	0	0	3915	18	795	85882
	7/1/2000	0	0	129	0	0	4009	18	795	89891
	8/1/2000	0	0	189	0	0	5844	18	795	95735
	9/1/2000	0	0	126	0	0	3773	18	795	99508
	10/1/2000	0	0	139	0	0	4299	18	795	103807
	11/1/2000	0	0	134	0	0	4015	18	795	107822
	12/1/2000	0	0	132	0	0	4088	18	795	111910
DATE	DATE	CDOIL	CDWAT	CDGAS	OIL	WATER	GAS	OCUM	WCUM	GCUM
1/1/2001										
	1/1/2001	0	0	100	0	0	3091	18	795	115001
	2/1/2001	0	0	137	0	0	3834	18	795	118835
	3/1/2001	0	0	103	0	0	3203	18	795	122038
	4/1/2001	0	0	81	0	0	2422	18	795	124460
	5/1/2001	0	0	88	0	0	2722	18	795	127182
	6/1/2001	0	0	99	0	0	2968	18	795	130150
	7/1/2001	0	0	96	0	0	2980	18	795	133130
	8/1/2001	0	0	0	0	0	0	18	795	133130
	9/1/2001	0	0	0	0	0	0	18	795	133130
	10/1/2001	0	0	0	0	0	0	18	795	133130
	11/1/2001	0	0	0	0	0	0	18	795	133130
	12/1/2001	0	0	0	0	0	0	18	795	133130

Hugh # 5 - Wantz-Abo Pool

DATE	DATE	CDOIL	CDWAT	CDGAS	OIL	WATER	GAS	OCUM	WCUM	GCUM
1/1/2000										
	1/1/2000	16	6	322	495	186	9984	74531	15904	1685189
	2/1/2000	14	6	284	401	174	8236	74932	16078	1693425
	3/1/2000	15	6	289	457	186	8954	75389	16264	1702379
	4/1/2000	12	5	226	352	162	6788	75742	16426	1709167
	5/1/2000	8	6	177	261	186	5494	76002	16612	1714661
	6/1/2000	7	6	130	221	176	3914	76223	16788	1718575
	7/1/2000	7	8	129	226	238	4008	76449	17026	1722583
	8/1/2000	7	13	189	223	398	5844	76672	17424	1728427
	9/1/2000	8	14	126	231	430	3773	76902	17854	1732200
	10/1/2000	8	15	139	252	459	4299	77154	18313	1736499
	11/1/2000	11	12	134	320	365	4014	77474	18678	1740513
	12/1/2000	8	11	132	256	328	4088	77729	19006	1744601
DATE	DATE	CDOIL	CDWAT	CDGAS	OIL	WATER	GAS	OCUM	WCUM	GCUM
1/1/2001										
	1/1/2001	7	10	100	202	307	3090	77931	19313	1747691
	2/1/2001	7	15	137	190	420	3833	78122	19733	1751524
	3/1/2001	7	15	103	228	453	3203	78350	20185	1754727
	4/1/2001	6	8	81	194	240	2422	78544	20425	1757149
	5/1/2001	6	1	88	181	29	2721	78726	20454	1759870
	6/1/2001	5	1	99	161	30	2967	78887	20484	1762837
	7/1/2001	6	1	96	196	31	2979	79084	20515	1765816
	8/1/2001	9	7	0	280	222	0	79364	20737	1765816
	9/1/2001	0	0	0	0	0	0	79364	20737	1765816
	10/1/2001	0	0	0	0	0	0	79364	20737	1765816
	11/1/2001	0	0	0	0	0	0	79364	20737	1765816
	12/1/2001	0	0	0	0	0	0	79364	20737	1765816


CHEVRON U.S.A. PRODUCTION
Hugh # 5 - Blinberry Oil & Gas Pool

Name: HUGH5B ID: FB1257:0:02 Type: PR Format: prod



CHEVRON U.S.A. PRODUCTION
Hugh # 5 - Wantz-Abo Pool

Name: HUGH5 ID: FB1257:0:01 Type: PR Format: prod



Name: ID: FB1257:0:AB Type: UN Format: prod

