District I

District III

State of New Mexico

Form C-144 CLEZ July 21, 2008

1625 N French Dr., Hobbs, NM 88240 District II

1301 W. Grand Avenue, Artesia, NM 88210

Minerals and Natural Resources

Department

1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 875#JOBBSOCD.

AUG 0 3 2009 Oil Conservation Division 1220 South St. Francis Dr.

Santa Fe, NM 87505

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit X Closure •

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. OGRID # 147179 Operator: Chesapeake Operating, Inc.

Chesapeake Operating, itte.		
Address: P.O. Box 18496 Oklahoma City, OK 7315	54-0496	
Facility or well name: Kyte # 9		
API Number: 30-025-34457	OCD Permit Number:	PI-01273~
U/L or Qtr/Qtr C Section 8 23	Township 20S Range 38E	County: Lea
Center of Proposed Design: Latitude 32.563850	Longitude103.12084	NAD: ⊠1927 ☐ 1983
Surface Owner: 🗌 Federal 🔲 State 🔀 Private 🔲 Triba	al Trust or Indian Allotment	
2. Closed-loop System: Subsection H of 19.15.17.11 Operation: □ Drilling a new well □ Workover or Drill Nove Ground Steel Tanks or □ Haul-off Bins 3 Signs: Subsection C of 19.15.17.11 NMAC		roval of a permit or notice of intent) P&A
12"x 24", 2" lettering, providing Operator's name, sit	te location, and emergency telephone numbers	NUV 2 0 ZWU9
☒ Signed in compliance with 19.15.3.103 NMAC		HOBBSOCD
attached. ☑ Design Plan - based upon the appropriate requiren ☑ Operating and Maintenance Plan - based upon the ☑ Closure Plan (Please complete Box 5) - based upo	appropriate requirements of 19.15.17.12 NMAC	of 19.15.17.9 NMAC and 19.15.17.13 NMAC
☐ Design Plan - based upon the appropriate requiren ☐ Operating and Maintenance Plan - based upon the ☐ Closure Plan (Please complete Box 5) - based upo ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plane.	appropriate requirements of 19.15.17.12 NMAC n the appropriate requirements of Subsection C of API Number: an API Number:	
 ☑ Design Plan - based upon the appropriate requiren ☑ Operating and Maintenance Plan - based upon the ☑ Closure Plan (Please complete Box 5) - based upo ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plans 5. Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for 	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-of	off Bins Only: (19.15.17.13.D NMAC)
 ☑ Design Plan - based upon the appropriate requiren ☑ Operating and Maintenance Plan - based upon the ☑ Closure Plan (Please complete Box 5) - based upo ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plans 5. Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for 	appropriate requirements of 19.15.17.12 NMAC n the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-or the disposal of liquids, drilling fluids and drilling	off Bins Only: (19.15.17.13.D NMAC)
 ☑ Design Plan - based upon the appropriate requiren ☑ Operating and Maintenance Plan - based upon the ☑ Closure Plan (Please complete Box 5) - based upo ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plants S. Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. 	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-cor the disposal of liquids, drilling fluids and drilling Disposal Facility Perm	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two
 ☑ Design Plan - based upon the appropriate requiren ☑ Operating and Maintenance Plan - based upon the ☑ Closure Plan (Please complete Box 5) - based upo ☐ Previously Approved Design (attach copy of design) ☐ Previously Approved Operating and Maintenance Plants 5. Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. Disposal Facility Name: Controlled Recovery, Inc. 	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-or the disposal of liquids, drilling fluids and drilling fluids and drilling fluids are proposal Facility Permond associated activities occur on or in areas that	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number: NM-01-0006 nit Number: NM-01-0003
Design Plan - based upon the appropriate requiren □ Operating and Maintenance Plan - based upon the □ Closure Plan (Please complete Box 5) - based upo □ Previously Approved Design (attach copy of design) □ Previously Approved Operating and Maintenance Plans • Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. □ Disposal Facility Name: Controlled Recovery, Inc. □ Disposal Facility Name: Sundance Disposal □ Will any of the proposed closed-loop system operations a □ Yes (If yes, please provide the information below)	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-cor the disposal of liquids, drilling fluids and drilling fluids and drilling fluids are proposal Facility Permosand associated activities occur on or in areas that a No activities occur on or in areas that a No activities occur on or in areas that a possed upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC appropriate of Subsection 1 of 19.15.17.13 NMAC	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number:NM-01-0006 nit Number:NM-01-0003 will not be used for future service and operations? exction H of 19.15.17 13 NMAC
Design Plan - based upon the appropriate requiren □ Operating and Maintenance Plan - based upon the □ Closure Plan (Please complete Box 5) - based upo □ Previously Approved Design (attach copy of design) □ Previously Approved Operating and Maintenance Plans. **Substantial Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. □ Disposal Facility Name: Controlled Recovery, Inc. □ Disposal Facility Name: Sundance Disposal □ Will any of the proposed closed-loop system operations are the proposed closed-loop system operations are greatly and Cover Design Specifications to the proposed closed-loop system operations are greatly and Cover Design Specifications to the proposed closed-loop system operations are greatly and Cover Design Specifications to the proposed closed-loop system operations are greatly and Cover Design Specifications to the proposed closed-loop system operations are greatly and Cover Design Specifications to the proposed closed-loop system operations are greatly as a second closed-loop system operation are greatly as a second closed-loop system operation are greatly as a second closed-loop system operation are greatly as a second closed	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-cor the disposal of liquids, drilling fluids and drilling fluids and drilling fluids are proposal Facility Permosand associated activities occur on or in areas that a No activities occur on or in areas that a No activities occur on or in areas that a possed upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC appropriate of Subsection 1 of 19.15.17.13 NMAC	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number:NM-01-0006 nit Number:NM-01-0003 will not be used for future service and operations? exction H of 19.15.17 13 NMAC
Design Plan - based upon the appropriate requiren □ Operating and Maintenance Plan - based upon the □ Closure Plan (Please complete Box 5) - based upo □ Previously Approved Design (attach copy of design) □ Previously Approved Operating and Maintenance Plans. **Substance** **Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities facilities are required. Disposal Facility Name: Controlled Recovery, Inc. Disposal Facility Name: Sundance Disposal Will any of the proposed closed-loop system operations and Yes (If yes, please provide the information below) **Required for impacted areas which will not be used for facilities are required and Cover Design Specifications	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-cor the disposal of liquids, drilling fluids and drilling	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number: NM-01-0006 nit Number: NM-01-0003 will not be used for future service and operations? section H of 19.15.17 13 NMAC C MAC
Design Plan - based upon the appropriate required	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-or the disposal of liquids, drilling fluids and drilling fluids and drilling fluids and drilling fluids are drilling fluids and drilling fluids and drilling fluids and drilling fluids are drilling fluids and drilling	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number: NM-01-0006 nit Number: NM-01-0003 will not be used for future service and operations' ection H of 19.15.17 13 NMAC C MAC best of my knowledge and belief.
Design Plan - based upon the appropriate requiren □ Operating and Maintenance Plan - based upon the □ Closure Plan (Please complete Box 5) - based upo □ Previously Approved Design (attach copy of design) □ Previously Approved Operating and Maintenance Plans. S. Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. Disposal Facility Name: Controlled Recovery, Inc. Disposal Facility Name: Sundance Disposal Will any of the proposed closed-loop system operations and Yes (If yes, please provide the information below) Required for impacted areas which will not be used for facilities and Cover Design Specifications In the Cover Design Specifications In the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Appropriate recovery of the Cover Design Specification of the Cover Design	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: an API Number: at Utilize Above Ground Steel Tanks or Haul-or the disposal of liquids, drilling fluids and drilling fluids and drilling fluids and drilling fluids are drilling fluids and drilling fluids and drilling fluids and drilling fluids are drilling fluids and drilling	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number: NM-01-0006 nit Number: NM-01-0003 will not be used for future service and operations? ection H of 19.15.17 13 NMAC C MAC best of my knowledge and belief. alatory Compl. Sp.
Design Plan - based upon the appropriate requiren □ Operating and Maintenance Plan - based upon the □ Closure Plan (Please complete Box 5) - based upo □ Previously Approved Design (attach copy of design) □ Previously Approved Operating and Maintenance Plans • Waste Removal Closure For Closed-loop Systems That Instructions: Please indentify the facility or facilities for facilities are required. □ Disposal Facility Name: Controlled Recovery, Inc. □ Disposal Facility Name: Sundance Disposal Will any of the proposed closed-loop system operations a □ Yes (If yes, please provide the information below) Required for impacted areas which will not be used for facilities are repaired. □ Soil Backfill and Cover Design Specifications - to Site Reclamation Plan - based upon the appropriate recomplication Plan - based upon the appropriate recomplication Certification: I hereby certify that the information submitted with this Name (Print): Bryan Arrant	appropriate requirements of 19.15.17.12 NMAC In the appropriate requirements of Subsection C of API Number: API Number:	off Bins Only: (19.15.17.13.D NMAC) I cuttings. Use attachment if more than two nit Number: NM-01-0006 nit Number: NM-01-0003 will not be used for future service and operations? ection H of 19.15.17 13 NMAC C MAC Dest of my knowledge and belief. alatory Compl. Sp. 1/2009

OCD Approval: Permit Application (including closure plan) Closure P		
OCD Representative Signature:	Approval Date: AUG 14 2009	
Title: DISTRICT 1 SUPERWISOR	OCD Permit Number: P1-D1273	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date: 10 5 0 9		
Closure Report Regarding Waste Removal Closure For Closed-loop Systems Instructions: Please indentify the facility or facilities for where the liquids, drift two facilities were utilized. Disposal Facility Name:		
Disposal Facility Name:	Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or Yes (If yes, please demonstrate compliance to the items below) No	in areas that will not be used for future service and operations?	
Required for impacted areas which will not be used for future service and operate Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:	
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure rebelief. I also certify that the closure complies with all applicable closure requirents. Name (Print): Signature: e-mail address: Or Chards Chk Com		

Chesapeake Operating, Inc.'s Closed Loop System Kyte # 9

Unit C, Sec. 23, T-20-S R-38-E Lea Co., NM API # 30-025-34457

Equipment & Design:

Chesapeake Operating, Inc. is to use a closed loop system in the plug & abandonment of this well.

(1) 250 bbl frac tank

Operations & Maintenance:

During each and every tour, the rig's drilling crew will inspect and closely monitor the drilling fluids contained within the steel tank and visually monitor any spill which may occur.

Within 48 hours should a spill, release or leak occur, the NMOCD District I office in Hobbs (575-393-6161) will be notified. Please note that notifications may be made earlier to the district office should a greater release occur.

This is in keeping with the reporting requirements of NMOCD's rule 19.15.29.8

Closure:

After re-completion operations, fluids will be hauled and disposed to the Controlled Recovery, Inc.'s (CRI) location.

The disposal permit number for CRI is: NM-01-0006

Should this facility not be available, Sundance Disposal is the alternative site.

The permit # for this facility is: NM-01-0003.