OCD Hobbs

Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137 Expires July 31, 2010

5. Lcase Serial No. LC02904059(a)

SUNDRY NOTIO Do not use this form to abandoned well. Use h	6. If Indian, Allottee of	r Tribe Name				
SUBMIT IN TRIPLICATE – Other instructions on page 2.				7. If Unit of CA/Agreement, Name and/or No.		
1. Type of Well Oil Well Gas Well	Other	/		8. Well Name and No. Elvis # 1 9. API Well No.		
2. Name of Operator ConocoPhillips Company J J J J J J J J J J J J J		b. Phone No. (include area cod	le)	30-025-33584 2 10. Field and Pool or F	· y	_
Midland, Tx 79710 4. Location of Well (Footage, Sec., T.,R.,M., o 1780 FNLA 1980 FWL UL F of 20-178-32E	432-688-6943 West maljamar Devonian VII. Country or Parish, State Lea County, NM			_ -		
12. CHECK THE	APPROPRIATE BOX	(ES) TO INDICATE NATURE	OF NOTIC	CE, REPORT OR OTHE	ER DATA	_
TYPE OF SUBMISSION		TYI	PE OF ACT	ION		
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat		uction (Start/Resume) amation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon		mplete porarily Abandon	Other TA	_
Final Abandonment Notice	Convert to Injection	Plug Back	☐ Wate	r Disposal		
 Describe Proposed or Completed Operation the proposal is to deepen directionally or r Attach the Bond under which the work will 	ecomplete horizontally	, give subsurface locations and a	measured an	d true vertical depths of	f all pertinent markers and zones.	If

determined that the site is ready for final inspection.) ConocoPhillips Company respectfully request approved TA status for the above. A successful MIT was performed on 10/22/2009 and is attached . This well is in the process of being evaluated as a possible Devonian SWD well for excess produced water from the MCA Unit.

following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has

SEE ATTACHED FOR CONDITIONS OF APPROVAL

SUBJECT TO LIKE APPROVAL BY STATE RECEIVED HOBBSOCD

NOV 18 2009

BUREAU OF LAND MANAGEMENT CARLSBAD FIFLD OFFICE

/s/ JD Whitlock Jr


4	
LAST prod. 9/2008 Stock 10/5/96	
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Donna Williams	mid. St. Domilatory Specialist
DOING WINGING	Title Sr. Regulatory Specialist
Signature	Date 11/12/2009
THIS SPA	ACE FOR FEDERAL OR STATE OFFICE USE
Approved by	DISTRICT & SUPERVISOR NOV 2 0 2009
Conditions of approval, if any, are attached Approval of this notice that the applicant holds legal or equitable title to those rights in the	ce does not warrant or certify

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

entitle the applicant to conduct operations thereon.





BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
 - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. The bridge plug is to be capped with 35 feet of cement (if bailed) or 25 sacks (if placed with tubing). If a cement plug is used, the top of the cement must be verified by tagging.
 - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
 - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
 - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
 - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status provided that the operator:

- Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval with well bore diagram.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.
- 4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Elvis #1 Submit Subsequent Report and well bore diagram with all Perforations and CIBP with tops of cement. Well may be approved to be TA for a period of 1 year after successful MIT, (well bore needs repair last MIT lost 20 psi) subsequent report with justification and future plans for well are submitted. This will be the last TA for this well.