

Submit 3 Copies To Appropriate District Office

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised June 10, 2003

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-29840
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Lynx Operating Co., Inc.		6. State Oil & Gas Lease No. 26462
3. Address of Operator 2121 San Jacinto, Ste 860, LB 52, Dallas, TX 75201		7. Lease Name or Unit Agreement Name Shipp 34
4. Well Location Unit Letter <u>M</u> <u>510</u> <u>south</u> <u>660</u> <u>west</u> <u>34</u> <u>16S</u> <u>37E</u> <u>Lea</u> <u>line</u> Section Township Range NMPM County		8. Well Number 3
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3775 GR		9. OGRID Number 175071
10. Pool name or Wildcat Lovington Grayburg San Andres		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ xx

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Plan to plug and abandon well. Current: CIBP @ 11,200' w/ 20' cement, perforations 4884-5289. 13-3/8" surface casing @ 398', 8-5/8" intermediate @ 4188', both circ to surface, & 5-1/2" casing @ 11,516, estimated TOC @ 3250'.

No open hole zones between 5289 and CIBP @ 11,200'.

Plug @ 8320' - 255x5 OR 100' WHICHEVER GREATER
 Plug @ 4800' - 255x5 OR 100' WHICHEVER GREATER
 Plug @ 2100' - 255x5 OR 100' WHICHEVER GREATER (SALT PLUG)
 Plug @ 398' - 255x5 OR 100' " "
 105x5 OR 60' WHICHEVER GREATER SURFACE CASING.
 SALT MUD 9.5 LBS/GAL BETWEEN PLUGS.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Dana Pearce TITLE Engineering Tech DATE 12/17/03
Dana Pearce dana@lynxco.biz 214/969-5555
 Type or print name E-mail address: Telephone No.
 (This space for State use)

APPROVED BY Chris Williams TITLE OC DISTRICT SUPERVISOR/GENERAL MANAGER DATE DEC 22 2003
 Conditions of approval, if any: