Submit 3 Copies To Appropriate District State of New Mexico Office Energy Minerals and Natural Resources	Form C-103
Office District I 1625 N. French Dr., Hobbs, NM 87240 District II	May 27, 2004 WELL API NO.
1301 W. Grand Ave., Artesia, NM 88200 0 NOIL CONSERVATION DIVISION	<u>30-025-21045</u> 5. Indicate Type of Lease
District III 1000 Rio Brazos Rd., Aztec, NM WBBSOCD Santa Fe, NM 87505 District IV	STATE I FEE
1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No. S-91017
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name: New Mexico E State
1. Type of Well: Oil Well X Gas Well Other	8. Well Number
2. Name of Operator	9. OGRID Number
OXY USA Inc. 3. Address of Operator	16696 / 10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710-0250	Mescalero San Andres
4. Well Location	
Unit Letter <u>E: 1980</u> feet from the <u>north</u> line and <u></u>	<u>660</u> feet from the west line
Section 26 Township 10S Range 32E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4317' GR	
Pit or Below-grade Tank Application or Closure	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	
NOTICE OF INTENTION TO: SUB PERFORM REMEDIAL WORK PLUG AND ABANDON [X] REMEDIAL WORK TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILL PULL OR ALTER CASING MULTIPLE COMPLETION CASING TEST AND CEMENT JOB	ABANDONMENT
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give	e pertinent dates, including estimated date
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. TD-4250' PBTD-4233' Perfs-4106-4200'	
 8-5/8" 24# csg @ 1550' w/550sx, 12-1/4" hole, TOC-Surf-Circ 4-1/2" 9.5# csg @ 4250' w/ 400sx, 7-7/8" hole, TOC-2786'-TS 1. RIH & Set CIBP @ 4050', M&P 25sx cmt 2. M&P 25sx cmt @ 3090-2960' 3. Perf @ 2285' sqz 55sx cmt to 2160' WOC-Tag 4. Perf @ 1600' sqz 55sx cmt to 1485' WOC-Tag 	
5. Perf@200' sqz 75sx cmt to Surface The	Oil Conservation Division Must be notified
10# MLF between plugs 24 hours prior to the beginning of plugging operations	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below- grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permit or an (attached) alternative OCD-approved plan	
SIGNATURE	
Type or print name David Stewart E-mail address: david_stewart@oxy.com Telephone No. 432-685-5717	
APPROVED BY ALLY ALLY ALLY TITLE Compliance fice DATE 12/11/2009 Conditions of Approval, if any:	

OXY USA Inc. - Proposed New Mexico E State #2 API No. 30-025-21045

• -



.

.

OXY USA Inc. New Mexico E State #2 API No. 30-025-21045

.



PB-4233'

12-1/4" hole @ 1550' 8-5/8" csg @ 1550' w/ 550sx-TOC-Surf-Circ

7-7/8" hole @ 4250' 4-1/2" csg @ 4250' w/ 400sx-TOC-2786'-TS

Perfs @ 4106-4200'