

Submit 3 Copies To Appropriate District  
Office  
District I  
1625 N French Dr., Hobbs, NM 88240  
District II  
1301 W Grand Ave., Artesia, NM 88210  
District III  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV  
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
June 19, 2008

RECEIVED

DEC 18 2009

HOBBSD

THE OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                     |
|-----------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-38090                                                                        |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No.<br>V-5491                                                              |
| 7. Lease Name or Unit Agreement Name<br>Willie State Unit                                           |
| 8. Well Number<br>6                                                                                 |
| 9. OGRID Number<br>025575                                                                           |
| 10. Pool name or Wildcat<br>Eight Mile Draw; Morrow (Gas)                                           |

|                                                                                                                                                                                                                 |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| SUNDRY NOTICES AND REPORTS ON WELLS<br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)           |  |
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>                                                                                  |  |
| 2. Name of Operator<br>Yates Petroleum Corporation                                                                                                                                                              |  |
| 3. Address of Operator<br>105 South Fourth Street, Artesia, NM 88210                                                                                                                                            |  |
| 4. Well Location<br>Unit Letter <u>K</u> : <u>1980</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>West</u> line<br>Section <u>25</u> Township <u>11S</u> Range <u>34E</u> NMPM Lea County |  |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>4146' GR                                                                                                                                                  |  |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation is presently plugging back & recompleting this well to the Lower Yeso. If this recompletion attempt is unsuccessful, Yates Petroleum Corporation plans to plug & abandon this well as follows:

1. Load hole. Release pkr & TOH. 25sx
2. Circulate hole w/plugging mud. Spot a 100' cement plug 9170-9070'. WOC & tag. Spot a 100' cement plug 7544-7444'. WOC & tag. Spot a 100' cement plug 6300-6200'. Spot a 100' cement plug 4323-4223'. WOC & tag. 25sx
3. Perforate squeeze holes @ 2000'. Spot a 100' cement plug inside & outside casing 2000-1900'. WOC & tag. 25sx
4. Perforate squeeze holes @ 483'. Circulate cement to surface.
5. Cut off wellhead, install dry hole marker & clean location. (Proposed schematic attached.)

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Allison Barton TITLE Regulatory Compliance Technician DATE 12/17/09

Type or print name Allison Barton E-mail address: abarton@yatespetroleum.com PHONE: (575) 748-4385

For State Use Only

APPROVED BY: Tammy D. Lip TITLE DISTRICT 1 SUPERVISOR DATE DEC 21 2009


Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST  
BE NOTIFIED 24 HOURS PRIOR TO THE  
BEGINNING OF PLUGGING OPERATIONS

Well Name: Willie BNY State No. 6 Field: \_\_\_\_\_  
 Location: 1980' FSL & 1980' FWL Sec. 25-11S-34E Lea Co., NM  
 GL: 4146' Zero: \_\_\_\_\_ AGL: \_\_\_\_\_ KB: 4164'  
 Spud Date: 1/29/07 Completion Date: \_\_\_\_\_  
 Comments: \_\_\_\_\_

| Casing Program              |           |
|-----------------------------|-----------|
| Size/Wt/Grade/Conn          | Depth Set |
| 13 3/8" 48# H40             | 433'      |
| 9 5/8" 36 & 40# J55         | 4273'     |
| 5 1/2" 17# J55, L80, HCP110 | 12345'    |
|                             |           |
|                             |           |
|                             |           |

# CURRENT CONFIGURATION




SKETCH NOT TO SCALE

DATE: 12/3/09 Willie6M

Well Name: Willie BNY State No. 6 Field: \_\_\_\_\_  
 Location: 1980' FSL & 1980' FWL Sec. 25-11S-34E Lea Co., NM  
 GL: 4146' Zero: \_\_\_\_\_ AGL: \_\_\_\_\_ KB: 4164'  
 Spud Date: 1/29/07 Completion Date: \_\_\_\_\_  
 Comments: \_\_\_\_\_

| Casing Program              |           |
|-----------------------------|-----------|
| Size/Wt/Grade/Conn          | Depth Set |
| 13 3/8" 48# H40             | 433'      |
| 9 5/8" 36 & 40# J55         | 4273'     |
| 5 1/2" 17# J55, L80, HCP110 | 12345'    |
|                             |           |
|                             |           |
|                             |           |

### PROPOSED CONFIGURATION




SKETCH NOT TO SCALE

DATE: 11/17/09 Willie6J

# Yates Petroleum Corporation

## Typical 3,000 psi Pressure System Schematic



Typical 3,000 psi choke manifold assembly with at least these minimum features

