

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

JAN 11 2010

HOBBSD

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

OXY USA Inc.

16696

3a. Address

P.O. Box 50250, Midland, TX 79710-0250

3b. Phone No. (include area code)

432-685-5717

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

810 FSL 1980 FWL SESW(N) Sec 13 T9S R35E

5. Lease Serial No.

NM0450847

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

Federal A #5

9. API Well No.

30-025-21304

10. Field and Pool, or Exploratory Area

Bough San Andres (Gas)

11. County or Parish, State

Lea NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Acidize

☐ Deepen

☐ Production (Start/Resume)

☐ Water Shut-Off

☐ Alter Casing

☐ Fracture Treat

☐ Reclamation

☐ Well Integrity

☐ Casing Repair

☐ New Construction

☐ Recomplete

☐ Other

☐ Change Plans

☒ Plug and Abandon

☐ Temporarily Abandon

☐ Convert to Injection

☐ Plug Back

☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

TD-12062' PBD-4675' Perfs-4738-4790' CIBP-4675'

13-3/8" 48-54.5# @ 460' w/ 475sx, 17" hole, TOC-Surf-Circ

9-5/8" 32.3-40# @ 4902' w/ 1925sx, 12-1/4" hole, TOC-Surf-Circ

5-1/2" 17-20# @ 12018' w/ 250sx, 8-3/4" hole, TOC-11340'-CBL

1. RIH & Drill CIBP @ 4675'

2. M&P 70sx cmt @ 4985-4688' WOC-Tag

3. M&P 30sx cmt @ 2800-2670'

4. M&P 25sx cmt @ 510-410' WOC-Tag

5. M&P 25sx cmt @ 100'-Surface

10# MLF Between Plugs

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

David Stewart

Title

Sr. Regulatory Analyst

Date

1/8/10

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

DISTRICT 1 SUPERVISOR

Date


JAN 25 2010

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

✓ OXY USA Inc. - Current
Federal A #5
API No. 30-025-21304



17" hole @ 460'
13-3/8" csg @ 460'
w/ 475sx-TOC-Surf-Circ

2/08-CIBP @ 4675'

12-1/4" hole @ 4902'
9-5/8" csg @ 4902'
w/ 1925sx-TOC-Surf-Circ

10/04-Perfs @ 4738-4790'

11/83-Perf @ 4960' sqz 1200sx cmt to surf

10/04-CIBP @ 6000' w/ 2sx cmt

9/04-CR @ 6300' w/ 13sx cmt
TOF @ 6361' w/ 2-7/8" tbq & pkr @ 11885'
Attempt to fish from 7/29-10/5/04

8-3/4" hole @ 12018'
5-1/2" csg @ 12018'
w/ 250sx-TOC-11340'-CBL

Perfs @ 12002-12012'

TD-12062'

✓ OXY USA Inc. - Proposed
Federal A #5
API No. 30-025-21304

25sx @ 100'-Surface


25sx @ 510-410' WOC-Tag

30sx @ 2800-2670'

70sx @ 4985-4688' WOC-Tag

10/04-CIBP @ 6000' w/ 2sx cmt

9/04-CR @ 6300' w/ 13sx cmt
TOF @ 6361' w/ 2-7/8" tbg & pkr @ 11885'
Attempt to fish from 7/29-9/29/04
Attempt to EIR, Pressured Up to 3000#



TD-12062'

17" hole @ 460'
13-3/8" csg @ 460'
w/ 475sx-TOC-Surf-Circ

12-1/4" hole @ 4902'
9-5/8" csg @ 4902'
w/ 1925sx-TOC-Surf-Circ
10/04-Perfs @ 4738-4790'
11/83-Perf @ 4960' sqz 1200sx cmt to surf

8-3/4" hole @ 12018'
5-1/2" csg @ 12018'
w/ 250sx-TOC-11340'-CBL

Perfs @ 12002-12012'