

Submit 3 Copies To Appropriate District Office
District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S. St Francis Dr, Santa Fe, NM 87505

RECEIVED

FEB 15 2010

State of New Mexico
Energy, Minerals and Natural Resources
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
March 4, 2004

WELL API NO. 30-025-30965 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name West Lovington Unit ✓
8. Well Number 73 ✓
9. OGRID Number 241333 ✓
10. Pool name or Wildcat Lovington Upper San Andres W. ✓

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: ✓
Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Chevron Midcontinent L.P.

3. Address of Operator
#15 Smith Rd., Midland, TX 79705

4. Well Location
Unit Letter O : 1305 feet from the North line and 1335 feet from the West line
Section 4 Township 17-S Range 36-E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)

Pit Location: UL O Sect 4 Twp 17-S Rng 36-E Pit type steel Depth to Groundwater 50' Distance from nearest fresh water well _____
Distance from nearest surface water _____ Below-grade Tank Location UL _____ Sect _____ Twp _____ Rng _____ ;
1305 feet from the North line and 1335 feet from the South line (Steel Tank)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Notify OCD 24 hrs prior to MI and RU.
2. RIH TAG CIBP@4658'.
3. Displace hole w/MLF, 9.5# Brine w/12 5# gel P/BBL.
4. Spot 25sx of cement from 4658'-4450'.
5. Perf and squeeze 50sx cement plug from 3125'-2925' (B.Salt). WOC & TAG.
6. Perf and squeeze 75sx cement plug from 2132'-1833' (T.Salt/Rustler). WOC & TAG.
7. Perf and squeeze 120sx cement plug from 460'-surface (shoe/Fr.Wtr./surface). WOC & TAG.

8. Install dryhole marker and clean location.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE M. Lee Roark TITLE Agent for Chevron USA, Inc. DATE 2-12-2010

Type or print name M. Lee Roark E-mail address: _____ Telephone No. 432-561-8600

(This space for State use)

APPROVED BY [Signature] TITLE _____ DATE 2-16-10

Conditions of approval, if any:

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

Well: West Lovington Unit #73

Field: Lovington West

Reservoir: San Andres

Location:

1305' FSL & 1335' FEL
Section: 4 (SW/4 SE/4)
Township: 17S
Range: 36E Unit: O
County: Lea State: NM

Elevations:

GL: 3881
KB: 3897
DF: 3896

Log Formation Tops


Rustler	1933
Salt	2032
Base of Salt	2870
Yates	3027
Seven Rivers	3337
Queen	3757
Grayburg	4443
San Andres	4643

TUBING DETAIL -

This wellbore diagram is based on the most recent information regarding wellbore configuration and equipment that could be found in the Midland Office wellfiles and computer databases as of the update below. Verify what is in the hole with the wellfile in the Lovington Field Office. Discuss w/WEO Engineer, WO Rep, OS, ALS, & FS prior to rigging up on well regarding any hazards or unknown issues pertaining to the well.

Prod. Csg: 5 1/2" 15.5# J-55 LT&C
Set: 5229 w/2005 sx cmt
Hole Size: 7 7/8" to 5230
Circ: Yes TOC: surface
TOC By: circulation

Current Wellbore Diagram



Well ID Info:

Chevron: OM1996
API No: 30-025-30965
L5/L6: FA3 / 0900
Spud Date: 1/29/91
TD Reached: 2/7/91
Compl. Date: 4/3/91

Surface Csg: 8 5/8" 24# J-55 ST&C

Set: @ 366 w/275 sx cmt
Hole Size: 12 1/4" TO 366
Circ: Yes TOC: surface
TOC By: circulation

Initial Completion:

4/3/91 (San Andres) perf 2/spf 4731-33, 4748-58, 4857-63, 4874-78, 4956-62, 5000-04, 5006-13, 5019-31, 5036-44, 5082-84, A/11000 gal 20% NEFE

Subsequent Work

6/10/08 TA, set CIBP @ 4658

Perfs

Status

CIBP @ 4658

4731-33, 4748-58, 4857-63, 4874-78, 4956-62
5000-04, 5006-13, 5019-31, 5036-44, 5082-84

San Andres - closed
San Andres - closed

TD: 5230 COTD: PBTD: 4658

Updated: 8-11-09 by WAYN

By W.P. Johnson