Form C-144 June 1, 2004

Ametria I 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rto Brazos Road, Azzec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Sasta Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Clesure
Is pit or below-grade tank covered by a "general plan"? Yes
No
of action: Registration of a pit or below-grade tank
Closure of a pit or below-grade tank

1 ype of action: Keyssuation of a pic o	A DESOW-RISINE MARK L. L. C. COSALE OF A INCOME DESIGN.	
Operator: CANO PETRO OF NM. Telephon	e: <u>817-698-0900</u> e-meil address:	
Address: 801 CHERRY STREET, Unit #25 Suite	3200 FORT WORTH, TX. 76.10	2
Facility or well name: CSAU # 559 API#	30-09-28011 U/Lor QueQu_N	Sec 11 T 85 R 30E
	Longitude	NAD-1927 1983 1
Starface Owner: Federal Q State Private M Indian [RECEIVED
Eit	Below-grade tank	
Type: Drilling M Production Disposal	Volume:bbl Type of fluid:	
Workover 🗆 Emergency 🗔	CONDITIONED MANCATAL	·
Lined 🗓 Unlined 🗍	Double-walled, with leak detection? Yes [] If no	- HARRE OCO
Lines type: Synthetic 🔀 Thickness 17 mil Clay 🗆		
Pit Volume 2000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high want elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	(No	(0 points)
Water souther, or personal records and address water southers.	Less than 200 feet	(20 points)
Distance to surface water: (horizontal distance to all wetlands, playas,	200 fact or more, but less than 1000 feet	(10 points)
irrigation canals, ditches, and percunial and ephemeral watercourses.)	1000 feet or more	(6 points)
		(Update)
	Ranking Score (Total Points)	
If this is a nit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks. (2) Indie	ate disposal location: (check the onsite box if
your are burying in place) onsite 🚨 offsite 🛄 If offsite, name of facility_	. (3) Attach a general	description of remedial action taken including
remediation start date and end date. (4) Groundwater encountered: No 💆	Yes 🔲 If yes, show depth below ground surface	ft. and attach sample results.
(5) Attach soil sample results and a diagram of sample locations and excave	stions.	A CONTRACTOR OF THE PARTY OF TH
	TO CLOSE THE DRILLING P	IT AS FOLLOWS: REMOVE ALL
FLUIDS FROM PIT. A DEEP TRENCH WILL		
	UTS WILL BE ENCAPSULATED	
OVER MUD AND CUTTINGS THEN CON		
PIT CLOSURE GUIDELINES. WILL THEN		
PREVENT GROSION AND PAIDING OF RANDUATE		
THEVEN LEADS WIND HALLAND OF DEHINDRIC	Will North Miles . TXV	is processing west
I hereby certify that the information above is true and complete to the best has been/will be constructed or closed according to NMOCD guideling.	t of my knowledge and belief. I further certify that ics [4], a general permit [4], or an (attached) altern	the above-described pit or below-grade tank after OCD-approved plan
Date: 4/23/08	ρ	_
Printed Name Trile GREG FARY AGENT	Lyna tea	na
Your cartification and NMOCD approval of this application/closure does	not relieve the operator of liability should the content	per the pit or tank contaminate ground water or
otherwise endanger public health or the environment. Nor does it relieve	use operator of his responsibility for compliance with	any other rederal, state, or local laws and/or
CONDITIONS REQ'D FOR APPROVAL:		
Samples (for chiorida) are to be	Colomos	
Samples (for chloride) are to be obtained from pit floor area in each quadrant and analysis submitted to OCD prior to back-filling	Signature ENVIRONMENTAL EN	GINEER Date: 4-28-08



PHONE (575) 393-2326 . 101 E. MARLAND . HOBBS, NM 86240

ANALYTICAL RESULTS FOR SWEATT ATTN: GREG LEARY P.O. BOX 827 ARTESIA, NM 88210 FAX TO: (575) 748-1230

Receiving Date: 12/19/08 Reporting Date: 12/22/08 Project Owner: NOT GIVEN Project Name: CANO PETRO

Project Location: CSAU #559

Analysis Date: 12/22/08 Sampling Date: NOT GIVEN Sample Type: 50IL

Sample Condition: INTACT Sample Received By: ML

Analyzed By: HM

LAB NUMBER SAMPLE ID

CI (mg/kg)

H16564-1	NE	< 16
H16564-2	SE	< 16
H16564-3	NW	< 16
H16564-4	<u>sw</u>	< 16
· ·		40
Quality Contr	ol	500
True Value QC		500
Tine Agine A		4.0.0
% Recovery		100

4500-CIB METHOD: Standard Methods

Note: Analyses performed on 1:4 w:v aqueous extracts.

H16564 SWEATT

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or turt, shall be limited to the amount paid by client for analyses. All cleims, including those for negligence and any other cause whatspower shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable sorvice. In no event shall Cardinal he liabin for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profile incurred by client, its aubaldiance affiliates or successors ansing out of or related to the performance of sorvices hereunder by Cardinal, regardless of whother such claim is based upon any of the above-stated masses or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Sweatt Construction, Inc.

Post Office Box 827

Artesia, New Mexico 88211-0827
(505)748-1238 - Fax (505)748-1230

Habbs, New Mexico
(505) 393-3180 - Fax (505) 391-9895
1-800-530-8293

General Dirt Work
Oil Field - Pits - Location:

Fax Transmittal

Date: 2/4/09
To: OCD - HOBBS
Attention: LARRY JOHNSON
Fax Number: 575-393-0720
Prom: GREG LEARY
Number of Copies 15 (Including cover sheet)
Remarks Mr. Johnson, I'm requesting
permission to back-fill these (7)
seven pits.
Thank, Grey feary
Thank you,
APPROJED
Colusion
ENVIRONMENTAL ENGINEER