Form 3160-5 (April2004)

## BUREAU OF LAND MANAGEMENT

Do not use th	NOTICES AND Risis form for proposals	EPORTS ON WE to drill or to re-e	光色もりついり	NM17252  6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRI	PLICATE - Other ins	tructions on rever	se side.	7. If Unit or CA/Agreement, Name and/o	or No.
Type of Well Onl Well      Nameof Operator John H. Hendrix Corpora	GasWell Other	V		8. Well Name and No. Llano Federal #1Y  9. API Well No.	•
3a. Address P. O. Box 3040		3b PhoneNo. (include (432)684-66	,	30-025-25870  10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec , T , R., M., or Survey Description) 660' FSL and 723' FWL ULM, Sec. 23 - T20S - R38E				Blinebry Oil & Gas  11. County or Parish, State Lea Co., NM	
12. CHECK AF	PPROPRIATE BOX(ES)T	O INDICATE NATUR	RE OF NOTICE, RI	EPORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYI	PEOF ACTION		
<ul><li>X Notice of Intent</li><li>☐ Subsequent Report</li><li>☐ Final Abandonment Notice</li></ul>	Acidize AlterCasing Casing Repair Change Plans Convert to Injection	Deepen FractureTreat New Construction Plugand Abandon PlugBack	Production (Stan Reclamation Recomplete X Temporarily About Water Disposal	Well Integrity Other	
13 Describe Proposed or Complete If the proposal is to deepen dire	ed Operation (clearly state all postionally or recomplete horizon	ertinent details, including es tally, give subsurface location	timated starting date of a	any proposed work and approximate duration true vertical depths of all pertinent markers and	hereof

Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection )

Propose to TA well due to Southern Union Gas Services SI notice of low flow. Well will be evaluated for possible workover, sale of operating rights or plug & abandonment. Well will be returned to production or plug & abandoned on or before march 15, 2011.

Estate TA date: March 15, 2010

MIRU POOH w/ rods, pump & tbg.


GIH set RBP @ 5820'.

Load csg. w/ pkr., fluid & test to 500# w/ charge.

SEE ATTACHED FOR CONDITIONS OF APPROVAL

14 I hereby certify that the foregoing is true and correct Name (Printed/Typed)						
Carolyn Doran Haynes	Title Engineer					
Signature Carry Dn buy	Date 02/10/2010					
THIS SPACE FOR FEDERAL, OR STATE OFFICE USE						
Approved by /s/ JD Whitlock Jr EG 7/20	1/0 Title 1 0ET Date 7/24/10					
Conditions of approval, if any, are attached Approval of this notice does not want certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon	rant or					
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212 make it a crime for a	ny person knowingly and willfully to make to any department or agancy of the United					

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.





301 Commerce Street, Suite 700 Fort Worth, TX 76102

817.302.9433 Fax: 817.302 9352

January 14, 2010

John H. Hendrix Corporation Attn: Ron Westbrook P.O. Box 3040 Midland, TX 79702-3040

Re:

Contract # L-132 dated August 1, 2003 between Sid Richardson Energy Services Co., Southern Union Gas Services, successor in interest, and John H. Hendrix

Corporation

Dear Mr. Westbrook:

Please be advised that the following meters have had low flow for the past 6 months. Therefore, it is uneconomical for Southern Union Gas Services, Ltd. to keep these meters connected to our gathering system.

Meter#	Meter Name	County/State
61918	Linda Federal #2	Lea County, NM
61948	Llano Federal #1 Y	Lea County, NM

Southern Union would like to disconnect these meters pursuant to the last paragraph of Paragraph D of the above referenced contract:

"Southern may elect, upon 30 days notice, to cease receipts of Seller's Gas at any of Seller's Delivery Points which have a volume of ten (10) Mcf per day or less. Seller understands and agrees that this action is to be considered a disconnect pursuant to the appropriate state regulations."

Should you have immediate plans to restore these wells to commercial production, please contact the undersigned within the next thirty days. Unless directed otherwise, our Measurement Department will disconnect these meters on the first regular business day following the expiration of thirty (30) days from the date of this letter.

Should you recomplete or rework these wells in the future, please contact your Gas Supply Representative, Coby Washburn at 817-302-9772.

Sincerely,

Susan Lampe

Contract Administrator Phone: 817-302-9433 Susan.lampe@sug.com

Susan.lampe@sug.com

cc: Gas Supply Representative

File L-132

JOHN H. HENDRIX CORP.

JAN 19 2010

MIDLANU, TX

1/19/10 Copies to: Carolin X & Ran + Rhonde

## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
  - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
  - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
  - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
  - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
  - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.

Wells that successfully pass the casing integrity test may be approved for Temporary Abandonment (TA) status provided that the operator:

- 1. **Submits a subsequent Sundry Notice** (Form 3160-5) requesting TA approval <u>with well bore diagram</u> with all perforations and CIBP's and tops of cement on CIBP's.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.
- 4. Give justification to allow well to be place in TA status and plan for future use of well with time frame that well will be place back on line or plans to P&A well will be submitted.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Llano Fed. #1Y. Well may be approved to be TA/SI for a period of 6 months after successful MIT and subsequent report is submitted. This will be the last and only TA/SI approval. Well must be P&A or plans to return to beneficial use submitted by September 1, 2010. RBP @ 6450' must be capped with cement, 25 sacks if set with tubing or 35' if set with bailer. Notify BLM to witness placement of cement on plugs and MIT.