Form 3160-5 (August 2007)

# UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-HOMES

FORM APPROVED OMB No 1004-0137 Expires July 31, 2010

5 Lease Serial No NM-7488

6 If Indian, Allottee or Tribe Name

# SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals

abandoned well.	Use Form 3160-3 (A	(PD) for such prope	sals.					
SUBM	7 If Unit of CA/Agree	ement, Name and/or No						
1 Type of Well								
Oil Well Gas V	8 Well Name and No SEE ATTACHED LIST							
2 Name of Operator EnerVest Op	9. API Well No SEE ATTACHED LIST							
3a Address 1001 Fannin Street Ste 800	10 Field and Pool or Exploratory Area							
Houston, Texas 77002		713-495-6530		SEE ATTACHED LIST  11. Country or Parish, State				
4 Location of Well (Footage, Sec., T	R., M., or Survey Description	)						
SEE ATTACHED LIST		Lea, New Mexico						
12. CHEC	CK THE APPROPRIATE BO	OX(ES) TO INDICATE NA	TURE OF NOTIC	CE, REPORT OR OTHE	ER DATA			
TYPE OF SUBMISSION			TYPE OF ACT	ION				
✓ Notice of Intent	Acidize	Deepen	Prod	uction (Start/Resume)	Water Shut-Off			
	Alter Casing	Fracture Treat	Recla	amation	Well Integrity			
Subsequent Report	Casing Repair	New Construction	Reco	mplete	Other			
	Change Plans	Plug and Abandon	Tem <sub>I</sub>	oorarily Abandon	Well furnishing water			
Final Abandonment Notice  13 Describe Proposed or Completed O	Convert to Injection	Plug Back		r Disposal	for disposal			
The attached list of wells are furnish  NM State Corporation Commission  Included is information for the water  SUBJECT 1  APPROVAL BY S  SUBJECT TO LESS	Permit # 2547982.  disposal site and a water  TATE	analysis report dated 12/8  RECEIVE  MAR 0 3 ZU !!	3/2009.	Fi /s/	EB 2 6 2010 JD Whitlock Jr			
SUBJECT TO LIKE APPROVAL BY S	TATE	HOBBSOC	<b>)</b>	CARLS	OF LAND MANAGEMENT BAD FIELD OFFICE			
14 I hereby certify that the foregoing is tr	rue and correct Name (Printed	VTyped)						
Shirley Galik Title Sr Regulatory To				chnician				
Signature Julilet	Greek	5/2010						
	THIS SPACE	FOR FEDERAL OR	STATE OFF	ICE USE				
Approved by	Ca	7 3/8/10 Tule		Da Prince Compa	MAR 0.0			
Conditions of approval, if any, are attached hat the applicant holds legal or equitable to entitle the applicant to conduct operations t	tle to those rights in the subjec hereon	not warrant or certify lease which would Office		<sup>2</sup>	2010			
Title 18 U S C Section 1001 and Title 43 teleficitious or fraudulent statements or representations.	JSC Section 1212, make it a sentations as to any matter with	crime for any person knowing	ly and willfully to	make to any department of	or agency of the United States any false,			
(Instructions on page 2)								

#### LC-7488

# ENERVEST OPERATING LLC BLM Well List for Eumont-Jal et al Area Water Hauling

	Well	BLM		Lega	Desc.						API	Water Storage	Bbls
Lease Name	No	Lease #	UL	Sec	Twns	Rge	County	Field	Formation	Footage	Number	FG Tank (bbls)	Wtr/Day
												,	
Myers B Federal	1 √	NM 7488	D /	7	24 S	37 E	<b>↓</b> Lea	Jalmat	Tansıl-Yates-7Rıv	660' FNL & 660' FWL	30-025-11037	300	0
rs B Federal	10 🗸	NM 7488	G /	7	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Riv	1980' FNL & 1980' FEL 1	30-025-11047✔	150	0
ers B Federal	11 /	NM 7488	В 1	6	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Riv	660' FNL & 1980' FEL /	30-025-11024	150	0
Myers B Federal	13 <b>J</b> ,	NM 7488	Г	9	24 S	37 E	✓ Lea	Jalmat	Tansil-Yates-7Riv	1980' FSL & 660' FWL	30-025-11073	n/a	0
Myers B Federal	29 √	NM 7488	01,	9	24 S	37 E	J. Lea	Jalmat	Langle Mattix	7Riv-Queen-Gray.	30-025-26455	P&A'd	0
Myers B Federal	31	NM 7488	G 1	6	24 S	37 E	Lea	Jalmat	Tanşil-Yates-7Riv	1650' FNL & 1830' FEL 🗸	30-025-25766	150	0
Myers B Federal	33 🛂	NM 7488	в	7	24 S	37 E	J Lea ,	Jalmat	Tansıl-Yates-7Rıv	940' FNL & 2090' FEL 🏒	30-025-25973	300	0
Myers B Federal	34	NM 7488	H	6	24 S	37 E	Lea J	Jalmat	Tansil-Yates-7Riv	1940' FNL & 330' FEL 🗸	30-025-38053	/ 300	20
									A A AAAA D. A AMADA A AAAA				

If hauled by Fulco (Primary) or Phoenix Trucking (Secondary):

DISPOSAL SITE: Fulfer Oil & Cattle LLC Brown #5 SWD, Order R-5196 UL E, Sec 25, T 25 S, R 36 E 1650' FNL & 990' FWL API 30-025-09807

Order R-5196 - inject into lower Yates-Seven Rivers formation

If hauled by Lobo Trucking (Backup):

DISPOSAL SITE:
J. Cooper Enterprises Inc.
Anderson #1 SWD, Order R-12375
UL O, Sec 8, T 20 S, R 37 E
330' FSL & 1980' FEL
API 30-025-29962

Order R-12375 - inject into lower San Andres and Glorieta Formation

### Weatherford Engineered Chemistry

2263 West Bell St Odessa, TX 79766 Phone (432) 368-\$410 Fax: (432) 335-0618

#### WATER ANALYSIS REPORT

BWPD:

Company. Water Source: EnerVest Op-ruting

Sample Point:

Dissolved H2S:

pH.

Wells Federal B-6 #1

Lab ID Number:

Date Sampled:

MMCFD:

12-07-09 Date Analyzed: 12-08-09

Production Data: BOPD:

> 7.200ND 224 0

Total Dissolved Solids (mg/L). Total Junic Strength: Specific Gravity

94,503 1,960 1 048

Dissolved Critz Resistivity @ 75% a hhm-Meters a

0.07600

Density, (lbs/gal).

8 74

mg/L Cations 1,500 Calcium. 5,540 Magnesium: 26,598 Sodium. 165 Barium (1 Strontium: 11.11 Ferrous fron ř. u Total Dissolved Iron

**Anions** mg/LMeq/L Carbonate. 1,120 19 23 Bicarlamate 1,389 59,200 1,668 Chlorid-Sulfate: 10 0

Total Hardness, 26,800

#### PROBABLE MINERAL COMPOSITION

Meq/L

80

454

1,156

	mg/L	Meq/L
Calcium Bicarbonate:	1,845	23
Calcium Sulfate:	14	(1
Calcium Chloride:	3.165	57
Magnesium Bicarbonate:	(ı	Ú
Magnesium Sulfate:	<b>+1</b>	Ĥ
Magnesium Chloride:	21,626	454
Sodium Bicarbonate:	1 (	0
Sodium Sulfate:	t,t	0
Sodium Chloride:	67,606	1,156

#### Remarks

ND - not determined

Tansil Seven Rivers Queens Formation

Hydro Pax

Analyst:			

Page 1 of 3

## Weatherford Engineered Chemistry

2263 West Bell St Odensa TX 79760 Phone (432) 368-8410 Fax (432) 335-0618

## SCALE DEPOSITION POTENTIAL ANALYSIS

Company: Water Source: Sample Point:	EnerVest Oper Wells Federal I			Lab ID Number: Date Sampled: Date Analyzed:				12-07-09 12-08-09	
					374			N	
Brine Composit	tion								
pH <sup>.</sup>	7.20	Ca. mg/L	1,600		Total H	ardness, my/L		26,800	
Specific Gravity	1 048	Mg mg/L	5,540	Tot	al Dissolve	d Solids img/L		94 500	
HCO₃ mu-L	1,389	Na, mg/L	26,598		Total	Honic Strengh		1.960	
CI, mg/L	59 200	Ba, mg/L.	165						
SO <sub>4</sub> , mg/L	10	Sr, ma/L	(1	Total Dissoved Iron, mg/L		∞ed Iron, mg/L	-	0 11	
						0	<b>T</b>		
Calcium Carbon	ate Scale Indice	<b>:</b> S				Specified	remp	eratures	
Temperature, "F:		75	1101	125	150		411	180	
Stiff-Davis Indea.		0 78	1.05	1.42	1.90%	(1	.50	2.50	
Deposition, lbs/1,	Out Bbls	560.8	657.5	731.0	773 3	42	0.0	790.7	
Calcium Sulfate	Scale Indices					Specified	Temp	eratures	
Temperatur÷, °F:		75	100		125	150		180	
Supersaturation F		(c forch	0.003		(យើក	ម ្ហាម		0.003	
Deposition, lbs/1.		-1,731.2	-1,726 8	-1.	704 U	-1,680.6	=	0.868,1	
Barium Sulfate S	Scale Indices					Specified	Temp	eratures	
Temperature, °F		75	100	125	150		40	180	
Supersaturation F		7.505	5 .565	5,686	2.753	13	[0],0],	1 885	
Deposition lbs/1,		7 4	69	6.3	5.4		7.9	4.0	

### Weatherford Engineered Chemistry

2263 West Bell St. Odessa, TM 79766

Phone (432) 368-8410 Fax (432) 335-0618

### SCALE DEPOSITION POTENTIAL TRENDS

Company: Water Source: Energest Operating Wells Federal 5-6 #1

Sample Point:

Lab ID Number:

Date Sampled: Date Analyzed: 12-07-09 12-08-09

Sample 1 dire.











