Form 3160-5 (August 2007)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No 1004-0137 Expires July 31, 2010

5 Lease Serial No NM-7488

Do not use this fo	6 If Indian, Allottee or Tribe Name							
abandoned well. U	Jse Form 3160-3 (A	PD) for suc	ch proposa	ls.	7 1611			
	IN TRIPLICATE - Other	instructions or	n page 2		/ If Unit of CA/Agree	ment, Nam	ie and/or No	
	ell Other				8 Well Name and No SEE ATTACH	ED LIST		
2 Name of Operator EnerVest Ope	erating, LLC				9 API Well No SEE ATTACHE	D LIST		
3a Address 1001 Fannin Street Ste 800 Houston, Texas 77002				ode)			Area	<del></del>
4 Location of Well (Footage, Sec., T.) SEE ATTACHED LIST	R, $M$ , or Survey Description,	)						
12. CHEC	K THE APPROPRIATE BC	X(ES) TO IND	ICATE NATUR	E OF NOTIC	E, REPORT OR OTHE	R DATA		
TYPE OF SUBMISSION			TY	PE OF ACT	ION			
✓ Notice of Intent	Acidize Alter Casing			_	•	Water Shut-Off Well Integrity		
Subsequent Report	Casing Repair	=			•	<b>✓</b> Oth	Other	
Final Abandonment Notice				`	-	for disposal		J Water
NM State Corporation Commission I	Permit # 2547982.				ACCEPT	ED F	OR REC	ORD
	'	REC	EIVEI	<b>)</b>	F	ER 26	5 2010	
SUBJECT TO APPROVAL BY S	TATE	MAR	03 2010	•	/s/	JD W	hitlock Jr	İ
Subject to liki Approval by St	BIATE	HOB	RSOCD		BUREAU ( CARLS	F LAND BAD FIE	MANAGEME LD OFFICE	NT
14 I hereby certify that the foregoing is tr	ue and correct Name (Printer	d/Typed)						
Shirley Galik			Title Sr. Re	gulatory Te	chnician			
Signature i MUNICIA	Gark		Date 01/25/2	010				
7	Do not use this form for proposals to drill or to re-enter an anandoned well. Use Form 3160-3 (APD) for such proposals.    SUBMIT IN TRIPLICATE - Other instructions on page 2   7 If Unit of CA/Agreement, Name and/or No SEE ATTACHED LIST   8 Well Name and No SEE ATTACHED LIST   8 Well Name and No SEE ATTACHED LIST   9 API, Well In 10 or Exploratory Area services 100 or 10 or 10 or Exploratory Area SEE ATTACHED LIST   10 Feld and Pool or Exploratory Area SEE ATTACHED LIST   11 Country or Parish, State Lean, Name Missoon   12 CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA   12 CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA   15 FEU AND A Construction   15 F							
Approved by  Conditions of approval, if any, are attached that the applicant holds legal or equitable to entitle the applicant to conduct operations to	tle to those rights in the subject		Title ertify		* }	ate	MAR O 8 20	Olg

Title 18 U S C Section 1001 and Title 43 U S C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

#### LC-7488

# ENERVEST OPERATING LLC BLM Well List for Eumont-Jal et al Area Water Hauling

	Well	BLM		Lega	Desc.						API	Water Storage	Bbls
Lease Name	No	Lease #	UL	Sec	Twns	Rge	County	Field	Formation	Footage	Number	FG Tank (bbls)	Wtr/Day
								**** * *** ** ** ** ** ** ** ** ** **				,	
Myers B Federal	1 √	NM 7488	D /	77	24 S	37 E	Lea	Jalmat	Tansıl-Yates-7Rıv	660' FNL & 660' FWL ✓	30-025-11037	300	0
ers B Federal	10 🗸	NM 7488	G ′	7	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Riv	1980' FNL & 1980' FEL	30-025-11047	150	0
ers B Federal	11 /	NM 7488	В 1	6	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Rıv	660' FNL & 1980' FEL /	30-025-11024	150	0
Myers B Federal	13 <b>J</b> ,	NM 7488	L	9	24 S	37 E	<b>√</b> Lea	Jalmat	Tansil-Yates-7Riv	1980' FSL & 660' FWL	30-025-11073	n/a	0
Myers B Federal	29 🗸	NM 7488	0)	9	24 S	37 E	J Lea	Jalmat	Langle Mattix	7Riv-Queen-Gray.	30-025-26455	P&A'd	0
Myers B Federal	31	NM 7488	G 1	6	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Riv	1650' FNL & 1830' FEL J	30-025-25766	150	0
Myers B Federal	33 🗸	NM 7488	в	7	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Rıv	940' FNL & 2090' FEL 🌙	30-025-25973	300	0
Myers B Federal	34	NM 7488	H	6	24 S	37 E	Lea J	Jalmat	Tansil-Yates-7Riv	1940' FNL & 330' FEL 🗸	30-025-38053	/ 300	20

If hauled by Fulco (Primary) or Phoenix Trucking (Secondary):

**DISPOSAL SITE:** 

Fulfer Oil & Cattle LLC Brown #5 SWD, Order R-5196 UL E, Sec 25, T 25 S, R 36 E 1650' FNL & 990' FWL API 30-025-09807

Order R-5196 - inject into lower Yates-Seven Rivers formation

If hauled by Lobo Trucking (Backup):

**DISPOSAL SITE:** 

J. Cooper Enterprises Inc.
Anderson #1 SWD, Order R-12375
UL O, Sec 8, T 20 S, R 37 E
330' FSL & 1980' FEL
API 30-025-29962

Order R-12375 - inject into lower San Andres and Glorieta Formation

# Weatherford Engineered Chemistry

0063 West Bell St Odessa, TX 79766 Phone (432) 368-8410 Fax (432) 335-0618

### WATER ANALYSIS REPORT

Company: Water Source: Sample Point:

EnerVest Op-rating

Wells Federal B-6 #1

Lab ID Number:

12-07-09 Date Sampled:

Date Analyzed: 12-08-09

Production Data:

BOPD:

BWPD:

MMCFD:

рH	7.20	Total Dissolved Solids (mg/L)	94,503
Dissalved HaS:	IID	Total Ionic Strength	1,960
Dissolved COz	224 0	Specific Gravity	1 048
Resistivity @ 75% in him-Meters)	á 9 <b>76</b> (a)	Density, (lbs/gal)	8 74

Cations	ions mg/L		Anions	mg/LMeq/L		
Calcium	1,500	80	Carbonate:	1,120	19	
Magnesium:	5,546	454	Bicarbonate	1,389	23	
Sodium.	26,598	1,156	Chloride	59,200	1,668	
Barium	165		Sulfate:	10	Ü	
Strontium:	(1		Total Hardness.	26,800		
Ferrous from	[1 []					
Total Dissolved from	ři I i					

#### PROBABLE MINERAL COMPOSITION

	mg/L	Meq/L
Calcium Bicarbonate:	1,845	23
Calcium Sulfate:	1.1	(1
Calcium Chloride:	3 165	57
Magnesium Bicarbonate:	(ı	<u>L</u> I
Magnesium Sulfate:	1.1	Ü
Magnesium Chloride:	21,525	454
Sodium Bicarbonate:	1.1	0
Sodium Sulfate:	QI.	0
Sodium Chloride:	67,606	1,156

#### Remarks

ND - not determined

Tansil Seven Rivers Queens Formation

Hydro Pax Analyst: \_\_\_\_\_

Page 1 of 3

# Weatherford Engineered Chemistry

0063 West Bell St Odensa TX 79760 Phone (432) 368-8410 Fax. (432) 335-0618

# SCALE DEPOSITION POTENTIAL ANALYSIS

Company: Water Source: Sample Point:	EnerVest Oper Wells Federal				Dat	o ID Number: te Sampled: te Analyzed:		2-07-09 2-08-09
Brine Compositi	ion							
pH <sup>-</sup>	7.20	Ca, mg/L	1,600		Total H	ardness, mu/L		26,800
Specific Gravity	1 048	Mg mg/L:	5,540	Tot	tal Disselve	d Solids mg/L	-	94,50 -
HCO3, mil-L	1 389	Na, mit/Li	26,598		Total	Honic Str+nah	ı	1,960
CI, mg/L.	59 <u>20</u> 0	Ba, mg/L.	160					
SO <sub>4</sub> , mg/L.	111	Sr, ma/L	(1		Total Diss	.⊶d Iron, mg/L	<u>.</u>	0.0
Calcium Carbons	ate Scale Indice	ès				Specified	Teni	peratures
Temperature, "F:		75	1000	125	150		411	180
Stiff-Davis Inde:		0.78	1,,(0%	1.42	1.90.	C	.50	2,50
Deposition, lbs/1,0	Out Bbls	562.8	657 5	731.0	773 3	42	10.0	790.7
Calcium Sulfate	Scale Indices					Specified	Ten	peratures
Temperatur∸, °F		75	100	ı	125	150		180
Supercuturation F	Ratio	(c fact	0.063	1	(i fiirs	11 (403		0 (#3
Deposition, lbs/1.0		-1,731.2	-1,726 8	-1,	704 C	-1,680.6		-1,656 0
Barium Sulfate S	Scale Indices					Specified	Tem	iperatures
Temperature, °F		75	11,00	125	<b>15</b> 0		40	180
Supersaturation F	Ratio.	7,505	5.353	0.886	2.753	13	(65.6	1 885
Deposition lbs/1,	000 Bbls:	7.4	69	6.3	5.4		7.9	4 0

# Weatherford Engineered Chemistry

2263 \*\* Feit Bell St. Odessa, TM 79766 Phone (432) 308-8410 Fax (430:335-0618


# SCALE DEPOSITION POTENTIAL TRENDS

Company: Water Source: Ener -- st Operating Wells Federal B-6 #1

Lab ID Number:

Date Sampled: Date Analyzed: 12-07-00 12-08-09

Sample Point:



Temperature °F

