Form 3160-5 (August 2007)

#### UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No 1004-0137 Expires July 31, 2010

# 5 Lease Serial No NM-7488 6 If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS

	orm for proposals t Use Form 3160-3 (A								
SUBMIT	T IN TRIPLICATE - Other	r instructions oi	n page 2	7	. If Unit of CA/Agree	ment, Name and/or No.			
1 Type of Well									
Oil Well  Gas W	Vell Other			8	8 Well Name and No SEE ATTACHED LIST				
2 Name of Operator EnerVest Ope	erating, LLC			9	API Well No SEE ATTACHE	D LIST			
3a Address 1001 Fannin Street Ste 800		3b. Phone No	(ınclude area co	de) 1	0 Field and Pool or E				
Houston, Texas 77002	D 14 C D	713-495-65	30		SEE ATTACHE				
4 Location of Well (Footage, Sec., T.) SEE ATTACHED LIST	K.,M., or Survey Description	<i>y</i>			l Country or Parish, S Lea, New Me	,			
12. CHEC	K THE APPROPRIATE BO	OX(ES) TO IND	ICATE NATUR	E OF NOTICE	, REPORT OR OTHE	R DATA			
TYPE OF SUBMISSION			TY	PE OF ACTIC	N				
✓ Notice of Intent	Acidize	Deep	en	Product	tion (Start/Resume)	Water Shut-Off			
	Alter Casing	`=	ure Treat	Reclam		Well Integrity			
Subsequent Report	Casing Repair	_	Construction	Recom		OtherWell furnishing water			
Change Plans			and Abandon	· ·	rarily Abandon	for disposal			
Final Abandonment Notice	Convert to Injection	Plug	Back	Water I	Disposal	ioi disposai			
Attach the Bond under which the work will be performed or prov following completion of the involved operations. If the operation testing has been completed. Final Abandonment Notices must be determined that the site is ready for final inspection.)  The attached list of wells are furnishing water for off lease disposal.  NM State Corporation Commission Permit # 2547982.  Included is information for the water disposal site and a water a SUBJECT TOLIKE APPROVAL BY STATE.		r analysis repor REC MAR		09.	FI /s/ BUREAU C	ED FOR RECORD  EB 2 6 2010  JD Whitlock Jr  OF LAND MANAGEMENT SBAD FIELD OFFICE			
		- J/T J)	<del>1 ····</del>						
14 I hereby certify that the foregoing is to	de and correct Name (Frinte	еа/ 1 уреа)	Talla Sr Do	aulaton, Toch	anician				
Shirley Galik Title			Title Sr Re	e Sr Regulatory Technician					
Signature MUNULA	Luck		Date 01/25/20	010		73.5			
, V	THIS SPACE	FOR FEDE	RAL OR ST	ATE OFFI	CE USE				
Approved by  Conditions of approval, if any, are attached hat the applicant holds legal or equitable tientitle the applicant to conduct operations to	itle to those rights in the subje		Title ertify		D	MAR 0 8 2010			
Title 18 U S C Section 1001 and Title 43 fectitious or fraudulent statements Or repre				nd willfully to r	nake to any department	or agency of the United States any false,			

(Instructions on page 2)

#### LC-7488

# ENERVEST OPERATING LLC BLM Well List for Eumont-Jal et al Area Water Hauling

	Well	BLM		Lega	Desc.						API	Water Storage	Bbls
Lease Name	No	Lease #	UL	Sec	Twns	Rge	County	Field	Formation	Footage	Number	FG Tank (bbls)	Wtr/Day
Myers B Federal	1 1	NM 7488	D	7	24 S	37 E	<b>↓</b> Lea	Jalmat	Tansıl-Yates-7Rıv	660' FNL & 660' FWL	30-025-11037	300	0
rs B Federal	10 J	NM 7488	G /	7	24 S	37 E	/ Lea	Jalmat	Tansıl-Yates-7Riv	1980' FNL & 1980' FEL /	30-025-11047	150	0
ers B Federal	11 /	NM 7488	В /	6	24 S	37 E	Lea	Jalmat	Tansil-Yates-7Rıv	660' FNL & 1980' FEL /	30-025-11024	150	0
Myers B Federal	13 <b>J</b> ,	NM 7488	Γ.)	9	24 S	37 E	<b>√</b> Lea	Jalmat	Tansıl-Yates-7Riv	1980' FSL & 660' FWL	30-025-11073	n/a	0
Myers B Federal	29 √	NM 7488	0 %	9	24 S	37 E	J. Lea	Jalmat	Langle Mattix	7Riv-Queen-Gray.	30-025-26455	P&A'd	0
Myers B Federal	31	NM 7488	G 1	6	24 S	37 E	Lea	Jalmat	Tansıl-Yates-7Rıv	1650' FNL & 1830' FEL J	30-025-25766	150	0
Myers B Federal	33 \$	NM 7488	в /	7	24 S	37 E	J Lea 1	Jalmat	Tansıl-Yates-7Rıv	940' FNL & 2090' FEL 🏒	30-025-25973	300	0
Myers B Federal	34	NM 7488	H	6	24 S	37 E	Lea J	Jalmat	Tansıl-Yates-7Rıv	1940' FNL & 330' FEL 🗸	30-025-38053	/ 300	20

If hauled by Fulco (Primary) or Phoenix Trucking (Secondary):

DISPOSAL SITE:
Fulfer Oil & Cattle LLC
Brown #5 SWD, Order R-5196
UL E, Sec 25, T 25 S, R 36 E
1650' FNL & 990' FWL
API 30-025-09807

Order R-5196 - inject into lower Yates-Seven Rivers formation

If hauled by Lobo Trucking (Backup):

DISPOSAL SITE:
J. Cooper Enterprises Inc.
Anderson #1 SWD, Order R-12375
UL O, Sec 8, T 20 S, R 37 E
330' FSL & 1980' FEL
API 30-025-29962

Order R-12375 - inject into lower San Andres and Glorieta Formation

# Weatherford Engineered Chemistry

0063 West Bell St Odessa, TX 79766 Phone (432) 368-8410 Fax: (432) 335-0618

### WATER ANALYSIS REPORT

Company: Water Source: EnerVest Op-rating

Wells Federal B-6 #1

Lab ID Number:

Date Sampled:

12-07-09 12-08-09

Sample Point:

Date Analyzed:

Production Data: BOPD: BWPD: MMCFD:

рН	7.20	Total Dissolved Solids (mg/L):	94 503
Dissolved H2S	ND	Total Ionic Strength	1 960
Dissolved Cutz	224 0	Specific Gravity	1 048
Resistivity @ 75°F a him-Meters)	п.076(ш	Density, (lbs/gal)	8 74

Cations	mg/L	Meq/L	Anions	mg/Ll	Meq/L
Calcium:	1,500	80	Carbonate:	1,120	19
Magnesium:	5,540	454	Bicarlionate	1,389	23
Sodium,	26,598	1,156	Chlorid∻	59,200	1,668
Barium	165		Sulfate:	10	0
Strontium:	(ı		Total Hardness	. 26,800	
Ferrous iron:	[+ ++				
Total Dissoh -d Iron	1111				

### PROBABLE MINERAL COMPOSITION

	mg/L	Meq/L
Calcium Bicarbonate:	1,845	23
Calcium Sulfate:	14	(1
Calcium Chloride:	3,165	57
Magnesium Bicarbonate:	(ı	Ú
Magnesium Sulfate:	f.j.	11
Magnesium Chloride:	24,626	454
Sodium Bicarbonate:	11	0
Sodium Sulfate:	Ň	0
Sodium Chloride:	67,60%	1,156

#### Remarks

ND - not determined

Tansil Seven Rivers Queens Formation

Hydro 🗗 Pax		
	Analyst:	

Page 1 of 3

# Weatherford Engineered Chemistry

2263 West Bell St Odessa TX 79760 Phone (432) 368-8410

Fax: (430) 335-0618

## SCALE DEPOSITION POTENTIAL ANALYSIS

Company: Enervest Operat Water Source: Wells Federal Base Sample Point:					Dat	o ID Number: te Sampled: te Analyzed:	1	2-07-09 2-08-09
								9
Brine Composit	tion							
pH:	7.20	Ca, mg/L	1,600		Total H	ardness, mu/L	<i>:</i>	26,800
Specific Gravity	1 048	Mg mg/L:	5,540	Tof	tal Dissolvē	d Solids mg/L		94,50
HCO3 mul	1 389	Na, mg/Li	26,598		Tritu	Honic Strengt	)	1,960
CI, mg/L:	59 <u>26</u> 0	Ba, mg/L	165					
SO <sub>4</sub> , mg/L.	111	Sr, ma/L	(I		Total Diss	्रन्ति Iron, mg/L		0,0
Calcium Carbon	ate Scale Indice	ès				Specified	Ten	nperatures
Temperature, °F:		75	11,01	125	150		411	180
Stiff-Davis Inde		0.78	1(16.	1.42	1.90.	(	.50	2,50
Deposition, lbs/1,	Oro Bbls	562 B	657 5	731.0	773 3	41	20 11	790.7
Calcium Sulfate	Scale Indices					Specified	l Ten	nperatures
Temperatur∸, °F:		75	104	ı	125	150		180
Supersuturation I		(i fiich	0.003	<b>;</b>	(choice	0.003		0.003
Déposition, lbs/1.		-1,731.2	-1,726.5	- 1	,704.5	-1,689.1-		-1,656.0
Barium Sulfate Scale Indices						Specified	d Ten	nperatures
Temperature, °F		75	100	125	450		40	180
Supersaturation i	Ratio.	7,500	5.55 /	0.886	2.753	13	Çuşaşı	1.885
Deposition lbs/1.	,000 Bbls	7.4	69	6.3	5.4		7 9	4.0

## Weatherford Engineered Chemistry

2263 17 - 1 Bell St Odessa, TM 79766 Phone (432) 308-8410 Fax (430:335-0618

#### SCALE DEPOSITION POTENTIAL TRENDS

Company: Water Source: Ener lest Operating Wells Federal E-6 #1

Sample Point:

Lab ID Number:

Date Sampled:

12-07-00 12-08-09

Date Analyzed:











