.Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM A	PPROVED
OMB No	. 1004-0137
Evniror I	ulu 31 2010

5. Lease Serial No. NM-2511

Do not use this f	orm for proposals to o Use Form 3160-3 (APE	drill or to r	e-enter an		6. If Indian, Allottee or T	ribe Name	
SUBMIT	7. If Unit of CA/Agreement, Name and/or No.						
1. Type of Well					~		
Oil Well Gas W	ell Other				Well Name and No. SEE ATTACHE	D LIST	
2. Name of Operator EnerVest Ope	erating, LLC				9. API Well No. SEE ATTACHED	LIST	
3a. Address 1001 Fannin Street Ste 800 Houston, Texas 77002		Phone No. (ii 713-495-6530	nclude area coa)	ie)	10. Field and Pool or Exp SEE ATTACHED	•	
 Location of Well (Footage, Sec., T., I SEE ATTACHED LIST 	R.,M., or Survey Description)				11. Country or Parish, St Lea, New Mex		
	K THE APPROPRIATE BOX(I	ES) TO INDIC	ATE NATIRE	OF NOTIC			
TYPE OF SUBMISSION	K THE ALTROPACE BOX(I			PE OF ACTI			
Notice of Intent	Acidize Alter Casing	Deepen Fracture		Produ	ction (Start/Resume) mation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair Change Plans	=	onstruction d Abandon	=	nplete orarily Abandon	Other Well furnishing wa	ter
Final Abandonment Notice	Convert to Injection	Plug Ba			· Disposal	for disposal	
Attach the Bond under which the water following completion of the involve testing has been completed. Final addetermined that the site is ready for the attached list of wells are furnish. NM State Corporation Commission. Included is information for the water SUBJECT TO LIKE APPROVAL BY STATES.	ed operations. If the operation in Abandonment Notices must be for final inspection.) ing water for off lease dispose the property of the pro	results in a mulified only after al on BLM Le halysis report REC MAR	tiple completion all requirements asse NM-2511.	n or recomples, including to	ACCEPTED FEB /s/ JE	Form 3160-4 must be filed or	nce
14. I hereby certify that the foregoing is tr	ue and correct. Name (Printed/Ty	vped)		• • • • • • • • • • • • • • • • • • • •			
Shirley Galik		7	Title Sr. Regu	latory Tech			
Signature Shirlif	Galik	[Date 01/25/20	10			
V	THIS SPACE FO	R FEDER	AL OR ST	ATE OFF	ICE USE	AFF-MARIE	
Approved by	EG	3/8//	o Title	ed week	ICE USE	mar 0 8 2010	
Conditions of approval, if any, are attached that the applicant holds legal or equitable to ntitle the applicant to conduct operations	itle to those rights in the subject le	ase which woul	d Office				
Title 18 U S C. Section 1001 and Title 43	USC Section 1212, make it a crit	me for any pers	on knowingly an	d willfully to	make to any department of	or agency of the United States ar	ıy false

fictitious or fraudulent statements or representations as to any matter within its jurisdiction

NM 2511

ENERVEST OPERATING LLC BLM Well List for Eumont-Jal et al Area Water Hauling

Lease Name No	Well		Legal Desc.			1				API	Water Storage	Bbls	
	No		UL	Sec Twns	Rge	County	Field	Formation	Footage	Number	FG Tank (bbls) V		
											}	,	
Meyer B 27	1 '	NM 2511	E	27	20 S	37 E	J, Lea	Eumont	Yates-7Riv-Queen	1980' FNL & 660' FWL	30-025-06271	150	1
er B 27	2 /	NM 2511	C	27	20 S	37 E	√ _{Lea}	Eumont	Yates-7Riv-Queen	960' FNL & 1980' FWL	30-025-38139	/ 300	1
Never B 27	3	NM 2511	D	27	20 S	37 E	√ _{Lea}	• ~		660' FNL & 660' FWL		1	2
Meyer B 28 A Com A/C2	2	NM 2511	0	28	20 S	37 E	Lea			660' FSL & 1980' FEL •	· [1
Meyer B 28 A Com A/C 2	4/	NM 2511	l	28	20 S	37 E	Lea			1980' FSL & 660' FEL		7 -	0
Meyer B 28 A Com A/C 2	5 🗸	NM 2511	A	33	20 S	37 E	Lea			660' FNL & 660' FEL 1	·	300	- 2

Victory Energy Svc LLC (Primary)

DISPOSAL SITE: Ruthco Oil LLC Hobbs East San Andres SWD #104 UL F, Sec 30, T18S, R39E 1980' FNL & 2310' FWL API 30-025-07950

Order R-3500

Fulco Trucking (Secondary)

DISPOSAL SITE: Fulfer Oil & Cattle LLC Brown #5 SWD, Order R-5196 UL E, Sec 25, T 25 S, R 36 E 1650' FNL & 990' FWL API 30-025-09807

Order R-5196

Lobo Trucking (Backup)

DISPOSAL SITE:
J. Cooper Enterprises Inc.
Anderson #1 SWD, Order R-12375
UL O, Sec 8, T 20 S, R 37 E
330' FSL & 1980' FEL

API 30-025-29962

Order R-12375

Weatherford Engineered Chemistry

2263 West Bell St. Odessa, TX 79766

Phone (432) 368-8410 Faxt (432) 335-0618

WATER ANALYSIS REPORT

Company: Water Source: EnerVest Operating

Martin #4

Lab ID Number:

Date Sampled: Date Analyzed:

6-30-09 7-01-09

Production Data:

Sample Point:

BOPD:

BWPD:

MMCFD:

pH: Dissolved HoS Dissolved CO21

Resistivity @ 75°F (Ohm-Meters):

6.40 ND 468 0 0.21000

Total Dissolved Solids (mg/L) Total Ionic Strength. Specific Gravity Density, (lbs/gal)

0.651 1.027 8.57

32.822

Cations mg/L Calcium: 3,300 Magnesium: 61 Sodium: 9,024 Barium: 0 Strontium: O Ferrous Iron. 0.0 Total Dissolved Iron: 0.0

Anions mg/LMeq/L Carbonate. 78ũ 13 Bicarbonate 967 16 Chloride 19,200 541 Sulfate. 270 6 Total Hardness 8 500

PROBABLE MINERAL COMPOSITION

Meq/L

165

392

5

	mg/L	Meq/L
Calcium Bicarbonate:	1,285	16
Calcium Sulfate:	383	iS
Calcium Chloride:	7.966	1-1-1
Magnesium Bicarbonate:	0	0
Magnesium Sulfate:	(I	9
Magnesium Chloride:	237	5
Sodium Bicarbonate:	O	0
Sodium Sulfate:	0	Ū
Sodium Chloride:	22,936	392

Remarks

ND - not determined

Yates Seven Rivers Queens Formation

Hydro Pax

Analyst:

Page 1 of 3

Weatherford Engineered Chemistry

2263 West Bell St Odessa, TX 79766 Phone (432) 368-8410 Fax (432) 335-0618

SCALE DEPOSITION POTENTIAL ANALYSIS

Company: Water Source: Sample Point:	EnerVest Open Martin #4	ating			Number: ampled: nalyzed:	6-30-09 7-01-09	
,							
Brine Composit	ion						
pH.	6 40	Ca, mg/L	3,360		Total Hardne	ss, mg/L	8,500
Specific Gravity:	1.027	Mg, mg/L	61	Total	Dissolved Soli	ids, mg/L:	32,822
HCO₃, mg/L	967	Na, mg/L	9,024		Total lonic	Strengh	0.651
CI, mg/L	19,200	Ba, mg/L [*]	0				
SO ₄ , mg/L:	270	SI, mg/L	Û	To	ital Dissoved Ir	on, mg/L	0.0
Calcium Carbon Temperature, °F: Stiff-Davis Index Deposition, lbs/1,		75 0 17 196 9	100 0.49 371 9	125 / 0.85 462.9	150 1.28 516.1	Specified Ter 40 -0 10 -62.3	180 1.87
Calcium Sulfate	Scale Indices					Specified Ter	mperatures
Temperature, "F"		75	1(10	125	150	40	180
Supersaturation F	Ratio	0.192	0.191	0 193	0.200	0 194	0.208
Deposition, lbs/1.		-563 1	-566 6	-561.3	-537 4	-555.5	-510 (
Barium Sulfate S	Scale Indices					Specified Ter	mperatures
Temperature, °F:		75	100	125	150	40) 180
Supersaturation F		0.000	0.000	0 000	() (ហ្វ្រំ)	0.000	0.000
Deposition lbs/1,		-0.2	-0 3	-0.4	-0.5	-0.1	-0.7

Weatherford Engineered Chemistry

2263 West Bell St Odessa, TX 79766 Phone (432) 368-8410 Fax. (432) 335-0618

SCALE DEPOSITION POTENTIAL TRENDS

Сотрапу. Water Source: EnerVest Operating

Sample Point:

Maitin #4

Lab ID Number:

Date Sampled:

6-30-09

Date Analyzed:

7-01-09











