Submit 3 Copies To Appropriate District State of New Mexico	Form C-103
Office Energy, Minerals and Natural Resources District I	May 27, 2004
1625 N French Dr., Hobbs, NMS 244 C F V F District II	WELL API NO. 30-025-21208
	5. Indicate Type of Lease
District III MAK 0 & ZUIU 1220 South St. Francis Dr. 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505	STATE X FEE
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	6. State Oil & Gas Lease No. S-9943
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	7. Lease Name or Unit Agreement Name: State AD
1. Type of Well: Oil Well	8. Well Number
2. Name of Operator OXY USA Inc.	9. OGRID Number 16696
3. Address of Operator	10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710-0250 4. Well Location	Mescalero San Andres
Unit Letter B : 660 feet from the north line and Section 23 Township 10S Range 32E	•
11. Elevation (Show whether DR, RKB, RT, GR, et	
4327'	·
Pit or Below-grade Tank Application or Closure	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON COMMENCE DRILLI PULL OR ALTER CASING MULTIPLE CASING TEST AND COMPLETION CEMENT JOB	ABANDONMENT
OTHER: OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
See Attachment	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-	
	or an (attached) alternative OCD-approved plan
SIGNATURETITLETr. Regulat	tory Analyst DATE 3(4(10
Type or print name David Stewart E-mail address:	david_stewart@oxy.com Telephone No. 432-685-5717
For State Use Only	
	FF NOR DATE 3-10-10
Conditions of Approval, if any: THE OL CONSERVATION DIVISION MUST BENOTIFIED 24 HOURS PRIOR TO THE BEGINNING OF PLUGGING OPERATIONS	DATE OF

TD-4350' PBTD-4274' Perfs-4130-4218' CIBP @ 4274'

7-5/8" 24# csg @ 1694' w/ 600sx, 11-1/4" hole, TOC-Surf-Circ 4-1/2" 9.5# csg @ 4348' w/ 250sx, 6-1/4" hole, TOC-3160'-TS

- 1. RIH & Set CIBP @ 4080', M&P 25sx cmt
- 2. M&P 25sx @ 3530-3395' WOC-Tag
- 3. Perf @ 2285', sqz 40sx cmt to 2160' WOC-Tag 4. Perf @ 1743', sqz 60sx cmt to 1543' WOC-Tag 5. Perf @ 100', sqz 40sx cmt to Surface
- 10# MLF between plugs

OXY USA Inc. - Proposed State AD #10

API No. 30-025-21208

40sx @ 100'-Surface


60sx @ 1743-1543' WOC-Tag

40sx @ 2285-2160' WOC-Tag


25sx @ 3530-3395'

CIBP @ 4080' w/ 25sx

7/65-CIBP @ 4274' w/ 2sx



OXY USA Inc. - Current State AD #10 API No. 30-025-21208



TD-4350'

11-1/4" hole @ 1694' 7-5/8" csg @ 1694' w/ 600sx-TOC-Surf-Circ

7-7/8" hole @ 4350' 4-1/2" csg @ 4348' w/ 250sx-TOC-3160'-TS

7/65-CIBP @ 4274' w/ 2sx