

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87416
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED
MAR 08 2010
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505
HOBBS

WELL API NO. 30-025-22018 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. S-9943
7. Lease Name or Unit Agreement Name: State AD ✓
8. Well Number 11 ✓
9. OGRID Number 16696 ✓
10. Pool name or Wildcat Mescalero Permo Penn

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	2. Name of Operator OXY USA Inc. /
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	4. Well Location Unit Letter 0 : 800 feet from the south line and 1980 feet from the east line Section 22 Township 10S Range 32E NMPM County Lea ✓
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4343'	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 3/5/10
E-mail address: david_stewart@oxy.com
Type or print name David Stewart Telephone No. 432-685-5717

For State Use Only

APPROVED BY [Signature] TITLE STAFF MGR DATE 3-10-10
Conditions of Approval, if any.

TD-9590' PBTD-9545' Perfs-8319-9388'

13-3/8" 48# csg @ 411'w/ 450sx, 17-1/2" hole, TOC-Surf-Circ

8-5/8" 24-32# csg @ 3500' w/ 1950sx, 12-1/4" hole, TOC-Surf-Circ

5-1/2" 15.5-17# csg @ 9590' w/680sx, 7-7/8" hole, TOC-7220'-3160'-TS

1. RIH & Set CIBP @ 8270', M&P 25sx cmt
 2. Perf @ 7085' sqz 60sx cmt to 6915' WOC-Tag
 3. Perf @ 4860' sqz 55sx cmt to 4710' WOC-Tag
 4. M&P 25sx @ 3550-3450' WOC-Tag
 5. Perf @ 2300' sqz 45sx cmt to 2175' WOC-Tag
 4. Perf @ 1615' sqz 45sx cmt to 1500' WOC-Tag
 5. Perf @ 461' sqz 35sx cmt to 361' WOC-Tag
 6. Perf @ 100' sqz 35sx cmt to Surface
- 10# MLF between plugs

OXY USA Inc. - Proposed
State AD #11
API No. 30-025-22018

35sx @ 100'-Surface

35sx @ 461-361' WOC-Tag

45sx @ 1615-1500' WOC-Tag

45sx @ 2300-2175' WOC-Tag


25sx @ 3550-3450' WOC-Tag

55sx @ 4860-4710' WOC-Tag

60sx @ 7085-6915' WOC-Tag

CIBP @ 8270' w/ 25sx

PB-9545'



Perf @ 100'

Perf @ 461'

Perf @ 1615'

Perf @ 2300'

Perf @ 4860'

Perf @ 7085'

Perfs @ 8319-8720'

Perfs @ 9310-9388'


17-1/2" hole @ 414'
13-3/8" csg @ 411'
w/ 450sx-TOC-Surf-Circ

12-1/4" hole @ 3500'
8-5/8" csg @ 3500'
w/ 1950sx-TOC-Surf-Circ

7-7/8" hole @ 9590'
5-1/2" csg @ 9590'
1st w/ 470sx-TOC-7220'-TS
2nd w/ 210sx-TOC-3160'-TS

TD-9590'

OXY USA Inc. - Current
State AD #11
API No. 30-025-22018



17-1/2" hole @ 414'
13-3/8" csg @ 411'
w/ 450sx-TOC-Surf-Circ

12-1/4" hole @ 3500'
8-5/8" csg @ 3500'
w/ 1950sx-TOC-Surf-Circ

7-7/8" hole @ 9590'
5-1/2" csg @ 9590'
1st w/ 470sx-TOC-7220'-TS
2nd w/ 210sx-TOC-3160'-TS

Perfs @ 8319-8720'

Perfs @ 9310-9388'

PB-9545'

TD-9590'