

Submit To Appropriate District Office Two Copies District I 1625 N French Dr , Hobbs, NM 88201 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd , Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505		Form C-105 July 17, 2008						
1. WELL API NO. 30-041-20933		2. Type of Lease <input type="checkbox"/> STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN								
3. State Oil & Gas Lease No. n/a		5. Lease Name or Unit Agreement Name Geneva - Fee								
6. Well Number: 1		7. Type of Completion: <input type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input checked="" type="checkbox"/> OTHER DRY HOLE								
8. Name of Operator Manzano, LLC		9. OGRID 231429								
10. Address of Operator P.O. Box 2107 – Roswell, NM 88202-2107		11. Pool name or Wildcat Chaveroo, Permo Penn, North								
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	K	33	6S	33E		1650	S	2310	W	Roosevelt
BH:										
13. Date Spudded 1/15/07	14. Date T.D. Reached 2/12/07	15. Date Rig Released 2/16/07		16. Date Completed (Ready to Produce) 3/12/07			17. Elevations (DF and RKB, RT, GR, etc.) 4396 GR			
18. Total Measured Depth of Well 9225'		19. Plug Back Measured Depth 7375'		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run GR			
22. Producing Interval(s), of this completion - Top, Bottom, Name										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13.375"		48		385'		17.5"		450sx/circ 162sx		0'
8.625"		24/32		3740'		11"		1250sx/circ 320sx		0'
5.5"		17		9225'		7.875"		2 stage 1925sx total		0'
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT		SCREEN		25. TUBING RECORD			
							SIZE	DEPTH SET	PACKER SET	
26. Perforation record (interval, size, and number)										
9101'-9107'		0.48" 30 holes		7758'-7759'		0.48" 5 holes		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.		
8901'-8906'		0.48" 18 holes		7266'-7272'		0.48" 13 holes		DEPTH INTERVAL		
8438'-8442'		0.48" 9 holes						AMOUNT AND KIND MATERIAL USED		
8304'-8307'		0.48" 8 holes						9101'-9107'		
8264'-8269'		0.48" 10 holes						8438'-8442'		
								8264'-8307'		
								7758'-7759'		
								924gal 15% NEFE		
28. PRODUCTION										
Date First Production No show		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in) Shut-in Dry Hole				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
31. List Attachments none										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude Longitude NAD 1927 1983										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature		Printed Name		Title		Engineer		Date 1/13/10		
E-mail Address		k.alpers@qwestoffice.net		PETROLEUM ENGINEER		MAR 11 2010				

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF
STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates <u>2270</u>	T. Miss <u>9134</u>	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres <u>3320</u>	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb <u>6120</u>	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T. Todilto	
T. Abo <u>6920</u>	T.	T. Entrada	
T. Wolfcamp <u>7805</u>	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
from.....to.....
No. 2, from.....to.....
from.....to.....

No. 3,
No. 4,

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology