Form 3160-5 (August 2007)

FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLS OBBSOLD That use this form for proposals to drill or to re-enter an

NMLC029410A

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. SUBMIT IN TRIPLICATE - Other instructions on reverse side.					If Indian, Allottee or Tribe Name Tribe Name If Unit or CA/Agreement, Name and/or No.		
Name of Operator COG OPERATING LLC	RRILLO es com	9.	9. API Well No. 30-025-39519-00-S1				
550 W TEXAS AVE SUITE 1300 Ph: MIDLAND, TX 79701			. (include area code) 5-4332) 10	10. Field and Pool, or Exploratory SNDESIGNATED SVD (9613) UNKNOWN WE IFCOME		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				1	11. County or Parish, and State		
Sec 29 T17S R32E SWSE 490FSL 2160FEL					LEA COUNTY, NM		
12. CHECK APPI	ROPRIATE BOX(ES) TO	O INDICATE	NATURE OF 1	NOTICE, REPO	ORT, OR OTHE	R DATA	
TYPE OF SUBMISSION	TYPE OF ACTION				,		
Notice of Intent	Acidize	□ Deep	oen ·	□ Production	(Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing ☐ Frac		ture Treat	Reclamation		☐ Well Integrity	
Subsequent Report ■	☐ Casing Repair ☐ New		Construction	Recomplete		Other	
☐ Final Abandonment Notice	☐ Change Plans	□ Plug	and Abandon .	☐ Temporaril	y Abandon	Drilling Operations	
	Convert to Injection	□ Plug	Back	☐ Water Disp	osal		
testing has been completed. Final Aldetermined that the site is ready for f SWD well. 12/09/09 Test 7 csg 2000psi, 12/15/09 Perf Wolfcamp @ 9/12/16/09 Perf Wolfcamp @ 9/12/17/09 Acidize w/3,000 gals 4,700 gals acid. 12/18/09 Acidize perfs 9840 - 12/22/09 TOH w/ RBP & Pach 12/23/09 Acid Frac Wolfcamp stages, 5,000#, 7,500#, 7,500 12/28/09 Clean out to PBTD 1 12/30/09 RIH w/ 320jts 3-1/2"	ok. 840 - 9920, 9935 - 10,040 940 - 9920 w/ 2 SPF, 215 s acid across all perfs. Ac 9920 w/ 8,000 gals acid. (er. bw/ 60,454 gals 15% HCl bw/ 60,454 gals 30# line 10,435. internal plastic coated L8	O w/ 2 SPF, 33 i holes. idize perfs 98 acid w/20,00 r gel. 30 tbg, Packer	34 holes. 40 - 9920, 9935 00# of graded ro @ 9769. Press	- 10,040 w/ ck salt pumped ure test csg to	1 in 3 5 ~ 1179	and the operator has	
	For COG nmitted to AFMSS for proc CARRILLO	OPERATING L essing by KUR	LĆ, sent to the RT SIMMONS on Title PREPA	02/11/2010 (10K	MS0243SE)		
Signature (Electronic S	Submission)		Date 02/10/2	010			
	THIS SPACE FO	OR FEDERA	L OR STATE	OFFICE USE			
Approved By ACCEPTED			JAMES A TitleSUPERVI		/N	Date 02/21/20	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			Office Hobbs		V C	2010	

Additional data for EC transaction #81275 that would not fit on the form

32. Additional remarks, continued

500psi and hold for 30min. ___01/04/10 Pressure test to 300psi, run 30min MIT test. OCD did not witness.

12/14/09

كتر.

PerKC

