
RECEIVED

New Mexico Oil Conservation Division, District I 1625 N. French Drive

Form 3160 Sp. 2 6 2010 UNITED STATES (April 2007) APR 2 6 2010 DEPARTMENT OF THE INTER DEPARTMENT OF LAND MANAGEME SUNDRY NOTICES AND REPORTS Do not use this form for proposals to drill abandoned well. Use Form 3160 - 3 (APD) for SUBMIT IN TRIPLICATE- Other instructions 1 Type of Well Oll Well Gas Well Gas Well Other	ON WELLS or to re-enter an r such proposals. 5 Lease Senal No SHL-NM-105887, BHL-VO7943 6 If Indian, Allottee or Tribe Name N/A
550 W. Texas Ave., Suite 1300 Midland, TX 79701 432-6 4. Location of Well (Footage, Sec., T, R, M, or Survey Description) SHL: 1980' FNL & 850' FEL Sec.14, T15S, R31E, U BHL: 1980' FNL & 330' FWL Sec.14, T15S, R31E, U	
Subsequent Report Final Abandonment Notice Casing Repair Change Plans Plug a Convert to Injection Plug B 13. Describe Proposed or Completed Operation (clearly state all pertinent details If the proposal is to deepen directionally or recomplete horizontally, give sub Attach the Bond under which the work will be performed or provide the Bon following completion of the involved operations If the operation results in a	Treat Reclamation Well Integrity Construction Recomplete Temporarily Abandon Temporarily Abandon Water Disposal Tincluding estimated starting date of any proposed work and approximate duration thereof surface locations and measured and true vertical depths of all pertinent markers and zones d No. on file with BLM/BIA Required subsequent reports shall be filed within 30 days multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once after all requirements, including reclamation, have been completed, and the operator has
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Chasity Jackson	Conditions of Approval Steel tanks are required for closed loop system: No Pits Allowed. The operator shall properly dispose of drilling contents at an authorized disposal site. Title Agent for COG
Signature Date 03/16/2010 THIS SPACE FOR FEDERAL OR STATE OFFICE USE Approved by 1S/Angel Mayes Conditions of approval, if any, are attached. Approval of this notice does not warrant or	
certify that the applicant holds legal or equitable title to those rights in the subje which would entitle the applicant to conduct operations thereon.	ct lease Office ROSWELL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



Closed Loop Operation & Maintenance Procedure

All drilling fluid circulated over shaker(s) with cuttings discharged into roll off container.

Fluid and fines below shaker(s) are circulated with transfer pump through centrifuge(s) or solids separator with cuttings and fines discharged into roll off container.

Fluid is continuously re-circulated through equipment with polymer added to aid separation of cutting fines.

Roll off containers are lined and de-watered with fluids re-circulated into system.

Additional tank is used to capture unused drilling fluid or cement returns from casing jobs.

This equipment will be maintained 24 hrs./day by solids control personnel and or rig crews that stay on location.

Cuttings will be hauled to either:

CRI (permit number R9166) or GMI (permit number 711-019-001)

dependent upon which rig is available to drill this well.