

Office

Energy, Minerals and Natural Resources

May 27, 2004

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

87505

RECEIVED
APR 09 2010
HOBBS

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-28629

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

B-9560

7. Lease Name or Unit Agreement Name

NM BG St. NCT-2

8. Well number

3

9. OGRID Number

213190

10. Pool name or Wildcat

Saunders Permo Upper Penn

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Crown Quest Operating, L.L.C.

3. Address of Operator

303 Veterans Airpark Ste. 5100 Midland, TX 79710

4. Well Location

Unit Letter G : 2310 feet from the North line and 2309 feet from the East lineSection 16 Township 14-S Range 33-E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

Pit or Below-grade Tank Application ☒ or Closure ☐Pit type STEEL Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water N/APit Liner Thickness: STEEL mil Below-Grade Tank: Volume bbls; Construction Material STEEL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐TEMPORARILY ABANDON ☐ CHANGE PLANS ☐PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐COMMENCE DRILLING OPNS. ☐ P AND A ☒CASING/CEMENT JOB ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) 3/25/10 Spot 90sx cmt @ 7,629' - Tag @ 6,910' - OK by Maxey B w/ OCD
- 2) 3/26/10 Spot 25sx cmt @ 5,559' to 5,306'
- 3) 3/26/10 Spot 50sx cmt @ 4,247' - Tag @ 3,741'
- 4) 3/29/10 Spot 45sx cmt @ 3,203' to 2,748'
- 5) 3/29/10 Spot 30sx cmt @ 2,635' to 2,332'
- 6) 3/29/10 Spot 40sx cmt @ 1,767' to 1,362'
- 7) 3/29/10 Spot 50sx cmt to surface

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE

Type or print name

Randall Minear

TITLE

Area Manager

DATE 4/8/2010

For State Use Only

APPROVED BY:

TITLE

STAFF NGR

DATE 4-12-10

Conditions of Approval (if any):

CONDITIONS OF PA APPROVAL: Approved as to plugging of the Well Bore. Liability under bond is retained until surface restoration is completed. OCD Hobbs office needs C-103 "Check Off List for Surface Inspection".

Date Spudded: 03/07/84
4220' GLE

CrownQuest Operating, LLC

New Mexico "BG" State NCT-2 #3

2310' FNL, 2309' FEL, Sec. 16, T-14-S, R-33-E,

Lea County, NM, API #30-025-28629

17½" Hole →

13 ⅜", 48# H-40 csg @ 550'.
Cmt w/600 sx, circ to surface.

Spot 50 sx cmt from 13-3/8" csg shoe to surface

Spot 40 sx cmt @ 1767' – 1362'

12 ¼" Hole →

Spot 30 sx cmt @ 2635' – 2332'

8-5/8", 24# & 28#, K-55 & S-80 casing
@ 4190'. Cmt'd w/2200 sx, circ to
surface.

Spot 45 sx cmt @ 3203' – 2748'

Spot 50 sx cmt @ 4247' – Tag @ 3741'

7 ⅞" Hole →

Spot 25 sx cmt @ 5559' – 5306'

DV Tool @ 6999'

Spot 90 sx cmt @ 7629' – Tag @ 6910'
OK by Maxey B w/OCD

Bough Perfs :

9817'-9822', 9828'-9832', 9859'-9862',
9864'-9868', 9884'-9888', 9896'-9898',
9948'-9952', 9957'-9965'

5½", 17# K-55 & N-80 csg @ 10,100'.

DV Tool @ 6999'. Stg 1: 950 sx, Cmt circ.
Stg 2: 1200 sx, Cmt circ.

TD: 10,100'
PBTD: 10,070'

Drawn by: DLR, 2/10