

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Ave , Artesia, NM 88210
District III
1000 Rio Brazos Rd , Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
June 19, 2008

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-09135
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No. 32447
7. Lease Name or Unit Agreement Name Seven Rivers Queen Unit
8. Well Number 32
9. OGRID Number 220420
10. Pool name or Wildcat Eunice, Seven Rivers Queen South
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL 3497'

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☒ Injection

2. Name of Operator
Arena Resources Inc

3. Address of Operator
2130 W. Bender Hobbs, NM 88240

4. Well Location
Unit Letter J : 2310 feet from the South line and 2310 feet from the East line
Section 34 Township 22S Range 36E NMPM County Lea

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. MIRU PU
2. NDWH NUBOP
3. RIH to 3450', spot 25 sxs class C cement. WOC & Tag.
4. Circulate wellbore w/ salt get mud
5. Perf 4 squeeze holes @ 3000'; squeeze w/ 25 sxs class C cement. (BOS @2945')
6. Perf 4 squeeze holes @ 1450'; squeeze w/ 25 sxs class C cement. (TOS @1425')
7. Perf 4 squeeze holes @ 390', circulate class C cement to surface.
8. Cut off wellhead 3' below ground level & install P&A Marker.
9. Clean location.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Colleen Robinson TITLE Compliance Analyst DATE 4-13-2010

Type or print name Colleen Robinson E-mail address: crobenson@arenaresourcesinc.com PHONE: 738-1739

For State Use Only

APPROVED BY [Signature] TITLE Staff Manager DATE 4-13-10

Conditions of Approval (if any):

Elevation: KB 3497'

ORIGINAL OPERATOR: Arco Oil and Gas Co.

SPUDDED: 2/5/57

IP: bopd

ARENA RESOURCES, INC.

SRQU # 32

LEA COUNTY, NEW MEXICO

2310' FSL 2310' FEL Sec 34, T-22S, R-36E

API NO.: 30-025-09135

12-1/4" HOLE

8 5/8" csg @ 306' Cmt'd w/200 sx to surf.

7 7/8" HOLE

TREATMENT HISTORY:

Acidised w/ 1500 gal 15% NEFE

Frac w/ 40000 gal jelled brine + 50000# sd

TUBING RECORD:

~~2-7/8" 4.5# J-55 @ 3807'~~

Perf 4 sq. holes @ 390' circulate cmt to surface.

Perf 4 sq. holes 1450' sq. w/ 25 5XS, To S 1425'

ROD STRING RECORD:

~~7/8" 3/4"~~

PUMP RECORD:

2-1/4" x 1.5" x 20' SCHD

Perf 4 sq. holes @ 3000' sq w/ 25 5XS, Bos 2945'

PUMPING UNIT:

Lufkin M-228D-213-120

circ. salt gel

25 5KS class C Cmt.

CIAP @ 3450'

Perforations

3521'-3730'

5 1/2" csg @ 3756'

Cmt'd w/850 sx

PBTD 3730'

TD: 3758'

PREPARED BY: HK 2/1/05