
Office	State of New Me	exico	Form C-103	
District I	Energy, Minerals and Natu	ral Resources	/ March 4, 2004	
1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Ave., Artesia, NM 88210 The Conservation division				
District II 1301 W. Grand Ave. Artesia, NM STITE CONSERVATION DIVISION		DIVISION 30 025 2806		
District III		ocie Dr	Type of Lease	
District III 1000 Rio Brazos Rd., Aztec, NM 8741MAY 1 4 ZÜÜÜ 220 South St. Francis Dr. District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 87505		STA	TE X FEE	
District IV 1320 S. St. Francia Dr. Sonta Fo. NIMORRSOCO		6. State Oil	& Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NATA (1)		B-2317		
SUNDRY NOTICES AND REPORTS ON WELLS		7. Lease Na	me or Unit Agreement Name	
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			/ /	
	CATION FOR PERMIT" (FORM C-101) FO	OR SUCH State 35 Uni	it	
PROPOSALS.) 1. Type of Well:		8. Well Nur	nber ,	
Oil Well Gas Well Oth	er X (WIW)	37	/ /	
		9. OGRID 1	Number	
2. Name of Operator McGowan Working Partners, Inc.	1	220397	Number	
3. Address of Operator			me or Wildcat	
P.O. Box 55809, Jackson MS 39296-5809			Vacuum – Greyburg/San Andres	
4. Well Location	3 3007	v doddin - G	noyoung our rindres	
4. Well Location			,	
Unit Letter P: 10 feet from the South line and 1210 feet from the East line				
Section 35	Township 17S	Range 34E N	MPM County Lea	
	11. Elevation (Show whether DR,			
	4010'	GR		
Pit or Below-grade Tank Application (For pit or below-grade tank closures, a form C-144 must be attached)				
Pit Location: UL P Sect 35 Twp	17 Rng 34 Pit type <u>lined 12 mil</u> Der	th to Groundwater <u>160</u> Distance fro	om nearest fresh water well_>1000'	
Distance from nearest surface water >10	000' Below-grade Tank Location UL_	Sect Twp Rng	;	
feet from theline and				
rect from theinic and	reet from themine			
12. Check A	Appropriate Box to Indicate N	ature of Notice, Report or O	Other Data	
	Appropriate Box to Indicate N			
12. Check A NOTICE OF IN PERFORM REMEDIAL WORK	TENTION TO:	SUBSEQUENT	REPORT OF:	
NOTICE OF IN	TENTION TO:		REPORT OF:	
NOTICE OF IN	TENTION TO:	SUBSEQUENT	REPORT OF: ALTERING CASING PLUG AND	
NOTICE OF IN	TENTION TO: PLUG AND ABANDON CHANGE PLANS	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS.	REPORT OF: ALTERING CASING	
NOTICE OF IN	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND	REPORT OF: ALTERING CASING PLUG AND	
NOTICE OF IN	TENTION TO: PLUG AND ABANDON CHANGE PLANS	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS.	REPORT OF: ALTERING CASING PLUG AND	
NOTICE OF IN	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND	REPORT OF: ALTERING CASING PLUG AND	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER:	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER:	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of pro-	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion.	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work).	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion.	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work).	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion.	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work).	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' – 4710'	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & pa	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' – 4710' I hereby certify that the information as	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & pagest of my knowledge and belief. I	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' – 4710'	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & pagest of my knowledge and belief. I	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' - 4710' I hereby certify that the information a grade tank has been/will be constructed or of the second seco	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle permit or an (attached) alternate permit or an (attached) alternat	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan.	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' – 4710' I hereby certify that the information as	PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION crations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle permit or an (attached) alternate permit or an (attached) alternat	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of Note: Perfs @ 4367' - 4710' I hereby certify that the information a grade tank has been/will be constructed or of the second seco	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. above is true and complete to the beclosed according to NMOCD guidelines, and the closed according to NMOCD guidelines.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle partinent of an (attached) altern LE Regulatory Officer	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300° & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367° – 4710° I hereby certify that the information a grade tank has been/will be constructed or of SIGNATURE	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. above is true and complete to the beclosed according to NMOCD guidelines, a	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle partinent of an (attached) altern LE Regulatory Officer	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300° & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367° – 4710° I hereby certify that the information a grade tank has been/will be constructed or of SIGNATURE	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. above is true and complete to the beclosed according to NMOCD guidelines, a	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle partinent of an (attached) altern LE Regulatory Officer	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367' - 4710' 1 hereby certify that the information a grade tank has been/will be constructed or of SIGNATURE Type or print name Glenn Hepner	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. above is true and complete to the beclosed according to NMOCD guidelines, a	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle partinent of an (attached) altern LE Regulatory Officer	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300' & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367' - 4710' 1 hereby certify that the information a grade tank has been/will be constructed or of SIGNATURE Type or print name Glenn Hepner	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. above is true and complete to the beclosed according to NMOCD guidelines, a	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle partinent of an (attached) altern LE Regulatory Officer	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10 ne No. (601) 982-3444	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300° & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367° – 4710° I hereby certify that the information a grade tank has been/will be constructed or SIGNATURE Type or print name Glenn Hepner (This space for State use)	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. Above is true and complete to the beclosed according to NMOCD guidelines, and the closed according to NMOCD guidelines.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle particle particle and particle parti	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10	
NOTICE OF IN PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER: 13. Describe proposed or completed ope SEE RULE 1103. For Multiple Co. 1. Pull injection tubing & packer, inspect 4300° & test. 4. Perform witnessed MIT of the Note: Perfs @ 4367° – 4710° I hereby certify that the information a grade tank has been/will be constructed or SIGNATURE Type or print name Glenn Hepner (This space for State use) APPPROVED BY	TENTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION Erations. (Clearly state all pertinent details, ompletions: Attach wellbore diagram of protubing & test casing. 2. Found packer (Sylvia Dickey) & return to service. Above is true and complete to the beclosed according to NMOCD guidelines, and the closed according to NMOCD guidelines.	SUBSEQUENT REMEDIAL WORK X COMMENCE DRILLING OPNS. CASING TEST AND CEMENT JOB OTHER: and give pertinent dates, including estimate posed completion or recompletion. leaking. 3. Run injection tubing & particle particle particle and particle parti	REPORT OF: ALTERING CASING PLUG AND ABANDONMENT ted date of starting any proposed work). cker, EOT @ 4300' & reset PKR @ further certify that any pit or belowative OCD-approved plan. DATE 16 Apr 10 ne No. (601) 982-3444	



Jack Stevenson

McGowan Working Partners, Inc.

1837 Crane Ridge Drive P.O. Box 55809 Jackson, Mississippi 39296-5809 Telephone AC 601/982-3444 Fax AC 601/982-4014

16 April 2010

RECEIVED

State of New Mexico
Oil Conservation Division
District I Office
1625 N. French Drive
Hobbs, NM 88240

MAY 1 4 2010 HOBBSOCD

Re:

Completed Form C-103 State 35 Unit No. 37

Vacuum Field, Lea County, NM

Ladies/Gentlemen,

Enclosed please find one (1) each completed original and two (2) each copies of form C-103 that are being submitted for subsequent report of remedial work for the above listed well along with a copy of the corresponding P.T. chart which was witnessed by Sylvia Dickey on 3/16/10.

If any additional information is required, or you have any questions or concerns please feel free to contact me at (601) 982-3444 (voice), (601) 982-4014 (fax), or glenn@mcgowanwp.com (e-mail).

Respectfully,

Glenn D. Hepner Regulatory Officer

GDH Enclosures