

Compensated Neutron
Gamma Ray / CCL
Log

Company Fairway Resources, LLC

Well Midnight Matador A #7

Field Red Lake

County Eddy

State New Mexico

Location:

API #: N/A

30.015-2515U

330' FNL & 1661' FEL

SEC 35 TWP 17S RGE 27E

Other Services

Perf. ✓

Elevation

K.B.
D.F.
G.L.

Permanent Datum
Log Measured From
Drilling Measured From

Company Fairway Resources, LLC
Well Midnight Matador A #7
Field Red Lake
County Eddy
State New Mexico

Date 28-Sept-2009

Run Number One

Depth Driller 2460'

Depth Logger 2461'

Bottom Logged Interval 2461'

Top Log Interval 1450'

Open Hole Size See Log

Type Fluid Brine

Density / Viscosity N/A

Max. Recorded Temp N/A

Estimated Cement Top N/A

Time Well Ready On Arrival

Time Logger on Bottom See Log

Equipment Number 12

Location Hobbs, NM

Recorded By D. Macatee

Witnessed By Mr. M. Jones

Borehole Record

Run Number Bit From To

Size

Weight

From To

Bottom

Casing Record

Surface String

Prod. String

Production String

Size

Wgt/ft

Top

Surf

Bottom

4"

11.8#

1680'

RECEIVED
APR 13 2010
NMOC DARTESIA


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damage or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


No depth correction or correlation. Logged as primary depth reference.



2" = 100'
Main Pass



0	LTEN (lb)	4000
0	GR (GAPI)	100
-9	CCL	1



30	CNLS (Limestone) (pu)	-
30	CNDL (Dolomite) (pu)	-
30	CNSS (SandStone) (pu)	-





5" = 100'
Main Pass

Database File: fairway_midnightmatadora_7 db
 Dataset Pathname: pass5
 Presentation Format: uni3nh
 Dataset Creation: Mon Sep 28 08:38:49 2009 by Log Std Casedhole 07122
 Charted by: Depth in Feet scaled 1.240


0	LTEN (lb)	4000
0	GR (GAPI)	100
-9	CCL	1


30	CNLS (Limestone) (pu)	-
30	CNDL (Dolomite) (pu)	-
30	CNSS (SandStone) (pu)	-




0	LTEN (ID)	4000
0	GR (GAPI)	100
-9	CCL	1

30	CNLS (Limestone) (pu)	
30	CNDL (Dolomite) (pu)	
30	CNSS (SandStone) (pu)	





0	LTEN (lb)	4000
0	GR (GAPI)	100
-9	CCL	1



30	CNLS (Limestone) (pu)
30	CNDL (Dolomite) (pu)
30	CNSS (SandStone) (pu)