



NEW MEXICO ENERGY, MINERALS and NATURAL RESOURCES DEPARTMENT

BILL RICHARDSON

Governor

Joanna Prukop

Cabinet Secretary

Mark E. Fesmire, P.E.

Director

Oil Conservation Division

Response Required – Deadline Enclosed

Field Inspection Program

"Preserving the Integrity of Our Environment"

01-Jun-10

RANGER 40 PETROLEUM, LLC
1004 COLLIER CENTER WAY #206
NAPLES FL 34110

LETTER OF VIOLATION - Inspection

Dear Operator:

The following inspection(s) indicate that the well, equipment, location or operational status of the well(s) failed to meet standards of the New Mexico Oil Conservation Division as described in the detail section below. To comply with standards imposed by Rules and Regulations of the Division, corrective action must be taken immediately and the situation brought into compliance. The detail section indicates preliminary findings and/or probable nature of the violation. This determination is based on an inspection of your well or facility by an inspector employed by the Oil Conservation Division on the date(s) indicated.

Please notify the proper district office of the Division, in writing, of the date corrective actions are scheduled to be made so that arrangements can be made to reinspect the well and/or facility.

INSPECTION DETAIL SECTION

LANGLIE JAL UNIT No.027

P-31-24S-37E

30-025-11297-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014436952
Comments on Inspection: PRESSURE TEST DUE (5 YEAR TEST DUE)						

LANGLIE JAL UNIT No.017

J-31-24S-37E

30-025-11301-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014437610
Comments on Inspection: BHT FAILURE PRESSURE TEST DUE (5 YEAR TEST DUE)						

LANGLIE JAL UNIT No.001

B-31-24S-37E

30-025-11304-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014431669
Comments on Inspection: WELL SIGN NEEDS TO BE CORRECTED TO SHOW CURRENT OPERATOR						

LANGLIE JAL UNIT No.025					N-32-24S-37E	30-025-11307-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014440386	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.009					F-32-24S-37E	30-025-11310-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014432912	
Comments on Inspection:		NEED TO PRESSURE TEST (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.003					D-32-24S-37E	30-025-11311-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014432639	
Comments on Inspection:		No Well Sign (Rule 103).					
LANGLIE JAL UNIT No.020					K-32-24S-37E	30-025-11313-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014435737	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.021					J-32-24S-37E	30-025-11315-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014435416	
Comments on Inspection:		BHT FAILURE VACUUM ON TUBING AND CASING *****PRESSURE TEST DUE LAST PT DONE IN 2006*****					
LANGLIE JAL UNIT No.005					B-32-24S-37E	30-025-11320-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014433724	
Comments on Inspection:		NEED TO PRESSURE TEST (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.026					M-32-24S-37E	30-025-11322-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014440087	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.019					L-32-24S-37E	30-025-11323-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014436148	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.061					L-4-25S-37E	30-025-11435-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014444690	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					

LANGLIE JAL UNIT No.041					B-4-25S-37E	30-025-11437-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014443659	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.039					D-4-25S-37E	30-025-11442-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014442701	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.044					E-4-25S-37E	30-025-11443-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014444355	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.064					O-5-25S-37E	30-025-11450-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014454309	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.036					C-5-25S-37E	30-025-11452-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014439643	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.046					G-5-25S-37E	30-025-11453-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014441819	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.059					J-5-25S-37E	30-025-11454-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014459018	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.035					D-5-25S-37E	30-025-11455-00-00	
Inspection Date	Type Inspection	Inspector..	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014439186	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.037					B-5-25S-37E	30-025-11456-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014441590	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					

LANGLIE JAL UNIT No.045

H-5-25S-37E

30-025-11461-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014442223
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE)						

LANGLIE JAL UNIT No.031

D-6-25S-37E

30-025-11475-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014458105
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE)						

LANGLIE JAL UNIT No.055

J-6-25S-37E

30-025-11476-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014456598
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE)						

LANGLIE JAL UNIT No.033

B-6-25S-37E

30-025-11480-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014437756
Comments on Inspection: PRESSURE TEST DUE (5 YEAR TEST DUE)						

LANGLIE JAL UNIT No.085

P-8-25S-37E

30-025-11493-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014451233
Comments on Inspection: SURFACE UNABLE TO CHECK NEED TO REPLACE VALVE						

LANGLIE JAL UNIT No.072

C-8-25S-37E

30-025-11506-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014445510
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE) INJECTION LINE LEAK						

LANGLIE JAL UNIT No.075

D-9-25S-37E

30-025-11510-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014453400
Comments on Inspection: No Well Sign (Rule 103).						

LANGLIE JAL UNIT No.013

F-31-24S-37E

30-025-23865-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014458530
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE)						

LANGLIE JAL UNIT No.023

P-32-24S-37E

30-025-23866-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014440997
Comments on Inspection: PRESSURE TEST DUE (5 YR TEST DUE)						

LANGLIE JAL UNIT No.029					N-31-24S-37E	30-025-23867-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014457574	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.071					D-8-25S-37E	30-025-23869-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014455950	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.043					F-4-25S-37E	30-025-23882-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014443201	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.047					F-5-25S-37E	30-025-23883-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014441316	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.057					L-5-25S-37E	30-025-23884-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014438823	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.022					I-32-24S-37E	30-025-24478-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014434982	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					
LANGLIE JAL UNIT No.024					O-32-24S-37E	30-025-24479-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014440546	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.038					A-5-25S-37E	30-025-24484-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014442384	
Comments on Inspection:		PRESSURE TEST DUE (5 YR TEST DUE)					
LANGLIE JAL UNIT No.008					G-32-24S-37E	30-025-24839-00-00	
Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.	
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014433978	
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)					

LANGLIE JAL UNIT No.034

A-6-25S-37E

30-025-24889-00-00

Inspection Date	Type Inspection	Inspector	Violation?	*Significant Non-Compliance?	Corrective Action Due By:	Inspection No.
05/24/2010	Bradenhead	Sylvia Dickey	Yes	No	8/27/2010	iSAD1014438029
Comments on Inspection:		PRESSURE TEST DUE (5 YEAR TEST DUE)				

In the event that a satisfactory response is not received to this letter of direction by the "Corrective Action Due By:" date shown above, further enforcement will occur. Such enforcement may include this office applying to the Division for an order summoning you to a hearing before a Division Examiner in Santa Fe to show cause why you should not be ordered to permanently plug and abandon this well. Such a hearing may result in imposition of CIVIL PENALTIES for your violation of OCD rules.

Sincerely,




Hobbs OCD District Office

COMPLIANCE OFFICER

Note: Information in Detail Section comes directly from field inspector data entries - not all blanks will contain data

*Significant Non-Compliance events are reported directly to the EPA, Region VI, Dallas, Texas

EMNRD
OIL CONSERVATION DIVISION
1625 N FRENCH DRIVE
HOBBS NM 88240



HASLER	017H15554612	US POSTAGE
	\$0.850	
	06/01/2010	
	Mailed From 88240	

RANGER 40 PETROLEUM, LLC.
1004 COLLIER CENTER WAY #206
NAPLES, FL 34110