District I 1625 N. French Dr., Hobbs, NM 88240 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

July 21, 2008

Form C-144 CLEZ

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a ciosed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the

environment. Nor does approval relieve the operator of its responsibility	by to comply with any other applicable governmental authority's rules, regulations or ordinances.		
operator: ConocoPhillips Company	OGRID #: 217817		
Address: 3300 N. "A" St., Bldg, 6 Midland, TX 79705	2,1017		
Facility or well name: MCA Unit 480			
API Number: 30-025- 39766	OCD Permit Number: P1-02092		
U/L or Qtr/Qtr O Section 28 Townsh	ip 17S Range 32E County: LEA		
	Longitude NAD: 1927 1983		
Surface Owner: X Federal State Private Tribal Trust or Indian Allotment			
Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: ☑ Drilling a new well ☐ Workover or Drilling (App ☐ Above Ground Steel Tanks or ☐ Haul-off Bins	lies to activities which require prior approval of a permit or notice of intent) 🔲 P&A		
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location Signed in compliance with 19.15.3.103 NMAC	n, and emergency telephone numbers		
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Departing and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:			
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.			
	Disposal Facility Permit Number: NM-01-0006		
Disposal Facility Name:			
Will any of the proposed closed-loop system operations and associ	ated activities occur on or in areas that will not be used for future service and operations?		
Required for impacted areas which will not be used for future servers. Soil Backfill and Cover Design Specifications based upo Re-vegetation Plan - based upon the appropriate requirement. Site Reclamation Plan - based upon the appropriate requirement.	n the appropriate requirements of Subsection H of 19.15.17.13 NMAC ts of Subsection I of 19 15.17.13 NMAC		
6. Operator Application Certification:			
	n is true, accurate and complete to the best of my knowledge and belief.		
Name (Print) Jalyn N. Fiske	Title: Regulatory Specialist		
Signature: N. Ele	Date:06/10/2010		
e-mail address: Jalyn.Fiske@conocophillips.com	Telephone: (432)688-6813		

OCD Approval: Permit Application (including closure plan)			
OCD Representative Signature: Geologist	Approval Date: 6/15/10		
Title:	OCD Permit Number: 1-02092		
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.			
1	Closure Completion Date:		
9. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.			
Disposal Facility Name:	Disposal Facility Permit Number:		
Disposal Facility Name:	Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No			
Required for impacted areas which will not be used for future serv. Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ice and operations:		
Operator Closure Certification: I hereby certify that the information and attachments submitted wit belief. I also certify that the closure complies with all applicable completes the complete of the complete such as th	h this closure report is true, accurate and complete to the best of my knowledge and losure requirements and conditions specified in the approved closure plan.		
Name (Print)	Title:		
Signature:	Date:		
e-mail address:	Telephone:		

ConocoPhillips Company
Closed Loop System Design, Operating and Maintenance, and Closure Plan

Well: MCA 480

Date: 2-10-2010

ConocoPhillips proposes the following plan for design, operating and maintenance, and closure of our proposed closed loop system for the above named well:

 We propose to use a closed loop system with steel pits, haul-off bins, and frac tanks for containing all cuttings, solids, mud, water, brine, and liquids. We will not dig a pit, nor will we use a drying pad, nor will we build an earth pit above ground level, nor will we dispose of or bury any waste on location.

All drilling waste and all drilling fluids (fresh water, brine, mud, cuttings, drill solids, cement returns, and any other liquid or solid that may be involved) will be contained on location in the rig's steel pits or in hauloff bins or in frac tanks as needed. The intent is as follows:

We propose to use the rigs's steel pits for containing and maintaining the drilling fluids.

- We propose to remove cuttings and drilled solids from the mud by using solids control equipment and to contain such cuttings and drilled solids on location in haul-off bins.
- We propose that any excess water that may need to be stored on location will be stored in frac tanks.
- 2. Cuttings and solids will be removed from location in haul-off bins by an authorized contractor and disposed of at an authorized facility. For this well, we propose the following disposal facility:

Controlled Recovery Inc, 4507 West Carlsbad Hwy, Hobbs, NM 88240, P.O. Box 388 Hobbs, New Mexico 88241 Toll Free Phone: 877.505.4274, Local Phone Number: 432-638-4076

The physical address for the plant where the disposal facility is located is Highway 62/180 at mile marker 66 (33 miles East of Hobbs, NM and 32 miles West of Carlsbad, NM).

The Permit Number for CRI is R9166

A photograph showing the type of haul-off bins that will be used is attached.

- 3. Mud will be transported by vacuum truck and disposed of at Controlled Recovery Inc at the facility described above.
- Fresh Water and Brine will be hauled off by vacuum truck and disposed of at an authorized salt water disposal well. We propose the following for disposal of fresh water and brine as needed:
 - Nabors Well Services Company, 322 NW County Rd, Hobbs, NM 88240, PO 5208 Hobbs, NM, 88241, Permit SWD 092. (Well Location: Section 3, T19S R37E)
 - Basic Energy Services, PO Box 1869 Eunice, NM 88231 Phone Number 575 394 2545, Facility located at Hwy 18, Mile Marker 19, Eunice, NM.

Jason D. Tilley Sr. Drilling Engineer 3WL-13016

Office: 832-486-2919 Cell: 281-684-4720

SPECIFICATIONS

Heavy Duty Split Metal Rolling Lid

OOR : 3/16" PL one piece ROSSMEMBER : 3 x 2.1 channel 16" on LLS: 18/16 RL solid welded with tubing top inside linershooks

DOOR: 3/16: PE with tubing frame

FRONT: 3/16: PE slant formed

PICK UP Standard cable with 2' x 6" x 1/4" alis gü sset at each crossmember

rails, guisset at each crossmember
WHEELS: 10 DIA x 9 long with rease fittings
DOOR LATCH 3 independent ratchet
binders withichains, vertical second latch
GASKETS: Extruded rubber seal with metal
retainers
WELDS: All welds continuous except substructure crossmembers
EINISH: Coated inside and out with direct tomarals sust inhibiting acrylic enamet color coat


metal rust inhibiting acrylic enamel color coat. HYDROTESTING: Full capacity static test DIVIEN SIONS: 22-11" long (21'-8" inside), '99 ્રાંત e (ટે8 inside), see drawing for height GRANDS (Borinside), see Grawing to Height OPTIONS: Steel grit blast and special paint. Amplicoll: Heil and Dino pickup ROOF: 3/15 PL roof panels with tubing and channel support frame (LIDS): (2) 58 x 90 metal rolling lids spring

lpaded (self raising : ** // ROLLERS: 4" V.groove rollers with delrin

cearings and grease fittings OPENING: (2) 60" x 82" openings with 8,4 divider centered on

container LATCH:(2) independent raichet binders with chains

GASKETS, Extruded rubber eal with metal retainers



CONT.	A	B
20 YD	41	53
25 YD	53	65
30 YD	65	77
130 10		

