

District I
1625 N French Dr, Hobbs, NM 88240
District II
1301 W. Grand Ave, Artesia, NM 88210
District III
1000 Rio Brazos Rd, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

RECEIVED
OIL CONSERVATION DIVISION
JUN 14 2010
HOBBS

1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-38190 ✓
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. VO-6266
7. Lease Name or Unit Agreement Name Rebecca BJB State Com ✓
8. Well Number 2 ✓
9. OGRID Number 025575 ✓
10. Pool name or Wildcat Wildcat; Abo ✓

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒	
2. Name of Operator Yates Petroleum Corporation	
3. Address of Operator 105 South Fourth Street, Artesia, NM 88210	
4. Well Location Unit Letter <u>P</u> : <u>800</u> feet from the <u>South</u> line and <u>990</u> feet from the <u>East</u> Line Section <u>18</u> Township <u>12S</u> Range <u>32E</u> NMPM <u>Lea</u> County <u>Line</u> ✓	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4392'GR	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Yates Petroleum Corporation plans to plug & abandon this well as follows:

1. Load hole.
2. Circulate hole w/plugging mud. Spot a 25 sx cement plug 8466-8566'. WOC & tag.
3. Spot 25 sx cement plug 6400-6500'. Spot a 25 sx cement plug 3685-3785'. WOC & tag.
4. Perforate @ 1455'. Place a 35 sx cement plug 1355-1455', inside & outside casing.
5. Perforate @ 478'. Circulate hole w/cement.
6. Install dry hole marker & clean location. (Proposed schematic attached)

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Allison Barton TITLE Regulatory Compliance Technician DATE 6/10/10

Type or print name Allison Barton E-mail address: abarton@yatespetroleum.com PHONE: (575) 748-1471
For State Use Only

APPROVED BY: [Signature] TITLE STAFF MGR DATE 6-21-10

Conditions of Approval (if any):

Sm

Well Name: Rebecca BJB State Com #2 Field: _____

Location: 800' FSL & 990' FEL Sec. 18-12S-32E Lea Co, NM


GL: 4395' Zero: _____ AGL: _____ KB: 4415'

Spud Date: 3/20/07 Completion Date: _____

Comments: AFE# 07-118-0

Casing Program	
Size/Wt/Grade/Conn	Depth Set
11 3/4" 42# H40	428'
8 5/8" 24 & 32# J55	3735'
5 1/2" 17# J55, L80, P110	11315'

CURRENT CONFIGURATION




SKETCH NOT TO SCALE

DATE: 9/12/07 REBECA2F

Well Name: Rebecca BJB State Com #2 Field: _____
 Location: 800' FSL & 990' FEL Sec. 18-12S-32E Lea Co, NM
 GL: 4395' Zero: _____ AGL: _____ KB: 4415'
 Spud Date: 3/20/07 Completion Date: _____
 Comments: AFE# 07-118-0

Casing Program	
Size/Wt/Grade/Conn	Depth Set
11 3/4" 42# H40	428'
8 5/8" 24 & 32# J55	3735'
5 1/2" 17# J55, L80, P110	11315'

PROPOSED CONFIGURATION



Tops:

Rustler	1455'
Yates	2274'
San Andres	3608'
Glorieta	4990'
Tubb	6500'
Abo	7286'
Wolfcamp	8581'
Upper Penn	8978'
Strawn	10022'
Atoka	10535'
Austin	11106'

SKETCH NOT TO SCALE

DATE: 5/20/10 REBECA2G