

Sub: Jun. 28, 2010, 1:41PM Basic Energy Services
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

RECEIVED
JUN 30 2010
MOBBSOCD

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

No. 8420 P. 2
C-103
May 27, 2004

WELL API NO. 30-025-20746
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No. B-2245
7. Lease Name or Unit Agreement Name Vacuum Glorieta East Unit Trac 34
8. Well number 001
9. OGRID Number 217817
10. Pool name or Wildcat Vacuum; Glorieta

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
ConocoPhillips Company Attn: Donna Williams

3. Address of Operator
3300 N. "A" St, Bldg. 6 #247 Midland, Tx. 79705

4. Well Location
Unit Letter K: 1650 feet from the South line and 1650 feet from the West line
Section 30 Township 17-S Range 35-E NMPM Lea County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3988' GL, 3997' DF, 3999' RKB

Pit or Below-grade Tank Application ☒ or Closure ☐

Pit type STEEL Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water N/A

Pit Liner Thickness: STEEL null Below-Grade Tank: Volume _____ bbls; Construction Material STEEL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☒	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
- 1) MIRU. NU BOP. Tally in hole 2 3/4 Tbg to Tag CIBP @ 6,010'. Circ hole w/ MLF. Cap w/ 25sx cmt.
 - 2) PUH to 4,500' - Spot 40sx cmt. TOC @ 4,065'
 - 3) PUH to 3,800' - Spot 35sx cmt. TOC @ 3,485'
 - 4) PUH to 2,900' - Spot 20sx cmt. WOC-Tag @ 2,700'
 - 5) PUH to 2,550' - Spot 20sx cmt. TOC @ 2,350'
 - 6) PUH to 1,655' - Spot 25sx cmt. WOC-Tag @ 1,450' → Spot 155x cmt plug @ 400'
 - 7) PUH to 60' - Cap well w/ 10sx cmt.
 - 8) RDMO

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE _____ TITLE P&A Tech DATE 06/28/10

Type or print name Greg Bryant

For State Use Only

APPROVED BY: _____ TITLE STAFF MGR DATE 6-30-10

Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date: June 2, 2010

RKB @ 3999'
 DF @ 3997'
 GL @ 3988'



9-7/8" Hole

7" 23# N-80 LT&C @ 1503'
 Cml'd w/ 6575 ex, circ 30 ex
 TOC @ Surface
 Top S&H @ 1858'

Base of Salt @ 2837'

CIBP @ 6010'

Glorieta
 6060' - 6081'
 6066' - 6068'
 6078' - 6088'

6-1/4" Hole
 4-1/2" 9.5# & 11.6# J-55 ST&C @ 6148'
 Cml'd w/ 900 sx circ
 TOC @ Surface

PBTD: 6010'
 TD: 6150'

Subarea: Buckeye
 Lease & Well No.: Vacuum Glorieta East Unit, Tract 34 Well No. 1
 Legal Description: 1650' F&L & 1650' FWL, Sec 30, T17S, R35E, Unit Ltr "K"
 County: Lea State: New Mexico
 Field: Vacuum Glorieta
 Date Spudded: 8/4/64 Rig Released: 6/25/64
 API Number: 30-026-20746
 Status:
 Drilled as Marathon State Stapline A/C 1 Well No. 4

Simulation History:

Interval	Date	Type	Gels	Lbs. Sand	Max Press	Max ISIP	Max Rate	Max Down
	7/1/64	Perforate Glorieta w/ 2 JSPF @ 6060-6061, 6068-6069 and 6078-6086						
6060-6086	7/1/64	15% MCA	2,000					
	4/8/84	Perform casing integrity test to 600 psig, held OK						
	8/9/01	Set CIBP @ 6010'						
		Temporarily Abandoned						

Formation Tops:

Yates	2841'
7 Rivers	3534'
Queen	3743'
Grayburg	4112'
San Andres	4446'
Glorieta	5926'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: June 2, 2010

RKB @ 3999'
 DF @ 3997'
 GL @ 3998'

Subarea: Buckeye
 Lease & Well No.: Vacuum Glorieta East Unit, Tract 34 Well No 1
 Legal Description: 1850' FSL & 1650' FWL, Sec. 30, T17S, R35E, Unit Ltr "K"
 County: Lea State: New Mexico
 Field: Vacuum Glorieta
 Date Spudded: 6/4/64 Rig Released: 6/25/64
 API Number: 30-025-20746
 Status: _____
 Drilled as Marathon State Stapline A/C 1 Well No. 4

Stimulation History:

Interval	Date	Type	Gels	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
	7/1/64	Perforate Glorieta w/ 2 JSPP @ 6060-6061, 6068-6069 and 6078-6086						
6060-6066	7/1/64	15% MCA	2,000					
	4/9/94	Perform casing integrity test to 500 psig. held OK						
	8/9/01	Set CIBP @ 6010'						
		Temporarily Abandoned						

Formation Tops:

Yates	2841'
7 Rivers	3534'
Queen	3743'
Grayburg	4112'
San Andres	4446'
Glorieta	5928'

PBTO: 6010'
 TD: 8150'

6-1/4" Hole
 4-1/2" 9.5# & 11.6# J-55 ST&C @ 8148'
 Cml'd w/ 900 sx, circ
 TOC @ Surface



PLUGGING YARD - 1312
11114 W. I-20 E. - ODESSA, TX 79765
P. O. BOX 61877 - MIDLAND, TX 79711
PHONE: (432) 563-3355 FAX: (432) 563-3364

FACSIMILE TRANSMITTAL SHEET

TO:	BUDDY HILL / E.L. Gonzales	FROM:	GREG BRYANT
COMPANY:	NM OCD	DATE:	6/28/10
FAX NUMBER:	575.393.0720	TOTAL NO. OF PAGES INCLUDING COVER:	9
PHONE NUMBER:		SENDER'S PHONE NUMBER:	(432) 563-3355
RE:	VGEU 34-01	SENDER'S FAX NUMBER:	(432) 563-3364

☐ URGENT ☒ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS

Gentlemen—

Please review the attached C-103 and Closed Loop procedures for ConocoPhillips. If you need anything else from me, please let me know.

Thanks,
Greg