

Subr Jun. 28. 2010, 11:00AM

Basic Energy Services

No. 8416

P. 2
Form C-103

Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM

87505

Energy, Minerals and Natural Resources

May 27, 2004

RECEIVED

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

JUN 30 2010

HOBBSOCD

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-20800
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☒ FEE ☐
2. Name of Operator ConocoPhillips Company Attn: Donna Williams		6. State Oil & Gas Lease No. B-2498
3. Address of Operator 3300 N. "A" St, Bldg. 6 #247 Midland, Tx. 79705		7. Lease Name or Unit Agreement Name Vacuum Glorieta East Unit Trac 41
4. Well Location Unit Letter C : 900 feet from the North line and 2310 feet from the West line Section 28 Township 17-S Range 35-E NMPM Lea County		8. Well number 001
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3962' DR		9. OGRID Number 217817
Pit or Below-grade Tank Application ☒ or Closure ☐		10. Pool name or Wildcat Vacuum; Glorieta
Pit type STEEL Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water N/A		
Pit Liner Thickness: STEEL mil Below-Grade Tank: Volume _____ bbls; Construction Material STEEL		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- MIRU. NU BOP. Tally in hole 2 1/2 Tbg to Tag TOC @ 5,500'. Circ hole w/ MLF.
- PUH to 4,500' - Spot 20sx cmt - WOC-Tag
- PUH to 4,100' - Spot 30sx cmt - WOC-Tag
- PUH to 2,950' - Spot 20sx cmt - WOC-Tag
- POOH Tbg. Set PKR. Perf @ 1,765'. Sqz 75sx cmt, WOC-Tag @ 1,600'
- POOH Tbg. Perf @ 60'. Circ 50sx cmt in 4 1/2 x 8% to surface
- RDMO

Perf & sq 25sx cmt @ 400' woc-t.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Greg Bryant TITLE P&A Tech DATE 06/28/10

Type or print name Greg Bryant

For State Use Only

APPROVED BY: [Signature] TITLE STAFF MGR DATE 6-30-10

Conditions of Approval (if any):

THE OIL CONSERVATION DIVISION MUST
BE NOTIFIED 24 HOURS PRIOR TO THE
BEGINNING OF PLUGGING OPERATIONS

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations


Date: June 2, 2010

RKB @ 3964
 DF @ 3963
 GL @ 3951'

Subarea: Buckeye
 Lease & Well No.: Vacuum Glorieta East Unit, Tract 41 Well No. 1
 Legal Description: 990' FNL & 2310' FWL, Sec. 28, T17S, R35E, Unit Ltr "C"
 County: Lea State: New Mexico
 Field: Vacuum Glorieta
 Date Spudded: 10/7/64 Rig Released: 10/22/64
 API Number: 30-025-20800
 Status: Temporarily Abandoned

Stimulation History:

Interval	Date	Type	Gals	Lbs. Sand	Max Press	ISIP	Max Rate	Max Down
6172-6186	10/23/64	Perforate w/ 2 JSPP @ 6172-6186						
	10/24/64	15% Regular Acid	500		2150	1200	1.3	
	11/11/64	Squeeze 6172-6186 w/ 50 ex cement						
	11/12/64	Perforate w/ 2 JSPP @ 6168-6178						
6168-6178	11/13/64	15% Regular Acid	500		2000	1450	0.4	
	11/24/69	Shut down - watered out, possible recompletion GB/SA						
	10/7/76	Set plug @ 6178-6500' w/ 50 ex cement						
		Temporarily Abandoned						


**Formation Tops:**

Yates	2888'
Queen	3765'
Grayburg	4057'
San Andres	4450'
Glorieta	6052'

WELLBORE SKETCH
ConocoPhillips Company - Lower 48 - Mid-Continent BU / Permian Operations

Date June 2, 2010

RKB @ 3964'
 DF @ 3963'
 GL @ 3951'



Subarea: Buckeye
 Lease & Well No: Vacuum Glorieta East Unit, Tract 41 Well No. 1
 Legal Description: 980' FNL & 2310' FWL, Sec 28, T17S, R35E, Unit Ltr "C"
 County: Lee State: New Mexico
 Field: Vacuum Glorieta
 Date Spudded: 10/7/84 Rig Released: 10/22/84
 API Number: 30-025-20800
 Status: Temporarily Abandoned

Stimulation History:

Interval	Date	Type	Gals	Lib. Sand	Max Press	Max ISIP	Max Rate	Max Down
6172-6186	10/23/84	Perforate w/ 2 JSPF @ 6172-6186						
	10/24/84	15% Regular Acid	500		2150	1200	1.3	
	11/11/84	Squeeze 6172-6186 w/ 50 sx cement						
6168-6178	11/12/84	Perforate w/ 2 JSPF @ 6168-6178						
	11/13/84	15% Regular Acid	500		2000	1450	0.4	
	11/24/89	Shut down - watered out, possible recompletion GB/SA						
	10/7/78	Set plug @ 6178-6500' w/ 60 sx cement						
		Temporarily Abandoned						

Formation Tops:

Yates	2888'
Queen	3765'
Grayburg	4057'
San Andres	4450'
Glorieta	6052'



PLUGGING YARD - 1312
11114 W. I-20 E. - ODESSA, TX 79765
P. O. BOX 61877 - MIDLAND, TX 79711
PHONE: (432) 563-3355 FAX: (432) 563-3364

FACSIMILE TRANSMITTAL SHEET

TO:	BUDDY HILL / E.L. Gonzales	FROM:	GREG BRYANT
COMPANY:	NM OCD	DATE:	6/28/10
FAX NUMBER:	575.393.0720	TOTAL NO. OF PAGES INCLUDING COVER	9
PHONE NUMBER:		SENDER'S PHONE NUMBER:	(432) 563-3355
RE:	VGEU TRACT 41 #1	SENDER'S FAX NUMBER:	(432) 563-3364

☐ URGENT ☒ FOR REVIEW ☐ PLEASE COMMENT ☐ PLEASE REPLY ☐ PLEASE RECYCLE

NOTES/COMMENTS

Gentlemen—

Please review the attached C-103 and Closed Loop procedures for ConocoPhillips. If you need anything else from me, please let me know.

Thanks,
Greg