

Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 July 17, 2008				
4. Reason for filing: <input checked="" type="checkbox"/> COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) <input type="checkbox"/> C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19 15.17.13 K NMAC)		5. Lease Name or Unit Agreement Name State C Tract 13 6. Well Number. 014								
7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER										
8. Name of Operator Apache Corporation						9. OGRID 873				
10. Address of Operator 6120 S Yale Avenue, Suite 1500 Tulsa, OK 74136-4224						11. Pool name or Wildcat Bli O&G (Oil) / Tubb O&G (Oil) / Drinkard				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	F	36	21S	37E		1331	North	1530	West	Lea
BH:	F	36	21S	37E		1360	North	1353	West	Lea
13. Date Spudded 04/21/2010	14. Date T.D. Reached 04/29/2010	15. Date Rig Released 04/30/2010		16. Date Completed (Ready to Produce) 05/27/2010		17. Elevations (DF and RKB, RT, GR, etc.) 3362' GR				
18. Total Measured Depth of Well 6838'		19. Plug Back Measured Depth 6741'		20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CNPhDen, SGR, CSITT, DLL, BHP				
22. Producing Interval(s), of this completion - Top, Bottom, Name 5679' - 6062' (Blinebry) / 6172' - 6341' (Tubb) / 6520' - 6624' (Drinkard)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
8-5/8"		24#		1329'		12-1/4"		650 sx		
5-1/2"		17#		6838'		7-7/8"		1075 sx		
24. LINER RECORD					25. TUBING RECORD					
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET			
					2-7/8"	6669'				
26. Perforation record (interval, size, and number)					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.					
Upr Blinebry 5679' - 5873', 2 SPF, 46 holes, producing					DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED					
Lwr Blinebry 5958' - 6062', 2 SPF, 42 holes, producing					5679' - 6062' 6K gals HCl, 96K gals gel & 180K # sand					
Tubb 6172' - 6341', 2 SPF, 54 holes, producing					6172' - 6341' 2K gals HCl, 52K gals gel & 86K # sand					
Drinkard 6520' - 6624', 2 SPF, 92 holes, producing					6520' - 6624' 3K gals HCl, 40K gals gel & 48K # sand					
28. PRODUCTION										
Date First Production 05/27/2010		Production Method (Flowing, gas lift, pumping - Size and type pump) Rod Pump				Well Status (Prod. or Shut-in) Producing				
Date of Test 06/09/2010	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 75	Gas - MCF 201	Water - Bbl. 113	Gas - Oil Ratio 2680			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr) 38.1				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By Apache				
31. List Attachments Directional Survey, Inclination Report, C-102's, C-103, C-104's (logs mailed 05/04/2010)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude					Longitude					
					NAD 1927 1983					
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>S. Mackay</i>			Printed Name Sophie Mackay		Title Engineering Technician			Date 06/16/2010		
E-mail Address sophie.mackay@apachecorp.com										

KZ OUC - HOB-375

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen 3212'	T. Silurian	T. Menefee	T. Madison
T. Grayburg 3793'	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres 4050'	T. Simpson	T. Mancos	T. McCracken
T. Glorieta 5162'	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock 5205'	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry 5582'	T. Gr. Wash	T. Dakota	
T. Tubb 6087'	T. Delaware Sand	T. Morrison	
T. Drinkard 6389'	T. Bone Springs	T. Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology