

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

RECEIVED

OIL CONSERVATION DIVISION

JUN 25 2010

1220 South St. Francis Dr.
Santa Fe, NM 87505

HOBBSOCD

WELL API NO. 30-025-04751
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. A-1573
7. Lease Name or Unit Agreement Name: State I
8. Well Number 2
9. OGRID Number 157984
10. Pool name or Wildcat Eumont; Yates-7 Rvrs-On (Gas) 76480

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator Occidental Permian Limited Partnership	
3. Address of Operator P.O. Box 50250 Midland, TX 79710-0250	
4. Well Location Unit Letter <u>C</u> : <u>660</u> feet from the <u>north</u> line and <u>1980</u> feet from the <u>west</u> line Section <u>22</u> Township <u>21S</u> Range <u>36E</u> NMPM County <u>Lea</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3609' GR	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations.

See Attachment

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCDD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE David Stewart TITLE Sr. Regulatory Analyst DATE 6/22/10

E-mail address: david_stewart@oxy.com
Telephone No. 432-685-5717

Type or print name David Stewart

For State Use Only

APPROVED BY [Signature] TITLE Staff MGR DATE 7-7-10

Conditions of Approval, if any:

TD-3908' PBD-3745' Perfs-2910-3710' CIBP-3780'-5/85

13" 40# csg @ 279' w/ 200sx, 18" hole, TOC-Surf-Circ

9-5/8" 36# csg @ 1483' w/ 400sx, 12" hole, TOC-Surf-Circ

7" 24# csg @ 3807' w/ 400sx, 8-3/4" hole, TOC-1145'-Calc

1. RIH & Set CIBP @ 2860', M&P 25sx cmt


~~2B~~ 2. Perf @ 1533', sqz 50sx cmt to 1433' WOC-Tag

3. Perf @ 329', sqz 130sx cmt to Surface

10# MLF between plugs

Perf # SQ 25SX CMT @ 1300' WOC-TAG

Occidental Permian Ltd. - Current
State I #2
API No. 30-025-04751



18" hole @ 279'
13" csg @ 279'
w/200sx-TOC-Surf

12" hole @ 1483'
9-5/8" csg @ 1483'
w/400sx-TOC-Surf

Perfs @ 2910-3160 & 3318-3710'

8-3/4" hole @ 3807'
7" csg @ 3807'
w/400sx-TOC-1145'-Calc

5/85-CIBP @ 3780' w/ 35' cmt

6" OH @ 3807-3908'

TD-3908'


Occidental Permian Ltd. - Proposed
State I #2
API No. 30-025-04751

135sx @ 329'-Surface

50sx @ 1533-1433' WOC-Tag

CIBP @ 2860' w/ 25sx

5/85-CIBP @ 3780' w/ 35' cmt



18" hole @ 279'
13" csg @ 279'
w/200sx-TOC-Surf

12" hole @ 1483'
9-5/8" csg @ 1483'
w/400sx-TOC-Surf

8-3/4" hole @ 3807'
7" csg @ 3807'
w/400sx-TOC-1145'-Calc

Perf @ 329'

Perf @ 1533'

Perfs @ 2910-3160 & 3318-3710'

6" OH @ 3807-3908'

TD-3908'