

| | | | | | | | | | | | | | | | |
|--|--------------------|--|------------------------|--|------------------|--|---------------------------|------------------|--|---------------|--|-----------|--|------------|--|
| Submit To Appropriate District Office Two Copies District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 | | State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 | | Form C-105 July 17, 2008 | | | | | | | | | | | |
| 1. WELL API NO. 30-025-39300 | | 2. Type of Lease <input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED/INDIAN | | 3. State Oil & Gas Lease No. BO-8105 | | | | | | | | | | | |
| | | 5. Lease Name or Unit Agreement Name West Blinebry Drinkard Unit | | | | | | | | | | | | | |
| | | 6. Well Number: 115 | | 11. Pool name or Wildcat Eunice; Bli-Tu-Dr, North | | | | | | | | | | | |
| 7. Type of Completion: <input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER | | 9. OGRID 873 | | | | | | | | | | | | | |
| 8. Name of Operator Apache Corporation | | 10. Address of Operator 6120 S Yale, Suite 1500 Tulsa, OK 74136-4224 | | 12. Location Unit Ltr Section Township Range Lot Feet from the N/S Line Feet from the E/W Line County Surface: P 16 21S 37E 280 South 740 East Lea BH: P 16 21S 37E 2031 South 967928 East Lea | | | | | | | | | | | |
| 13. Date Spudded 14. Date T.D. Reached 15. Date Rig Released 16. Date Completed (Ready to Produce) 17. Elevations (DF and RKB, RT, GR, etc.) 3437' GR 05/07/2010 05/15/2010 05/16/2010 06/17/2010 | | 18. Total Measured Depth of Well 19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other Logs Run 7225' 7185' Yes DLL/SGR/CSITT/BHP/CNPhDen | | | | | | | | | | | | | |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name Drinkard: 6434-6618'; Tubb: 6067-6318'; Blinebry: 5602-5835' | | | | | | | | | | | | | | | |
| 23. CASING RECORD (Report all strings set in well) | | | | | | | | | | | | | | | |
| CASING SIZE | | WEIGHT LB./FT. | | DEPTH SET | | HOLE SIZE | | CEMENTING RECORD | | AMOUNT PULLED | | | | | |
| 8-5/8" | | 24# | | 1273' | | 12-1/4" | | 650 sx C | | | | | | | |
| 5-1/2" | | 17# | | 7225' | | 7-7/8" | | 1300 sx C | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 24. LINER RECORD | | | | | | 25. TUBING RECORD | | | | | | | | | |
| SIZE | | TOP | | BOTTOM | | SACKS CEMENT | | SCREEN | | SIZE | | DEPTH SET | | PACKER SET | |
| | | | | | | | | | | 2-7/8" | | 6801' | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 26. Perforation record (interval, size, and number) Drinkard: 6434-6618' Tubb: 6067-6318' Blinebry: 5602-5835' | | | | | | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED Drinkard: 6434-6618' 1092 gals acid & flush w/5208 gal gel, 50,148 gal SS-35; 98,623# sand Tubb: 6067-6318' 1890 gal acid; 48,252 gal SS-25; 96,133# sand Blinebry: 5602-5835' 1092 gal acid; 75,420 gal SS-25; 205,459# sand | | | | | | | | | |
| 28. PRODUCTION | | | | | | | | | | | | | | | |
| Date First Production 06/17/2010 | | Production Method (Flowing, gas lift, pumping - Size and type pump) 640 Pumping Unit | | | | Well Status (Prod. or Shut-in) Prod | | | | | | | | | |
| Date of Test 06/25/2010 | Hours Tested 24 | Choke Size | Prod'n For Test Period | Oil - Bbl 30 | Gas - MCF 363 | Water - Bbl. 96 | Gas - Oil Ratio 12,100 | | | | | | | | |
| Flow Tubing Press. | Casing Pressure | Calculated 24-Hour Rate | Oil - Bbl. | Gas - MCF | Water - Bbl. | Oil Gravity - API - (Corr.) 37.8 | | | | | | | | | |
| 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold | | | | | | 30. Test Witnessed By Apache Corp. | | | | | | | | | |
| 31. List Attachments C-102, C-103, C-104 (Logs submitted 5/24/2010) | | | | | | | | | | | | | | | |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit. | | | | | | | | | | | | | | | |
| 33. If an on-site burial was used at the well, report the exact location of the on-site burial: | | | | | | | | | | | | | | | |
| Latitude Longitude NAD 1927 1983 | | | | | | | | | | | | | | | |
| I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief | | | | | | | | | | | | | | | |
| Signature <i>Reesa Holland</i> | | Printed Name Reesa Holland | | Title Sr. Engr Tech | | Date 06/30/2010 | | | | | | | | | |
| E-mail Address reesa.holland@apachecorp.com | | | | | | | | | | | | | | | |

PETROLEUM DIVISION
 JUL 13 2010

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

| Southeastern New Mexico | | Northwestern New Mexico | |
|-------------------------|------------------|-------------------------|------------------|
| T. Anhy | T. Canyon | T. Ojo Alamo | T. Penn A" |
| T. Salt | T. Strawn | T. Kirtland | T. Penn. "B" |
| B. Salt | T. Atoka | T. Fruitland | T. Penn. "C" |
| T. Yates 2588' | T. Miss | T. Pictured Cliffs | T. Penn. "D" |
| T. 7 Rivers | T. Devonian | T. Cliff House | T. Leadville |
| T. Queen 3220' | T. Silurian | T. Menefee | T. Madison |
| T. Grayburg 3807' | T. Montoya | T. Point Lookout | T. Elbert |
| T. San Andres 4061' | T. Simpson | T. Mancos | T. McCracken |
| T. Glorieta 5135' | T. McKee | T. Gallup | T. Ignacio Otzte |
| T. Paddock 5170' | T. Ellenburger | Base Greenhorn | T. Granite |
| T. Blinbry 5586' | T. Gr. Wash | T. Dakota | |
| T. Tubb 6118' | T. Delaware Sand | T. Morrison | |
| T. Drinkard 6449' | T. Bone Springs | T. Todilto | |
| T. Abo 6750' | T. Rustler 1226' | T. Entrada | |
| T. Wolfcamp | T. | T. Wingate | |
| T. Penn | T. | T. Chinle | |
| T. Cisco (Bough C) | T. | T. Permian | |

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....

No. 2, from.....to.....

No. 3, from.....to.....

No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

| From | To | Thickness In Feet | Lithology |
|------|----|----------------------|-----------|
| | | | |

| From | To | Thickness In Feet | Lithology |
|------|----|----------------------|-----------|
| | | | |