Shackelford Oil Company

Pit Closure Summary

Madera 19 Federal #2

API 30-025-37549

Lea County, NM

UL. M, Sec 19, T26S, R35E

GPS N32 01.390 W10324.804

Start date: 5July10

Finish date: 9July10

Prepared By: Vernon K. Black

Environmental Technician

Hungry Horse, LLC

PO Box 1058

Hobbs, NM 88241

(575)-393-3386



Table of Contents

1.0 Introduction	pg. 1
2.0 Area Description	pg. 1
3.0 Pit Closure Process	pg. 1
Diagram of Location and Reserve Pit	pg. 2

Attachments

Attachment 1 - Overhead View Attachment 2 - Lab Analytical & Chain of Custody Attachment 3 - One call Attachment 4 - C 144 with Work Plan/Approval Attachment 5 - C 144 Closure Attachment 6 - Plot Plan Attachment 7 - Photos of Project

1.0 Introduction

This report addresses the pit closure of the drilling reserve pit at Shackelford Oil Company's Madera 19 Federal No. 2 location. This is a drilling location and drilling reserve pit that have not been used for exploration and production. The pit closure was conducted as per 19.15.17.13 NMAC .The project manager for Hungry Horse, LLC was David Carter.

2.0 Area Description

The top three to four feet of soil is sandy topsoil laced with deposits of caliche rock. The area consist of native desert grasses, mesquite, and small yucca plants. The depth to the ground water is 200' based upon the Lea County Depth to Groundwater Map. There is no groundwater information for this area listed on the State Engineer's website. There are no known water wells or surface bodies of water within a half of a mile of this location. This location is located in Lea County, NM approximately fifteen miles south/southwest of Jal, New Mexico on the Beckham Ranch.

3.0 Pit Closure Process

The drilling reserve pit is 165' long x 170' wide x 7' deep. The pit was unlined and there was no free standing water in the pit at the time of closure. In March 2010, five soil samples, one from each corner and one from the center, were obtained and transported under chain of custody to Cardinal Lab in Hobbs, NM for analysis. Lab results indicated no presence of TPH, GRO/DRO, BTEX, or Chlorides. These results were presented to Geoffery Leking at NM OCD for his approval in order to proceed with the closure. Due to a three month time frame passing between the sampling and the start of work, July2010, another sample, to be filed tested for Chlorides, was requested by Geoffery Leking. Field test indicated no presence of chlorides and the approval for work to begin was given.

With approval from Jim Amos with BLM, clean caliche from a nearby pit was hauled in as back fill. Once back filled to with 3'-4' of ground level, topsoil that had been stockpiled on site when the pit and location were constructed was used as cover for the affected area. The area was contoured to match the surrounding terrain and re-seeded with BLM #2 seed.





,



JUN 302010

HOBBSOCH

ARDINAL LABORATORIES 101 East Marland, Hobbs, NM 68240

	(575) 393-232	6 Fax (676) 393-2	2476		NDDO	UUU								Page		ł		
Company Name	" Hungry Ho " Vernon K	rse Envisor	men	bal Services		ILL TO					٨N	ALYS	IS R			******		-
a rujuvcivnindidi Addisona	" Vernon F	, Wlack		······	P.O. #:													-
Address;	PO Bex 10	258		the second a subset	Company:	SAME						ź						
City:		State: NM		· · · · · · · · · · · · · · · · · · ·	Attn:							1						
	393-3386				Address:							12						
Project #:	1. A. C.	Project Owne	ti-Tely	which and a c	City:								-					
Project Name:					Stato:	Zip:						14						
Project Location	Vernun K	101.00 101.00			Phone #:							200						
FORLADUSE ONLY	Vernan n	· DIACH		والمحاجبين ومرجعته ومدود مجاوله والاحجاج والمحاكم الأوجان	Fax #:					5		×.0						
			d'	MATRIX	PRESERV	SAMPLIN	<u>IG</u>	~		200	_		/					
			000	Щщ. Ц				-6		26	$\overline{1}$	13.						
Lab I.D.	Sample	l.D.	BROM	AWC	ਲ · ਰ ਂ			1	T i	37.		5		•				
	Reserve P.		(G)RAB OR (C)OMP # CONTAINERS	GROUNDWATER WASTEWATER Soll Oil	OTHER ACIDEASE ICE / COCI OTHER			1	Ň	Co Co	2	江						
El inner E. K	neserve (?)	£ '	jê ç	B N S S T	ACIDE/ MC		TIME			V		F						
H 19451-1	NUE GALAR NW GARAR CONTRE SE GALAR SE GALAR	1 NL+>	С <u>э</u>].	4	- X	1806	1100	1	1.	114		X						
- 13	Conter	1 1050			•				· ·	1.								
- 11	SF GAAR	The Real			· · · · · · · · · ·	-]						. .				-	
5	su conner	7:66										-			-		· .	
	P	,		• • • • • • • • • • • • • • •	** ** *** *** *		and some a	Ш		• • • • • •				••••		· ·		
	、	<i>~</i> .						·		- -	-		• •	•••				
	· -	•••••		1 1													· ·	
	1 m m		.				· ·	.										
LEASE NOTE: LIGHT INC	a Damages. Caldinars lightly dis	client's exclused terrocy lot ar	14 63 8.107 A714	Ing whether based in contract of	I lan. shell be (mirea)	i to the encount paid to	y Via client for ib			Taun	and Condi		Latit be ch			<u> </u>		
	g inove for negigence and any or romat Le boble for inculontar or co g out of develoes to the certaina									30 dej	s patiduo a costa of coli	i ine rece al 3	24% per an	Avia (iem i	in a regina in a regina	i more int I date of in	Anie a ' U	
Sampler Relingu	lehed:	Dale:	Rece	ved By:	pered upon any prip		Phone Res	ult:	Ŭ	No		Phone A						-
		Time: 7					AK REBUIL		0	No		Fax #:	ni) 11 m 		• • • • • •	• • • • • • • • • •	•••••	• •
Relinguished By	1 1	Date: (7%.)	Recol	Ved By:			* 781	udi7	1.0	Alle	las	281	-Va.	me	rL-	3/2	alio	
and the second second	Sel	Time!	A	ndi th	HA NOV	4	* 181	, ,, ,	-1-0	e cerun	/C (/10.	par	•			270	Å	'
Delivered By:	(Circle One)		ا∡ا ∫Temp	Sample Conditio	NALOOP N CHECK	EOBY												
Sampler - UPS			Ŷ	Cool Intact	· AP	iale)												
† Cardinal c	annot accept verba	l changos. Pleaso	fax wr													·····		-
				三年	40											•		



RECEIVED

ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN: VERNON K. BLACK P.O. BOX 1058 HOBBS, NM 88241 FAX TO (575) 391-4585 JUN 302010

HOBBSOCD

Sampling Date 03/18/10 Sample Type: SOIL Samcle Condition: COOL & INTACT @ 4⁰C Sample Received Ey: AB Analyzed By AB/ZL/SJ

Receiving Date: 03/18/10 Reporting Date: 03/23/10 Project Owner. SCHACKLEFORD OIL Project Name. MADERA 19 FED #2 Project Location. LEA COUNTY, NM

LAB NO

SAMPLE ID	GRO (C ₃ -C ₁₀) (mg/k g)	DRO (>C ₁₀ -C ₂₈) (mg/kg)	BENZENE (mg/kg)	TOLUENE (mg/kg)	ETHYL BENZENE (mg/kg)	TOTAL XYLENES (mg/kg)	Cl* (mg/kg)
NS DATE:	03/21/10	03/21/10	03/22/10	03/22/10	03/22/10	03/22/10	03/19/10
NET DATE.	and the statement of th				20.050	. <u>*</u> EL 2EMP	< 3 is

· 03/21/10]	001211101				0.000	44.0
<10.0.	<10.01	<0.0501	<0.050	<0.0501	<0.300	<16
		<0.050	<0.050	<0.0501	< 0.300	16
	and the second	A superior basis senses or the se	many was in summer and		-0 200	<16
<10.0	<10.0	<0.050				
<10.0	<10.0	<0.050	<0.050;	<0.050	<0.300	32
	<10 n	<0.050	<0.050	<0.050	< 0.300	16 '
<100,	~10.0					
ii						!
		0.051	0.040	0.043	0 128	480
518	5401				- marine	
500	500	0.0501	0.050+	0 650	0.150	500
	108	102	80.0;	[0.63	84.0	96.0
·	· · · · · · · · · · · · · · · · ·	2 61	78	3.41	3.6'	4.1
<0.1	<u></u>					
	<pre><10 0;21710 <10 0; <10.0 <10.0 <10 0; <10 0; i 518 500 104 <0.1</pre>	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

METHODS: TPH GRO & DRO - EPA SW-846 6015 M; BTEX - SW-846 8260; CI- Std. Methods 4500-CI-B *Analysis performed on a 1:4 w.v aqueous extract. Reported on wet weight. *TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE. TOLUENE, ETHYL BENZENE,

AND TOTAL XYLENES. Not accredited for GRO/DRO and Chloride.

"One or more TPH surrogates outside historical limits due to matrix interference.

Lab Director

03/24/17

Date

H16481 TBCL HHE

PLEASE NOTE Liability and Damages. Cardinal's workly, and clear's exclusive remody for any claim shoring. Another bared in contract or rod, shall be limited to the amount cale by clicit for cardines. An claims including hose for regignable and any other cause employees shall be demed waived unless made in whithy and received by Cardinal which they doly days other competion of the applicable in no event shall Cardinal a for including in cale of the second or consecuential damages, including, without limitation, business interruptions, loss of use, or loss of profils incurred by dens, its subsidiates, achillate or successors shang out of or related to the performance of services normalized by Cardinal regardless of wrether such claim is based upon any of the abmodule datasets or otherwise. Results are listed only to the samples contract above. This reportance or otherwise. Results only no the samples contract above. This reports and not be reproduced exect in full with written approval of Cardinal Laborationes.



ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN: VERNON K. BLACK P.O. BOX 1058 HOBBS, NM 88241 FAX TO: (575) 391-4585

JUN 30 2010 HOBBSOCD

Received

Receiving Date: 03/18/10 Reporting Date: 04/01/10 Project Owner: SCHACKLEFORD OIL Project Name: MADERA 19 FED #2 Project Location: LEA COUNTY, NM Analysis Date: 03/31/10 Sampling Date: 03/18/10 Sample Type: SOIL Sample Condition: COOL & INTACT @ 4^CC Sample Received By: AB Analyzed By: CK

LAB NUMBER	SAMPLE ID

418.1
TPH
(mg/kg)

H19481-1		
	NE CORNER 7' BGS	<100
H19481-2	NW CORNER 7' BGS	<100
H19481-3	CENTER 5' BGS	. <100
H19481-4	SE CORNER 7' BGS	<100
H19481-5	SW CORNER 7' BGS	<100
		7 5 7
a name and a subsection of the second states of the		
and Alman 2011 and 1000 to 1000 to 1000 to 1000		
	and annother and bottoms and an approach of the set of	
- 10		
		· · · · · · · · · · · · · · · · · · ·
Quality Control		329
Quality Control True Value QC		329

METHOD: EPA 418.1. Reported on wet weight. Not accredited for TPH 418.1

Chemist

Date

PLEASE NOTE. Liability and Domages. Cardinal's vability and cherifs endinave remed. for any dam onsing, wi effer based in contract or tort, chall do limited to the amount paid to rement for analyse. All charge using the physical approaches the cause whatsource shall be deterned waved unless made in writing and received by Cardinal with in their (30) days after completion of the applicable scruce in the event shall cardinal be failed for incidental or consequent at damages including whost limitation incidents instructions for a direct or based in contract or tort, charling out or or related to the performance of services hereinder by Cardinal, regardless of whether such clarm is based upon any of the appreciated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in fully with writion accrowal of Cardinal Laboratories.

Date: 6/25/2010 Time: 7:25 AM To: 2010262860 @ 915753914585 NMOC P.1/1 New Mexico One Call Locate Request Confirmation Header Code: STANDARD LOCATE Request Type: Ticket No: 2010262860 Seq. No: 0 Update of: Original Call Date: 06/25/2010 Time: 07:18:57 AM OP: 215 Transmit Date: 06/25/2010 Time: 07:25:11 AM Work to Begin Date: 06/29/2010 Time: 07:24:00 AM HUNGRY HORSE LLC Company: Contact Name: VERNON BLACK Contact Phone: (575)631 - 2253Alternate Contact: Alternate Phone: Best Time to Call: Fax No: (575) 391-4585 Cell Phone: Pager No: Email: State: NM County: LEA City: RURAL LEA Address: , WELL MADERA19 FEDERAL #002 To Address: Nearest Intersecting Street: 2nd Intersecting Street: Subdivision: Latitude: 32.02326200 Longitude: -103.41303850 Zip Code: Grid: Township: 26S Range: 35E Section 1/4: 19 SW Location of Work: PIT CLOSURE -- FROM JAL GO S ON 3RD ST WHICH WILL CHANGE TO CR-205 GO 8.6MI - TRN R (W) ON BECKHAM RD GO 5.3MI - TRN R (N) GO 0.5MI - TRN L (W) GO 3.4MI - TRN R GO 0.5MI - TRN L (S) GO 0.25MI TO PIT ON THE RIGHT === SPOT PIT AREA AND 100FT Remarks: RADIUS OUTSIDE OF PIT - NO WELL ON LOCATION OR MARKER - NO HAZARDS - OPEN ACCESS Type of Work: OIL/GAS-WELL/PIT REMOVAL Private Property: Street: Overhead Lines: Blasting: Easement: Mechanical Boring: Premarked: Work Being Done For: SHAKELFORD OIL COMPANY The following utility owners have been notified: OCLEARNMOC

IMPORTANT CONFIRMATION NOTICE

Your fax request has been received and processed. It is your responsibility to review the information provided on this faxback confirmation ticket and ensure it has been correctly interpreted from your request. Notify us immediately of any corrections or errors. Acceptance of this faxback confirmation ticket means you accept responsibility for the accuracy of the information contained in the ticket and you agree to indemnify New Mexico One Call Systems, Inc. of all liability, claims, fees, or damages, including reasonable attorney fees arising from or resulting from the use of the information provided on this confirmation ticket.

New Mexico Law requires you to wait two working days from the date and time of this confirmation notice before you begin excavation. This request is valid for ten working days. Only the facility owners listed on this ticket will be notified. You can check the Locate Status of this ticket and request other tickets by visiting the our website at www.nmonecall.org.

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505State of New Mexico Department UN 30 2010 Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-144 July 21, 2008 For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.				
Pit, Closed-Loop System, Below-Grade T Proposed Alternative Method Permit or Closure P	<u>`ank, or</u> 'lan Application				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method					
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system. Please be advised that approval of this request does not relieve theoperator of liability should operations result in environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable gov	collution of surface surface and the state				
Operator: Shackelford Oil OGRID #:020595					
Address: 3510 N A. St. Bldg B Ste. 100, Midland, TX 79705					
API Number: 30-025-37549 OCD Permit Number: P	-02171				
U/L or Qtr/Qtr M Section 19 Township 26S Range 35E	County: Lea				
Center of Proposed Design: Latitude Longitude	NAD: 1927 1983				
Surface Owner: X Federal 🗌 State 🗋 Private 🛄 Tribal Trust or Indian Allotment					
	Dimensions: L165' x W170' x D7'				
 3. Closed-toop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other					
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:bbl Type of fluid: Tank Construction material: Secondary containment with leak detection □ Visible sidewalls, liner, 6-inch lift and automatic overf Visible sidewalls and liner □ Visible sidewalls only □ Other Liner type: Thicknessmil □ HDPE □ PVC □ Other	flow shut-off				
Alternative Method:					
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental	Bureau office for consideration of approval				
Form C-144 Oil Conservation Division	Page 1 of 5				

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate. Please specify_

7.

Netting:	Subsection E of 19.15.17.11 NMAC	(Applies to pe	ermanent pits and l	permanent open top tanks)
			or manon prio ana p	sermanen open top tanta)

Screen Netting Other_

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s):	Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for
consideration of approval.	

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes 🗌 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No

	And the second s	theck mark in the box, that the documents are bsection B of 19.15.17.9 NMAC (2) of Subsection B of 19.15.17.9 NMAC .10 NMAC c quirements of Subsection C of 19.15.17.9 NMAC
Instruct attache	Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Para Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate red .15.17.13 NMAC eviously Approved Design (attach copy of design) API Number: 	neck mark in the box, that the documents are agraph (3) of Subsection B of 19.15.17.9 requirements of 19.15.17.10 NMAC
13. Perman Instruct attached attached □ H □ S □ C □ D □ L □ L □ L □ C □ D □ L □ C □ D □ L □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D □ C □ D	ground steel tanks or haul-off bins and propose to implement waste removal for closure) ment Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC atoms: Each of the following items must be attached to the application. Please indicate, by a cha- hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17. Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.12 NMAC unality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC reeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC receboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.12 NMAC intergency Response Plan Dif Field Waste Stream Characterization fonitoring and Inspection Plan losure Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and	9 NMAC 10 NMAC AC .17.11 NMAC 9.15.17.11 NMAC 11 NMAC
Instruction	d Closure: 19.15.17.13 NMAC ions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed clo Drilling Workover Emergency Cavitation P&A Permanent Pit Below-g Alternative Closure Method: X Waste Excavation and Removal Waste Removal Waste Removal On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe	rade Tank 🔲 Closed-loop System
X Prote X Cont X Disp X Soil X Re-v	<u>Accavation and Removal Closure Plan Checklist</u> : (19.15.17.13 NMAC) <i>Instructions: Each of t</i> <i>Ian. Please indicate, by a check mark in the box, that the documents are attached.</i> tocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC affirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F posal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	the following items must be attached to the F of 19.15.17.13 NMAC n H of 19.15.17.13 NMAC

16. <u>Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only</u> : (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
17. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No			
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	🗋 Yes 🗌 No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗋 Yes 🗌 No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗍 No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗋 Yes 🗌 No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗋 Yes 🗌 No			
Within a 100-year floodplain. - FEMA map	🗋 Yes 🗌 No			
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.10 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved) Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Stie Reclamation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC				

[9.		
Operator Application Certification:		
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.		
Name (Print): Clay Houston Clay Houston Title: Production/Sales Operations		
Signature: PI-02171 Date: Date:		
e-mail address:chouston92083@yahoo.com Telephone: 432 770 5007		
20. <u>OCD Approval</u> : Permit Application (including closure plan) Z Closure Plan (only) OCD Conditions (see attachment)		
OCD Representative Signature: Deuffrey Leving Approval Date: 06/30/10		
Title: <u>Environmental Engineen</u> OCD Permit Number:	<u></u>	
21. <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete the section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:	report. tis	
22.		
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems of If different from approved plan, please explain.	only)	
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only	 ,.	
Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if me	ore than	
two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:		
Disposal Facility Name: Disposal Facility Permit Number: Disposal Facility Name: Disposal Facility Permit Number:		
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below)		
Required for impacted areas which will not be used for future service and operations:		
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 		
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a c		
mark in the box, that the documents are attached.	:heck	
 Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) 		
Plot Plan (for on-site closures and temporary pits)		
 Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) 		
Disposal Facility Name and Permit Number		
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 		
Site Reclamation (Photo Documentation)		
On-site Closure Location: Latitude Longitude NAD: 1927 1983		
25. Operator Closure Certification:		
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.	đ	
Name (Print): Title:		
Signature: Date:		
e-mail address: Telephone:		



New Mexico Office of the State Engineer Water Column/Average Depth to Water

No records found.

PLSS Search:

Section(s): 19

Township: 26S Range: 35E

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work *	On-Site Remediation	*	Soil Testing	*	Excavation
24Jun10			,		
To: Geoff Leking, NM OCD Jim Amos, BLM	RECEIVED	•			
Reference: Pit Closure Operator: Shackelford Oil	JUN 30 2010				
Location: Madera 19 Federal #2 API: 30-025-37549	HOBBSOCD				
Legals: UL. M, Sec. 19, T26S, R3	5E				

Protocols and Procedures: This pit closure work plan is submitted for your review and feedback. This location **has not** been used for drilling, exploration, and/or production work. The drilling pad and reserve pit were constructed but never used. The Waste Excavation and Removal Process will be used to close the pit. There is no standing liquid present in the pit. Depth to Ground Water is >100' based upon the Lea County Depth to Ground Water Map. There area has no ground water depth data listed on the web site for NM Office of the State Engineer.

Confirmation Sampling: Soil sampling occurred 18Mar10. Five sample points, one from each corner and one from the center, were selected for sampling. All samples were obtained and secured according to normally accepted industry standards and transported under chain of custody to Cardinal Lab in Hobbs, NM for analysis. Lab results (see attached) indicate no presence of contaminants. Field test for Chlorides was conducted once more on 24Jun10, to confirm no unauthorized dumping had occurred since the initial soil sampling. This test indicated no presence of chloride contamination.

Disposal Facility Name and Permit Number: Due to no presence of contaminants, no contaminated soil will be transported for disposal.

Soil Backfill and Cover Design Specifications: Site assessment indicates there is topsoil stockpiled on site for back fill/cover; however, additional material will be required to complete the project. It will be obtained from a nearby pit.

Re-vegetation Plan: Upon completion of backfill and cover work, the affected area will be seeded with a BLM #2 seed mixture.

Site Reclamation Plan: The proposed plan is to use the stockpiled topsoil as cover with the backfill coming from a nearby pit. The affected area will be covered with a three foot layer of topsoil, contoured to match the surrounding terrain, and seeded with the above mentioned BLM #2 seed mixture.

Vernon K. Black, Hungry Horse, LLC

P. O. Box 1058 * Hobbs New Mexico * Office 505.393.3386 * Fax 505.391.4585

HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work	*	On-Site Remediation	*	Soil Testing	*	Excavation
24Jun10				CEIVED		
To: Jim An Reference	nos, BLM e: Pit Closure			I 30 2010 BBSOCD		
Dear Mr. /	Amos,					
on land in will be clo used in dri	which BLM i sed in accord illing operati	on behalf of Shackelford Oil to s the surface owner. Hungry H lance with 19.15.17.13 NMAC ons. A well was never drilled a led in this e-mail along with th	lorse, LLC . Neither It this loc	Chas retained to cond the drilling pit nor the ation. A work plan wit	luct this w e location th attachr	vork. The pit has been nents for

Madera 19 Federal #2

closed is listed below.

API 30-025-37549

Lea County, NM Sec.29, T26S, R35E

Should you have any questions, please feel free to give me a call or you can contact Clay Houston with Shackelford Oil at 432 770 5007.

Sincerely,

.

Vernon K. Black HSE Hungry Horse, LLC 575 631 2253 cell

Vernon Black

From: Sent: To: Subject: James_Amos@blm.gov Wednesday, June 30, 2010 7:41 AM Vernon Black Re: Work Plan for Pit Closure

Attachments:

Letter to BLM (Madera 19).pdf; Work Plan (Madera 19).pdf

RECEIVED



Letter to BLM Work Plan (Madera 19).pdf .. adera 19).pdf (33,

Vernon,

JUN 302010

HOBBSOCD

You are authorized to proceed as per submitted plan. If any deviation to the plan, notify this office prior to the deviation for authorization.

thanks

"Vernon Black" <vernon@hungry-ho rse.com> To <James_Amos@nm.blm.gov> 06/25/2010 07:17 cc AM

> Subject Work Plan for Pit Closure

Good morning Jim,

Please take a look at the two attachments, notification letter and work plan, as they relate to a pit closure to be conducted on BLM southwest of Jal. This location is on the Beckham Ranch. Once I receive your feedback and/or approval, I'll present the work plan to NM OCD. I look forward to working with you once again on another project.

.

District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr , Santa Fe, NM 87505

For temporary pits, closed-loop system:	s, and
below-grade tanks, submit to the approp	riate
NMOCD District Office.	
For permanent pits and exceptions sub-	nit to
the Santa Fe Environmental Bureau office	and
provide a copy to the appropriate NMOCI	D
District Office.	

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of is responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
1. Operator: Shackelford Oil OGRID #: 020595
Address: 3510 N A St, Bldg B, Suite 100, Midland, TX 79705
Facility or well name: Madera 19 Federal #2
API Number: 30-025-37549 OCD Permit Number: P1-02171
U/L or Qtr/Qtr M Section 19 Township 26S Range 35E County: Lea
Center of Proposed Design Latitude Longitude NAD: []1927 [] 1983
Surface Owner: X Federal 🗌 State 🗌 Private 🗌 Tribal Trust or Indian Allotment
X Pit: Subsection F or G of 19 15.17.11 NMAC Temporary: X Drilling Workover Permanent Emergency Cavitation P&A Lined X Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
3. Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other
A Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume bbl Tank Construction material:

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15 17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)

Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church)

Four foot height, four strands of barbed wire evenly spaced between one and four feet

Alternate Please specify_

Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)

Screen 🗌 Netting 🗌 Other

Monthly inspections (If netting or screening is not physically feasible)

Signs: Subsection C of 19.15.17.11 NMAC

12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers

Signed in compliance with 19.15.3.103 NMAC

Administrative Approvals and Exceptions:

Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.

Please check a box if one or more of the following is requested, if not leave blank:

Administrative approval(s):	Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for
consideration of approval	

Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Siting Criteria (regarding permitting): 19.15.17.10 NMAC

Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.

 Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	🗌 Yes 🗌 No
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Yes No
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site 	Yes No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	🗌 Yes 🗌 No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	🗌 Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Energency Plan - based upon the appropriate requirements of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Alternative Permanent Pit Below-grade Tank Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16.				
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13	.D NMAC)			
Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	f more than two			
Disposal Facility Name ⁻ Disposal Facility Permit Number:				
Disposal Facility Name: Disposal Facility Permit Number:				
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC			
¹⁷ <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sou provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dis considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be			
 Ground water is less than 50 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ No □ NA			
 Ground water is more than 100 feet below the bottom of the buried waste. NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells 	□ Yes □ No □ NA			
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes No			
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	🗌 Yes 🗌 No			
 Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site 	🗌 Yes 🗌 No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	🗌 Yes 🗌 No			
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	🗌 Yes 🗌 No			
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No			
Within a 100-year floodplain. - FEMA map	🗌 Yes 🗌 No			
 18 On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of 19.15.17.13 NMAC Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC 				

 Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on
 Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
 Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC
 Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)

Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

19.
Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.
Name (Print): Title:
Signature: Date:
e-mail address Telephone:
20. OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment) X CLOSURE
OCD Representative Signature: <u>Norfflrey de Ring</u> Title: <u>Environmental Engineen</u> OCD Permit Number: <u>PI-02171</u>
Title: Environmental Engineen OCD Permit Number: PI-02171
^{21.} <u>Closure Report (required within 60 days of closure completion)</u> : Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.
X Closure Completion Date: 9July10
 22. Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.
23. <u>Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:</u> Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.
Disposal Facility Name: Disposal Facility Permit Number:
Disposal Facility Name Disposal Facility Permit Number:
Were the closed-loop system operations and associated activities performed on or in areas that <i>will not</i> be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No
Required for impacted areas which will not be used for future service and operations Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique
 24 Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique X Site Reclamation (Photo Documentation)
On-site Closure Location: Latitude Longitude NAD: 1927 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.
Name (Print): Clay Houston Title: Operation S
Signature: Date: 12July10
e-mail address chouston 92083@yahoo com Telephone 432 770 5007



.

The center of the closed pit is due west of the proposed well head, GPS N32 01.390 W103 24.804.

Reference the drawing on page #2

1

•



