

RECEIVED

JUL 02 2010

HOBBSCO

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

WELL API NO.

30-025-27643 ✓

5. Indicate Type of Lease

STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

001604 ✓

7. Lease Name or Unit Agreement Name

Williams ✓

8. Well Number

2 ✓

9. OGRID Number

001340 ✓

10. Pool name or Wildcat

Bishop Canyon, Queen

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☒

2. Name of Operator Avra Oil Company

3. Address of Operator 4925 Greenville Ave., Ste. 460
Dallas, TX 75206

4. Well Location

Unit Letter H : 2310 feet from the North line and 560 feet from the East line
Section 11 Township 18S. Range R 38E NMPM County LEA

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐OTHER: ☐OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1) Dump bail 35' of cement on top of CIBP @ 4252'
- 2) set CIBP @ 4000' & dump bail 35' of cement on top of CIBP cir hole with mud
- 3) Pump 25 sxs of class c cement 3150' - 2903' base of salt section
- 4) Pump 25 sxs of class c cement 2100' - 1843' top of salt section → Perf + SQ @ 2100' WOC-7A9
- 5) Perf 5 1/2" csg @ 368' - squeeze 50 sxs class c cement from 368' to 268' WOC-7A9
- 6) Pump 10 sxs of class c cement from 60 to surface
- 7) Cut off well head & anchors - install dry hole marker - back fill cellar

The Oil Conservation Division **Must be notified**
24 hours prior to the beginning of plugging operations

Spud Date:

ASAP

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Saeed Afghahi

TITLE President

DATE 6-30-2010

Type or print name

Saeed Afghahi

E-mail address:

avraoile@sbeglobal.net

PHONE:

214-692-7200

For State Use Only

APPROVED BY:

Saeed Afghahi


TITLE STAFF MGR

DATE 7-22-10

Conditions of Approval (if any):

COT

AVRA OIL COMPANY
WELL BORE DIAGRAM
WILLIAMS NO. 2.
BEFORE PLUGGING




RECEIVED

JUL 22 2010

HOBBSOCD

WILLIAMS NO. 2
WELL BORE DIAGRAM
AFTER PLUGGING

AVRA OIL COMPANY



RECEIVED

JUL 22 2010

HOBBSOCD